

Cucumber Report

19 Dec 2023, 00:36:02

Start : Dec 19, 12:34:09.416 am

End : Dec 19, 12:36:00.632 am

Duration : 1 m 51.216 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 30
FAILED - 6
SKIPPED - 54




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>create Desktops test</u>	1 m 51.216 s	6	0	6	0	90	30	6	54

#	Feature Name	Scenario Name
1	<u>create Desktops test</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@onlytest	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>create Desktops test</u>	6	0	6	0	1 m 51.216 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>create Desktops test</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	27.899 s
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	26.136 s
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	25.899 s
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	12.309 s
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	8.880 s
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	9.926 s

create Desktops test


FAILED	DURATION - 1 m 51.216 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 90 Pass - 30 Fail - 6 Skip - 54	
/ 12:34:09.416 am // 12:36:00.632 am /					

verifyProductAddedToShoppingCartSuccessfully



<div>FAILED</div> <div>DURATION - 27.899 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 12:34:09.425 am // 12:34:37.324 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.198 s
2	And User mouse hover on £sterling and clicks	PASSED	0.758 s
3	And User mouse hover on DesktopTab	PASSED	0.174 s
4	And User clicks on show all desktopsLink	PASSED	0.723 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.868 s
6	And User select the product from "HTC Touch HD", "1", "£74.73"	FAILED	20.082 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[text() = 'HP LP3065'])[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ccd77686c01e06496af554217cac5ed, findElement {using=xpath, value=(//a[text() = 'HP LP3065'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49297}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49297/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5ccd77686c01e06496af554217cac5ed		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopPage.clickOnProductHpLP3065(DesktopPage.java:74) at com.tutorialsninja.demo.steps.DesktopSteps.userSelectTheProductFrom(DesktopSteps.java:70) at ?.User select the product from "HTC Touch HD","1","£74.73"(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/ resources/features/desktops.feature:17) * Not displayable characters are replaced by '?'. </pre>		
7	When User verify the products text "HTC Touch HD"	SKIPPED	0.000 s
8	And User enters Quantity "1" using the Select class	SKIPPED	0.000 s
9	And User clicks on the "Add to Cart" button	SKIPPED	0.000 s
10	Then User should verify the message"Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And User click on the link dosplay on shopping cart message	SKIPPED	0.000 s
12	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
13	And User verify the product name "HP LP3065"	SKIPPED	0.000 s
14	And User verify the model "Product 21"	SKIPPED	0.000 s
15	And User verify the total Price"£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.227 s
	verifyProductAddedToShoppingCartSuccessfully		

#	Step / Hook Details	Status	Duration
			



verifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 26.136 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 12:34:37.365 am // 12:35:03.501 am /				
create Desktops test				
@onlytest				


#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.185 s
2	And User mouse hover on £sterling and clicks	PASSED	0.754 s
3	And User mouse hover on DesktopTab	PASSED	0.173 s
4	And User clicks on show all desktopsLink	PASSED	0.741 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.435 s
6	And User select the product from "iPhone","11","£75.46"	FAILED	20.051 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[text() = 'HP LP3065'])[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [baa52b7ebec98f9a694c3f6503e1e802, findElement {using=xpath, value=(//a[text() = 'HP LP3065'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49338}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49338/devtoo..., se.cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: baa52b7ebec98f9a694c3f6503e1e802</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopPage.clickOnProductHpLP3065(DesktopPage.java:74) at com.tutorialsninja.demo.steps.DesktopsSteps.userSelectTheProductFrom(DesktopsSteps.java:70) at ?.User select the product from "iPhone","11","£75.46"(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:17) * Not displayable characters are replaced by '?'. </pre>		
7	When User verify the products text "iPhone"	SKIPPED	0.001 s
8	And User enters Quantity "1" using the Select class	SKIPPED	0.000 s
9	And User clicks on the "Add to Cart" button	SKIPPED	0.000 s
10	Then User should verify the message"Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And User click on the link dosplay on shopping cart message	SKIPPED	0.000 s
12	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
13	And User verify the product name "HP LP3065"	SKIPPED	0.000 s
14	And User verify the model "Product 21"	SKIPPED	0.000 s
15	And User verify the total Price"£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.256 s
	verifyProductAddedToShoppingCartSuccessfully		
			

verifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 25.899 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 12:35:03.527 am // 12:35:29.426 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.165 s
2	And User mouse hover on £sterling and clicks	PASSED	0.720 s
3	And User mouse hover on DesktopTab	PASSED	0.169 s
4	And User clicks on show all desktopsLink	PASSED	0.581 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.439 s
6	And User select the product from "iPod Classic", "20", "£74.73"	FAILED	20.060 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = 'HP LP3065']}[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db4a64e10026d91f3247fea231e372bd, findElement {using=xpath, value=//a[text() = 'HP LP3065']}[2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49381}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49381/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db4a64e10026d91f3247fea231e372bd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopPage.clickOnProductHpLP3065(DesktopPage.java:74) at com.tutorialsninja.demo.steps.DesktopsSteps.userSelectTheProductFrom(DesktopsSteps.java:70) at ?.User select the product from "iPod Classic","20","£74.73"(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:17) * Not displayable characters are replaced by '?'. </pre>		
7	When User verify the products text "iPod Classic"	SKIPPED	0.000 s
8	And User enters Quantity "1" using the Select class	SKIPPED	0.000 s
9	And User clicks on the "Add to Cart" button	SKIPPED	0.000 s
10	Then User should verify the message"Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And User click on the link dosplay on shopping cart message	SKIPPED	0.000 s
12	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
13	And User verify the product name "HP LP3065"	SKIPPED	0.001 s
14	And User verify the model "Product 21"	SKIPPED	0.000 s
15	And User verify the total Price"£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.212 s
	verifyProductAddedToShoppingCartSuccessfully		
			

verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 12.309 s		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 12:35:29.446 am // 12:35:41.755 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.173 s
2	And User mouse hover on £sterling and clicks	PASSED	0.720 s
3	And User mouse hover on DesktopTab	PASSED	0.179 s
4	And User clicks on show all desktopsLink	PASSED	0.747 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.457 s
6	And User select the product from "MacBook", "16", "£368.73"	FAILED	6.467 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: (//a[text() = 'HP LP3065'])[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopPage.clickOnProductHpLP3065(DesktopPage.java:74) at com.tutorialsninja.demo.steps.DesktopSteps.userSelectTheProductFrom(DesktopSteps.java:70) at ?.User select the product from "MacBook", "16", "£368.73"(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:17) * Not displayable characters are replaced by '?'.		
7	When User verify the products text "MacBook"	SKIPPED	0.001 s
8	And User enters Quantity "1" using the Select class	SKIPPED	0.000 s
9	And User clicks on the "Add to Cart" button	SKIPPED	0.000 s
10	Then User should verify the message"Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.001 s
11	And User click on the link dosplay on shopping cart message	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
12	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
13	And User verify the product name "HP LP3065"	SKIPPED	0.000 s
14	And User verify the model "Product 21"	SKIPPED	0.000 s
15	And User verify the total Price"£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a2f3bd32255761e8f7816f0b3272cf8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49433}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49433/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a2f3bd32255761e8f7816f0b3272cf8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:360) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:19)</p>		



verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 8.880 s	<table border="1"> <caption>Step Durations (s)</caption> <thead> <tr><th>Step</th><th>Duration (s)</th></tr> </thead> <tbody> <tr><td>1</td><td>0.166</td></tr> <tr><td>2</td><td>0.711</td></tr> <tr><td>3</td><td>0.168</td></tr> <tr><td>4</td><td>0.562</td></tr> <tr><td>5</td><td>0.433</td></tr> <tr><td>6</td><td>3.213</td></tr> <tr><td>7</td><td>0.005</td></tr> <tr><td>8</td><td>0.001</td></tr> <tr><td>9</td><td>0.002</td></tr> <tr><td>10</td><td>0.001</td></tr> <tr><td>11</td><td>0.004</td></tr> </tbody> </table>	Step	Duration (s)	1	0.166	2	0.711	3	0.168	4	0.562	5	0.433	6	3.213	7	0.005	8	0.001	9	0.002	10	0.001	11	0.004	Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
Step	Duration (s)																											
1	0.166																											
2	0.711																											
3	0.168																											
4	0.562																											
5	0.433																											
6	3.213																											
7	0.005																											
8	0.001																											
9	0.002																											
10	0.001																											
11	0.004																											
/ 12:35:41.808 am // 12:35:50.688 am /																												
create Desktops test																												
@onlytest																												

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.166 s
2	And User mouse hover on £sterling and clicks	PASSED	0.711 s
3	And User mouse hover on DesktopTab	PASSED	0.168 s
4	And User clicks on show all desktopsLink	PASSED	0.562 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.433 s
6	And User select the product from "MacBook Air", "17", "£736.23" org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: (//a[text() = 'HP LP3065'])[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopPage.clickOnProductHpLP3065(DesktopPage.java:74) at com.tutorialsninja.demo.steps.DesktopsSteps.userSelectTheProductFrom(DesktopsSteps.java:70) at ?.User select the product from "MacBook Air", "17", "£736.23"(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:17) * Not displayable characters are replaced by '?'.	FAILED	3.213 s
7	When User verify the products text "MacBook Air"	SKIPPED	0.005 s
8	And User enters Quantity "1" using the Select class	SKIPPED	0.001 s
9	And User clicks on the "Add to Cart" button	SKIPPED	0.002 s
10	Then User should verify the message"Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.001 s
11	And User click on the link dosplay on shopping cart message	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
12	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.001 s
13	And User verify the product name "HP LP3065"	SKIPPED	0.000 s
14	And User verify the model "Product 21"	SKIPPED	0.001 s
15	And User verify the total Price"£74.73"	SKIPPED	0.002 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.066 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b05beefad50911a2d36b3c29739c38ab, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49469}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49469/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b05beefad50911a2d36b3c29739c38ab at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:360) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:19)		

verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 9.926 s		<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 12:35:50.706 am // 12:36:00.632 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.181 s
2	And User mouse hover on £sterling and clicks	PASSED	0.714 s
3	And User mouse hover on DesktopTab	PASSED	0.163 s
4	And User clicks on show all desktopsLink	PASSED	0.569 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.464 s
6	And User select the product from "Sony VAIO", "19", "£736.23"	FAILED	4.410 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: (//a[text() = 'HP LP3065'])[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopPage.clickOnProductHpLP3065(DesktopPage.java:74) at com.tutorialsninja.demo.steps.DesktopSteps.userSelectTheProductFrom(DesktopSteps.java:70) at ?.User select the product from "Sony VAIO", "19", "£736.23"(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:17) * Not displayable characters are replaced by '?'.		
7	When User verify the products text "Sony VAIO"	SKIPPED	0.000 s
8	And User enters Quantity "1" using the Select class	SKIPPED	0.001 s
9	And User clicks on the "Add to Cart" button	SKIPPED	0.001 s
10	Then User should verify the message"Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And User click on the link dosplay on shopping cart message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
13	And User verify the product name "HP LP3065"	SKIPPED	0.000 s
14	And User verify the model "Product 21"	SKIPPED	0.000 s
15	And User verify the total Price"£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.019 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a35c9341b2d62c195d4e9e5432807278, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49498/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a35c9341b2d62c195d4e9e5432807278</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:360) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:19)</p>		