

# Cucumber Report

18 Dec 2023, 11:29:37

Start : Dec 18, 11:28:16.510 am

End : Dec 18, 11:29:34.973 am

Duration : 1 m 18.463 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 9  
FAILED - 3  
SKIPPED - 9



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>checking computer feature</u>	1 m 18.463 s	3	0	3	0	21	9	3	9


#	Feature Name	Scenario Name
1	<u>checking computer feature</u>	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
2		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
3		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *

\* The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@onlytest	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	3	0	3	0	1 m 18.463 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	3	1	3	25.843 s
2		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	3	1	3	27.429 s
3		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	3	1	3	25.131 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


## checking computer feature

FAILED	DURATION - 1 m 18.463 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 9 Fail - 3 Skip - 9	
/ 11:28:16.510 am // 11:29:34.973 am /					

## : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully



FAILED		DURATION - 25.843 s			Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 11:28:16.518 am // 11:28:42.361 am /						
checking computer feature						
@onlytest						

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.608 s
2	And User Clicks on Computer tab	PASSED	0.460 s
3	And User clicks on Desktop link	PASSED	0.437 s
4	And User click on Product Build your own computer org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[text() = 'Build your own computer'])[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5b54ede4b664e2cde7fa9e37af06c293, findElement {using=xpath, value=(//a[text() = 'Build your own computer'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64685}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64685/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5b54ede4b664e2cde7fa9e37af06c293 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	20.045 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:52) at com.nopcommerce.demo.pages.DesktopsPage.clickOnBuildYourComputer(DesktopsPage.java:13) at com.nopcommerce.demo.steps.ComputerSteps.userClickOnProductBuildYourOwnComputer(ComputerSteps.java:37) at ?.User click on Product Build your own computer(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:19) * Not displayable characters are replaced by '?'. </pre>		
5	And User select products "<processor","2 GB","320 GB","Vista Home [+\$50.00]","Microsoft Office [+\$50.00]" on build your computer page	SKIPPED	0.007 s
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.535 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully





<div>FAILED</div> <div>DURATION - 27.429 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 11:28:42.396 am // 11:29:09.825 am /				
checking computer feature				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.095 s
2	And User Clicks on Computer tab	PASSED	0.456 s
3	And User clicks on Desktop link	PASSED	0.534 s
4	And User click on Product Build your own computer  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[text() = 'Build your own computer'])[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2732034a608f1a46de3a24e1b00bfb5b, findElement {using=xpath, value=(//a[text() = 'Build your own computer'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64722}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64722/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2732034a608f1a46de3a24e1b00bfb5b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	20.059 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:52) at com.nopcommerce.demo.pages.DesktopsPage.clickOnBuildYourComputer(DesktopsPage.java:13) at com.nopcommerce.demo.steps.ComputerSteps.userClickOnProductBuildYourOwnComputer(ComputerSteps.java:37) at ?.User click on Product Build your own computer(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:19) * Not displayable characters are replaced by '?'. </pre>		
5	And User select products "<processor","4GB [+\$20.00]","400 GB [+\$100.00]","Vista Premium [+\$60.00]","Acrobat Reader [+\$10.00]" on build your computer page	SKIPPED	0.000 s
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.473 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			

### : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 25.131 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:29:09.842 am // 11:29:34.973 am /				
checking computer feature				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.996 s
2	And User Clicks on Computer tab	PASSED	0.432 s

#	Step / Hook Details	Status	Duration
3	And User clicks on Desktop link	PASSED	0.450 s
4	And User click on Product Build your own computer <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[text() = 'Build your own computer'])[2]"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [49c263d56877555790b5b513022edcad, findElement {using=xpath, value=(//a[text() = 'Build your own computer'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64761}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64761/devtoo..., se.cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49c263d56877555790b5b513022edcad     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)     at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:52)     at com.nopcommerce.demo.pages.DesktopsPage.clickOnBuildYourComputer(DesktopsPage.java:13)     at com.nopcommerce.demo.steps.ComputerSteps.userClickOnProductBuildYourOwnComputer(ComputerSteps.java:37)     at ?.User click on Product Build your own computer(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:19)     * Not displayable characters are replaced by '?'.           </pre>	FAILED	20.016 s
5	And User select products "<processor","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your computer page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.450 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
	