

Cucumber Report

18 Dec 2023, 11:33:52

Start : Dec 18, 11:32:30.039 am

End : Dec 18, 11:33:50.068 am

Duration : 1 m 20.029 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 3

SKIPPED - 0

PASSED - 12

FAILED - 3

SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>checking computer feature</u>	1 m 20.029 s	3	0	3	0	21	12	3	6


#	Feature Name	Scenario Name
1	<u>checking computer feature</u>	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
2		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
3		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *

* The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@onlytest	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	3	0	3	0	1 m 20.029 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	26.560 s
2		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	27.351 s
3		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	26.051 s

* The feature name and/or scenario name has been cropped to fit in the available space.


checking computer feature

FAILED	DURATION - 1 m 20.029 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 12 Fail - 3 Skip - 6	
/ 11:32:30.039 am // 11:33:50.068 am /					



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 26.560 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:32:30.046 am // 11:32:56.606 am /				
checking computer feature				
@onlytest				


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.056 s
2	And User Clicks on Computer tab	PASSED	0.387 s
3	And User clicks on Desktop link	PASSED	0.431 s
4	And User click on Product Build your own computer	PASSED	0.433 s
5	And User select products "<processor","2 GB","320 GB","Vista Home [+\$50.00]","Microsoft Office [+\$50.00]" on build your computer page	FAILED	20.070 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [49e23030f82f136fd718d66fd26a1aca, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64894}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64894/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49e23030f82f136fd718d66fd26a1aca		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "<processor","2 GB","320 GB","Vista Home [+\$50.00]","Microsoft Office [+\$50.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20) * Not displayable characters are replaced by '?'. </pre>		
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.557 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 27.351 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:32:56.651 am // 11:33:24.002 am /				
checking computer feature				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.194 s
2	And User Clicks on Computer tab	PASSED	0.436 s
3	And User clicks on Desktop link	PASSED	0.648 s
4	And User click on Product Build your own computer	PASSED	1.243 s
5	And User select products "<processor","4GB [+\$20.00]","400 GB [+\$100.00]","Vista Premium [+\$60.00]","Acrobat Reader [+\$10.00]" on build your computer page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2ee951ad304a0ef8e31658c8cb41b05c, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64935}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64935/devtoo..., se.cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2ee951ad304a0ef8e31658c8cb41b05c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)	FAILED	20.063 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "<processor>","4GB [+<20.00>","400 GB [+<100.00>","Vista Premium [+<60.00>","Acrobat Reader [+<10.00>" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20) * Not displayable characters are replaced by '?'. </pre>		
6	And clicks on Add to cart button	SKIPPED	0.013 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.498 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 26.051 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:33:24.017 am // 11:33:50.068 am /				
checking computer feature				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.728 s
2	And User Clicks on Computer tab	PASSED	0.495 s

#	Step / Hook Details	Status	Duration
3	And User clicks on Desktop link	PASSED	0.527 s
4	And User click on Product Build your own computer	PASSED	0.532 s
5	<p>And User select products "<processor","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your computer page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3dcbcd3a6cced6ce54641afd0db181ef, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64976}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64976/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3dcbcd3a6cced6ce54641afd0db181ef at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "<processor","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20)</pre>	FAILED	20.048 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And clicks on Add to cart button		
6		SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.458 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
	