

Cucumber Report

18 Dec 2023, 11:56:39

Start : Dec 18, 11:54:40.160 am

End : Dec 18, 11:56:31.672 am

Duration : 1 m 51.512 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 16
FAILED - 3
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>checking computer feature</u>	1 m 51.512 s	3	0	3	0	21	16	3	2


#	Feature Name	Scenario Name
1	<u>checking computer feature</u>	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
2		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
3		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *

* The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@onlytest	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	3	0	3	0	1 m 51.512 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	6	1	0	39.742 s
2		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	6	1	0	39.650 s
3		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	31.833 s

* The feature name and/or scenario name has been cropped to fit in the available space.


checking computer feature

FAILED	DURATION - 1 m 51.512 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 16 Fail - 3 Skip - 2	
/ 11:54:40.160 am // 11:56:31.672 am /					



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 39.742 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:54:40.198 am // 11:55:19.940 am /				
checking computer feature				
@onlytest				


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.601 s
2	And User Clicks on Computer tab	PASSED	1.071 s
3	And User clicks on Desktop link	PASSED	1.036 s
4	And User click on Product Build your own computer	PASSED	0.941 s
5	And User select products "2.2 GHz Intel Pentium Dual-Core E2200", "2 GB", "320 GB", "Vista Home [+\$50.00]", "Microsoft Office [+\$50.00]" on build your computer page	PASSED	22.017 s
6	And clicks on Add to cart button	PASSED	0.326 s
7	Then user should see the message"The product has been added to your shopping cart"	FAILED	0.339 s
	java.lang.AssertionError: The Products are not in the shopping cart expected [The product has been added to your shopping cart] but found [ADD TO CART] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.nopcommerce.demo.steps.ComputerSteps.userShouldSeeTheMessage(ComputerSteps.java:56)		

#	Step / Hook Details	Status	Duration
	<p>at ?.user should see the message"The product has been added to your shopping cart"(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:22)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully</p> 	PASSED	2.293 s



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<p>FAILED DURATION - 39.650 s</p> <p>/ 11:55:20.078 am // 11:55:59.728 am /</p> <p>checking computer feature</p> <p>@onlytest</p>		<p>Steps</p> <p>Total - 7</p> <p>Pass - 6</p> <p>Fail - 1</p> <p>Skip - 0</p>	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	2.507 s
2	And User Clicks on Computer tab	PASSED	1.040 s
3	And User clicks on Desktop link	PASSED	1.105 s
4	And User click on Product Build your own computer	PASSED	0.982 s
5	And User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]", "4GB [+\$20.00]", "400 GB [+\$100.00]", "Vista Premium [+\$60.00]", "Acrobat Reader [+\$10.00]" on build your computer page	PASSED	21.632 s
6	And clicks on Add to cart button	PASSED	0.271 s
7	<p>Then user should see the message"The product has been added to your shopping cart"</p> <p>java.lang.AssertionError: The Products are not in the shopping cart expected [The product has been added to your shopping cart] but found [ADD TO CART] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150)</p>	FAILED	0.127 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.nopcommerce.demo.steps.ComputerSteps.userShouldSeeTheMessage(ComputerSteps.java:56) at ?.user should see the message"The product has been added to your shopping cart"(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:22) * Not displayable characters are replaced by '?'.		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.562 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 31.833 s		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 11:55:59.839 am // 11:56:31.672 am /				
checking computer feature				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	2.085 s
2	And User Clicks on Computer tab	PASSED	1.131 s
3	And User clicks on Desktop link	PASSED	0.926 s
4	And User click on Product Build your own computer	PASSED	1.131 s
5	And User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]", "8GB [+\$60.00]", "320 GB", "Vista Home [+\$50.00]", "Total Commander [+\$5.00]" on build your computer page	FAILED	20.211 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5524ae86fd71fd0fbd4b3e8d3811426f, findElements {using=xpath, value=//ul[@class='option-list']][2]//input[@type='radio']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71		

#	Step / Hook Details	Status	Duration
	<pre> (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49636}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49636/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5524ae86fd71fd0fbd4b3e8d3811426f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:377) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:371) at org.openqa.selenium.support.pagefactory.ByAll.findElements(ByAll.java:64) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElements(ElementLocation.java:149) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:124) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:377) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:371) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElements(DefaultElementLocator.java:83) at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:36) at jdk.proxy2/jdk.proxy2.\$Proxy30.iterator(Unknown Source) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectOsRadioCheckBox(BuildYourOwnComputerPage.java:68) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:45) at ?.User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]", "8GB [+\$60.00]", "320 GB", "Vista Home [+\$50.00]", "Total Commander [+\$5.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20) * Not displayable characters are replaced by '?'. </pre>		
6	And clicks on Add to cart button	SKIPPED	0.001 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.029 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5524ae86fd71fd0fbd4b3e8d3811426f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49636}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49636/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5524ae86fd71fd0fbd4b3e8d3811426f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:354) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:19)</p>		