

Cucumber Report

17 Dec 2023, 14:56:16

Start : Dec 17, 2:55:13.609 pm

End : Dec 17, 2:56:14.245 pm

Duration : 1 m 0.636 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0

PASSED - 18
FAILED - 3
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	1 m 0.636 s	4	1	3	0	22	18	3	1

#	Feature Name	Scenario Name
1	<u>Login feature</u>	<u>VerifyTheErrorMessageWithInvalidCredentials</u>
2		<u>verifyThatUserShouldLogInSuccessfullyWithValidCredentials.</u>
3		<u>VerifyThatUserShouldLogoutSuccessfully</u>





#	Feature Name	T	P	F	S	Duration
1	Login feature	4	1	3	0	1 m 0.636 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login feature</u>	<u>User should navigate to login page successfully</u>	3	3	0	0	4.475 s
2		<u>VerifyTheErrorMessageWithInvalidCredentials</u>	6	5	1	0	5.707 s
3		<u>verifyThatUserShouldLogInSuccessfullyWithValidCredentials.</u>	6	5	1	0	25.373 s
4		<u>VerifyThatUserShouldLogOutSuccessfully</u>	7	5	1	1	25.020 s

Login feature



<div>FAILED</div>	<div>DURATION - 1 m 0.636 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 18</div> <div>Fail - 3</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:55:13.609 pm // 2:56:14.245 pm /</div>					


User should navigate to login page successfully

<div>PASSED</div> <div>DURATION - 4.475 s</div>		Steps	
/ 2:55:13.613 pm // 2:55:18.088 pm /		Total - 3	
Login feature		Pass - 3	
		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.979 s
2	When User clicks on login link	PASSED	0.300 s
3	Then User should navigate to login page successfully	PASSED	0.069 s

VerifyTheErrorMessageWithInvalidCredentials


<div>FAILED</div> <div>DURATION - 5.707 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:55:18.109 pm // 2:55:23.816 pm /</div>				
<div>Login feature</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.092 s
2	When User clicks on login link	PASSED	0.368 s
3	And User enters email "ltester@gmail.com"	PASSED	0.128 s
4	And User enters password "abcd123"	PASSED	0.088 s
5	And User login button	PASSED	0.349 s
6	Then User should see errorMessage"Login was unsuccessful. Please correct the errors and try again.\nNo customer account found"	FAILED	0.090 s
	<pre> java.lang.AssertionError: The error message is not display expected [Login was unsuccessful. Please correct the errors and try again.\nNo customer account found] but found [Login was unsuccessful. Please correct the errors and try again. No customer account found] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.nopcommerce.demo.steps.LoginStepDefination.userShouldSeeErrorMessage(LoginStepDefination.java:56) at ?.User should see errorMessage"Login was unsuccessful. Please correct the errors and try again.\nNo customer account found"(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.511 s
	VerifyTheErrorMessageWithInvalidCredentials		
			



verifyThatUserShouldLoginSuccessfullyWithValidCredentials.

FAILED	DURATION - 25.373 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:55:23.836 pm // 2:55:49.209 pm /				
Login feature				


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.595 s
2	When User clicks on login link	PASSED	0.376 s
3	And User enters valid email "ltester66@gmail.com"	PASSED	0.137 s
4	And User enters valid password "abcd123"	PASSED	0.084 s
5	And User clicks on login button	PASSED	0.454 s
6	Then User should see Logout link "Log out"	FAILED	20.116 s
<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = 'Log out']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ef7a107a2dfc65de5a719e793bf8e2e, findElement {using=xpath, value=//a[text() = 'Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57531}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57531/devtoo..., se.cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7ef7a107a2dfc65de5a719e793bf8e2e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.nopcommerce.demo.pages.HomePage.verifyThatLogoutLinksDisplay(HomePage.java:37) at com.nopcommerce.demo.steps.LoginStepDefination.userShouldSeeLogoutLink(LoginStepDefination.java:76)</p>			

#	Step / Hook Details	Status	Duration
	<p>at ?.User should see Logout link "Log out"(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:23)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verifyThatUserShouldLogInSuccessfullyWithValidCredentials.</p> 	PASSED	0.511 s

VerifyThatUserShouldLogOutSuccessfully

<p>FAILED DURATION - 25.020 s</p> <p>/ 2:55:49.225 pm // 2:56:14.245 pm /</p> <p>Login feature</p>		<p>Steps</p> <p>Total - 7</p> <p>Pass - 5</p> <p>Fail - 1</p> <p>Skip - 1</p> 
---	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.059 s
2	When User clicks on login link	PASSED	0.337 s
3	And User enters correct email"ltester66@gmail.com"	PASSED	0.132 s
4	And User enters Correct password"abcd123"	PASSED	0.082 s
5	And User press the login button	PASSED	0.337 s
6	<p>And User clicks on logout link</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = 'Log out']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e6eb3c2c5206d4ab418ed20278a6efb5, findElement {using=xpath, value=//a[text() = 'Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57569/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},</p>	FAILED	20.047 s

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e6eb3c2c5206d4ab418ed20278a6efb5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:52) at com.nopcommerce.demo.pages.HomePage.clickOnLogOutLink(HomePage.java:41) at com.nopcommerce.demo.steps.LoginStepDefination.userClicksOnLogoutLink(LoginStepDefination.java:96) at ?.User clicks on logout link(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:31)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then User should see login Link"Log in"	SKIPPED	0.000 s
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>VerifyThatUserShouldLogOutSuccessfully</p> 	PASSED	0.396 s