

# Cucumber Report

20 Dec 2023, 11:54:04

Start : Dec 20, 11:51:32.708 am

End : Dec 20, 11:54:02.763 am

Duration : 2 m 30.055 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 42  
FAILED - 6  
SKIPPED - 36




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>create Desktops test</u>	2 m 30.055 s	6	0	6	0	84	42	6	36

#	Feature Name	Scenario Name
1	<u>create Desktops test</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@onlytest	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>create Desktops test</u>	6	0	6	0	2 m 30.055 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>create Desktops test</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>	14	7	1	6	30.584 s
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>	14	7	1	6	26.006 s
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>	14	7	1	6	25.774 s
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>	14	7	1	6	23.240 s
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>	14	7	1	6	26.439 s
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>	14	7	1	6	17.863 s

## create Desktops test

<b>FAILED</b>	DURATION - 2 m 30.055 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 84 Pass - 42 Fail - 6 Skip - 36	
/ 11:51:32.708 am // 11:54:02.763 am /					


## verifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 30.584 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 11:51:32.715 am // 11:52:03.299 am /				
create Desktops test				
@onlytest				



#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.205 s
2	And User mouse hover on £sterling and clicks	PASSED	3.931 s
3	And User mouse hover on DesktopTab	PASSED	0.177 s
4	And User clicks on show all desktopsLink	PASSED	1.137 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.504 s
6	And User select the product from "HTC Touch HD"	PASSED	0.001 s
7	When User verify the products text "HTC Touch HD"	PASSED	0.001 s
8	And User clicks on the "Add to Cart" button	FAILED	20.046 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#button-cart"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c46acde0979af0dd3a37c5d76e37d6f6, findElement {using=id, value=button-cart}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65077}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65077/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c46acde0979af0dd3a37c5d76e37d6f6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52)  at com.tutorialsninja.demo.pages.DesktopsProductsPage.clickOnAddToCartButton(DesktopsProductsPage.java:63)  at com.tutorialsninja.demo.steps.DesktopsSteps.userClicksOnTheAddToCartButton(DesktopsSteps.java:81)  at ?.User clicks on the "Add to Cart" button(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:19)  * Not displayable characters are replaced by '?'. </p>		
9	Then User should verify the message"Success: You have added "HTC Touch HD" shopping cart!"	SKIPPED	0.001 s
10	And User click on the link display on shopping cart message	SKIPPED	0.000 s
11	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
12	And User verify the product name "HTC Touch HD"	SKIPPED	0.000 s
13	And User verify the Model "1"	SKIPPED	0.000 s
14	And User verify the total "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.219 s
	verifyProductAddedToShoppingCartSuccessfully		




#	Step / Hook Details	Status	Duration
			



### verifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 26.006 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 11:52:03.324 am // 11:52:29.330 am /				
create Desktops test				
@onlytest				


#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.179 s
2	And User mouse hover on £sterling and clicks	PASSED	0.640 s
3	And User mouse hover on DesktopTab	PASSED	0.249 s
4	And User clicks on show all desktopsLink	PASSED	0.739 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.439 s
6	And User select the product from "iPhone"	PASSED	0.000 s
7	When User verify the products text "iPhone"	PASSED	0.000 s
8	And User clicks on the "Add to Cart" button	FAILED	20.085 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#button-cart"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c1e2cdbc2330aaa380a0399470c999d, findElement {using=id, value=button-cart}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65103/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9c1e2cdbc2330aaa380a0399470c999d		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopsProductsPage.clickOnAddToCartButton(DesktopsProductsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.userClicksOnTheAddToCartButton(DesktopsSteps.java:81) at ?.User clicks on the "Add to Cart" button(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:19) * Not displayable characters are replaced by '?'. </pre>		
9	Then User should verify the message"Success: You have added "iPhone" shopping cart!"	SKIPPED	0.000 s
10	And User click on the link display on shopping cart message	SKIPPED	0.000 s
11	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
12	And User verify the product name "iPhone"	SKIPPED	0.000 s
13	And User verify the Model "11"	SKIPPED	0.000 s
14	And User verify the total "£75.46"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.196 s
	verifyProductAddedToShoppingCartSuccessfully		
			

## verifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 25.774 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 11:52:29.345 am // 11:52:55.119 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.165 s
2	And User mouse hover on £sterling and clicks	PASSED	0.780 s
3	And User mouse hover on DesktopTab	PASSED	0.175 s
4	And User clicks on show all desktopsLink	PASSED	0.601 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.441 s
6	And User select the product from "iPod Classic"	PASSED	0.002 s
7	When User verify the products text "iPod Classic"	PASSED	0.000 s
8	And User clicks on the "Add to Cart" button	FAILED	20.064 s
<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#button-cart"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9bdace85707a06c32d08f8e4cae764d, findElement {using=id, value=button-cart}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65132}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65132/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9bdace85707a06c32d08f8e4cae764d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p>			

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopsProductsPage.clickOnAddToCartButton(DesktopsProductsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.userClicksOnTheAddToCartButton(DesktopsSteps.java:81) at ?.User clicks on the "Add to Cart" button(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:19) * Not displayable characters are replaced by '?'. </pre>		
9	Then User should verify the message"Success: You have added "iPod Classic" shopping cart!"	SKIPPED	0.000 s
10	And User click on the link display on shopping cart message	SKIPPED	0.000 s
11	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
12	And User verify the product name "iPod Classic"	SKIPPED	0.000 s
13	And User verify the Model "20"	SKIPPED	0.000 s
14	And User verify the total "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.174 s
	verifyProductAddedToShoppingCartSuccessfully		
			



**verifyProductAddedToShoppingCartSuccessfully**

<b>FAILED</b>	<b>DURATION - 23.240 s</b>		<b>Steps</b> Total - 14 Pass - 7 Fail - 1 Skip - 6	
/ 11:52:55.133 am // 11:53:18.373 am /				
create Desktops test				
@onlytest				


#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.180 s
2	And User mouse hover on £sterling and clicks	PASSED	0.727 s
3	And User mouse hover on DesktopTab	PASSED	0.226 s
4	And User clicks on show all desktopsLink	PASSED	0.748 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.444 s
6	And User select the product from "MacBook"	PASSED	0.001 s
7	When User verify the products text "MacBook"	PASSED	0.000 s
8	And User clicks on the "Add to Cart" button  org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: button-cart For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopsProductsPage.clickOnAddToCartButton(DesktopsProductsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.userClicksOnTheAddToCartButton(DesktopsSteps.java:81) at ?.User clicks on the "Add to Cart" button(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:19) * Not displayable characters are replaced by '?'.	FAILED	17.322 s
9	Then User should verify the message"Success: You have added "MacBook" shopping cart!"	SKIPPED	0.001 s
10	And User click on the link display on shopping cart message	SKIPPED	0.000 s
11	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
12	And User verify the product name "MacBook"	SKIPPED	0.000 s
13	And User verify the Model "16"	SKIPPED	0.001 s
14	And User verify the total "£368.73"	SKIPPED	0.000 s
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f8d564bd45e37d16656399c8f19ba891, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65172/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f8d564bd45e37d16656399c8f19ba891</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:360)  at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:19)</p>	FAILED	0.023 s

**verifyProductAddedToShoppingCartSuccessfully**



<div>FAILED</div> <div>DURATION - 26.439 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 11:53:18.451 am // 11:53:44.890 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.178 s
2	And User mouse hover on £sterling and clicks	PASSED	0.674 s
3	And User mouse hover on DesktopTab	PASSED	0.165 s
4	And User clicks on show all desktopsLink	PASSED	0.559 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.482 s
6	And User select the product from "MacBook Air"	PASSED	0.004 s
7	When User verify the products text "MacBook Air"	PASSED	0.005 s
8	And User clicks on the "Add to Cart" button	FAILED	20.058 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#button\cart"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8695e8bb4c0e93eb3aad40da224716ae, findElement {using=id, value=button-cart}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65207}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65207/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8695e8bb4c0e93eb3aad40da224716ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopsProductsPage.clickOnAddToCartButton(DesktopsProductsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.userClicksOnTheAddToCartButton(DesktopsSteps.java:81) at ?.User clicks on the "Add to Cart" button(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:19) * Not displayable characters are replaced by '?'. </pre>		
9	Then User should verify the message"Success: You have added "MacBook Air" shopping cart!"	SKIPPED	0.000 s
10	And User click on the link display on shopping cart message	SKIPPED	0.000 s
11	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s
12	And User verify the product name "MacBook Air"	SKIPPED	0.000 s
13	And User verify the Model "17"	SKIPPED	0.000 s
14	And User verify the total "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.262 s
	verifyProductAddedToShoppingCartSuccessfully		
			

**verifyProductAddedToShoppingCartSuccessfully**



<div>FAILED</div> <div>DURATION - 17.863 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 11:53:44.900 am // 11:54:02.763 am /				
create Desktops test				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User mouse hover on Currency Dropdown and clicks	PASSED	0.272 s
2	And User mouse hover on £sterling and clicks	PASSED	0.793 s
3	And User mouse hover on DesktopTab	PASSED	0.203 s
4	And User clicks on show all desktopsLink	PASSED	0.843 s
5	And User selects sort by position "Name (A - Z)"	PASSED	0.518 s
6	And User select the product from "Sony VAIO"	PASSED	0.003 s
7	When User verify the products text "Sony VAIO"	PASSED	0.001 s
8	And User clicks on the "Add to Cart" button  org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: button-cart For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.DesktopsProductsPage.clickOnAddToCartButton(DesktopsProductsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.userClicksOnTheAddToCartButton(DesktopsSteps.java:81) at ?.User clicks on the "Add to Cart" button(file:///C:/Users/prexa/IdeaProjects/tutorialsninja-cucumber1/src/test/resources/features/desktops.feature:19) * Not displayable characters are replaced by '?'.	FAILED	11.486 s
9	Then User should verify the message"Success: You have added "Sony VAIO" shopping cart!"	SKIPPED	0.000 s
10	And User click on the link display on shopping cart message	SKIPPED	0.002 s
11	Then User verify the text"Shopping Cart (1.00kg)"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	And User verify the product name "Sony VAIO"	SKIPPED	0.000 s
13	And User verify the Model "19"	SKIPPED	0.001 s
14	And User verify the total "£736.23"	SKIPPED	0.000 s
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e58ca238d869d0409044e27e3a5f3835, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65243}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65243/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e58ca238d869d0409044e27e3a5f3835</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:360)  at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:19)</p>	FAILED	0.027 s