Duration: 1 m 18.397 s Start: Dec 18, 11:42:39.899 am End: Dec 18, 11:43:58.296 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 12 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 21 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass<mark>∕</mark> 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 57 % 100 100

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
checking computer feature	1 m 18.397 s	3	0	3	0	21	12	3	6

#	Feature Name	Scenario Name
1	checking computer feature	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
2		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
3		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

TAG		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@onlytest	3	0	3	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	checking computer feature	3	0	3	0	1 m 18.397 s	



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	checking computer feature	: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	7	4	1	2	25.677 s
2		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	7	4	1	2	26.798 s
3		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	7	4	1	2	25.832 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 7 -

checking computer feature

FAILED	DURATION - 1 m 18.397 s	Scenarios		Steps	
		Total - 3		Total - 21	
/ 11:42:39.899 am	// 11:43:58.296 am /	Pass - 0	3	Pass - 12	21
		Fail - 3	_ J	Fail - 3	🥌
		Skip - 0		Skip - 6	

: verify That User Should Build You Own Computer And Add Them To Cart Successfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.641 s
2	And User Clicks on Computer tab	PASSED	0.379 s
3	And User clicks on Desktop link	PASSED	0.479 s
4	And User click on Product Build your own computer	PASSED	0.436 s
5	And User select products " <pre>computer page</pre>	FAILED	20.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e977a197e4dd748247c994b421c1a3eb, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\prexa\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65384/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e977a197e4dd748247c994b421c1a3eb		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance()(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(PttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.sexecute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(PofaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2.jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at org.openqa.selenium.support.pagefactory.opender.edemo.pages.electProcessor(BuildYourOwnComputerPage.ja		
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	PASSED	0.533 s


: verify That User Should Build You Own Computer And Add Them To Cart Successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.532 s
2	And User Clicks on Computer tab	PASSED	0.434 s
3	And User clicks on Desktop link	PASSED	0.544 s
4	And User click on Product Build your own computer	PASSED	0.883 s
5	And User select products " <pre>rocessor","4GB [+\$20.00]","400 GB [+\$100.00]","Vista Premium [+\$60.00]","Acrobat Reader [+\$10.00]" on build your computer page</pre>	FAILED	20.063 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector","spelector,"spel		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select. <init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "<pre>processor</pre>,"4GB [+\$20.00]","400 GB [+\$100.00]","Vista Premium [+\$60.00]","Acrobat Reader [+\$10.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20) * Not displayable characters are replaced by '?'.</init>		
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.009 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.451 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully]	
	The state of the s		

: verify That User Should Build You Own Computer And Add Them To Cart Successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.046 s
2	And User Clicks on Computer tab	PASSED	0.404 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
}	And User clicks on Desktop link	PASSED	0.415 s
	And User click on Product Build your own computer	PASSED	0.458 s
	And User select products " <pre>crossor</pre> ","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build	FAILED	20.078 s
	your computer page		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0cf5b02ce449e1f78630e35f826d6c50, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\prexa\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65461}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65461/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cf5b02ce449e1f78630e35f826d6c50		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source)		
	at org.openqa.selenium.support.ui.Select. <init>(Select.java:43)</init>		
	at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148)		
	at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40)		
	at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42)		
	at ?.User select products " <pre>rocessor","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your</pre>		
	computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20)		

DETAILED SECTION -- 12 --

Step / Hook Details	Status	Duration
Not displayable characters are replaced by '?'.		
and clicks on Add to cart button	SKIPPED	0.000 s
hen user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	PASSED	0.426 s
1	Not displayable characters are replaced by '?'. Ind clicks on Add to cart button Inen user should see the message"The product has been added to your shopping cart" ITER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) IterifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	Not displayable characters are replaced by '?'. Ind clicks on Add to cart button In the nuser should see the message "The product has been added to your shopping cart" SKIPPED STER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) PASSED PASSED PASSED