
Cucumber Report



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
checking computer feature	1 m 17.402 s	3	0	3	0	21	12	3	6	

#	Feature Name	Scenario Name
1	checking computer feature	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
2		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
3		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@onlytest	3	0	3	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	checking computer feature	3	0	3	0	1 m 17.402 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	checking computer feature	: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	7	4	1	2	25.717 s
2		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	7	4	1	2	25.560 s
3		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	7	4	1	2	26.062 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 7 --

checking computer feature



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully




#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.684 s
2	And User Clicks on Computer tab	PASSED	0.410 s
3	And User clicks on Desktop link	PASSED	0.459 s
4	And User click on Product Build your own computer	PASSED	0.449 s
5	And User select products " <pre></pre>	FAILED	20.111 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector": "#product_attribute_1 product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [2eb206b5b3eb5b300c39d5fff6656a03, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\prexa\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65080}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65080/devtoo, se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2eb206b5b3eb5b300c39d5fff6656a03		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Onstructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage.GcomputerSteps.java:4		
6	And clicks on Add to cart button	SKIPPED	0.008 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	PASSED	0.522 s


: verify That User Should Build You Own Computer And Add Them To Cart Successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.712 s
2	And User Clicks on Computer tab	PASSED	0.366 s
3	And User clicks on Desktop link	PASSED	0.522 s
4	And User click on Product Build your own computer	PASSED	0.476 s
5	And User select products " <processor","4gb [+\$10.00]"="" [+\$100.00]","vista="" [+\$20.00]","400="" [+\$60.00]","acrobat="" build="" computer="" gb="" on="" page<="" premium="" reader="" td="" your=""><td>FAILED</td><td>20.064 s</td></processor","4gb>	FAILED	20.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector","#product_attribute_tproduct_attribute_t"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java-version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0516948afb5d4e556fd5e00af8f66502, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\prexa\AppDataL\poca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65121}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65121/devtoo, se:cdp\version: 120.0.6099.72, sett\vindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:brf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance0(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(VithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select. <init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "<pre>processor","4GB [+\$20.00]","400 GB [+\$100.00]","Vista Premium [+\$60.00]","Acrobat Reader [+\$10.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20) * Not displayable characters are replaced by '?'.</pre></init>		
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.431 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
	The state of the s		

: verify That User Should Build You Own Computer And Add Them To Cart Successfully



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.095 s
2	And User Clicks on Computer tab	PASSED	0.411 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
3	And User clicks on Desktop link	PASSED	0.441 s
4	And User click on Product Build your own computer	PASSED	0.457 s
5	And User select products " <pre>crossor</pre> ","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your computer page	FAILED	20.065 s
5		PAILED	20.005 \$
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source)		
	at org.openqa.selenium.support.ui.Select. <init>(Select.java:43)</init>		
	at com.nopcommerce.demo.utility.SelectByVisibleTextFromDropDown(Utility.java:148)		
	at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40)		
	at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42)		
	at ?.User select products " <pre>rocessor","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your computer page(file:///C// Isoss/prova/Idea/Projects/pap.commerce.dome.cue;umber/sse/fact/roce/roce/fact/roce/computerpage facture;20)</pre>		
	computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
6	And clicks on Add to cart button	SKIPPED	0.000 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.472 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
	Mental of the control		