

The versatile way to connect

Tripbooking AI

04 Aug, 2026





agenda

I/ Scope – Kick off

- Basic introduction

II/ Tech Kick off

- API Modules and features

Project Scope



Discovery questionnaire – Review and Scope

Development team

UI

Rate types

Finance solution

POSa

Mapping Strategy

Main Destinations

Launch date

- Internal
- B2C Mobile Application + B2B Internal Portal
- Standalone + mobile + package (B2B)
- EAC (CNY)
- Global
- Use Expedia as Base
- Global
- Jan 2027

Credentials management

Accessing Rapid API

Credential management

To access our APIs you will need to use your authentication parameter, your **API Key & Shared Secret**

We will create a profile for you, and for our shopping API further parameters may be required in the request:

We may **issue multiple profiles** if you have different **rates / channels / booking flows / requirements**.

You will need to test first against our test endpoint (<https://test.ean.com/v3>) until your certification is completed.

- **partner_point_of_sale** – B2C_SA_MOD_XSELL_APP
- **Billing_terms** – EAC (CNY)
- **Sales_channel** - mobile_app (B2C)
- **payment_terms** – 1
- **Sales_environment** –
 - hotel_only (standalone)
 - hotel_package (cross-sell)
- **Rate_option** - member / cross_sell

- **partner_point_of_sale** – B2B_SA_PKG_MOD_AGENT
- **Billing_terms** – EAC (CNY)
- **Sales_channel** - agent_tool (B2B)
- **payment_terms** – 2
- **Sales_environment** –
 - hotel_only (standalone)
 - hotel_package (package)
- **Rate_option** - member

Accessing Rapid API

Rapid Endpoints

- Test (测试端) :
 - <https://test.ean.com/v3>
- Production (生产环境):
 - <https://api.ean.com/v3>
- Common Header:
 - Accept=application/json
 - Accept-Encoding=gzip
 - Authorization
(<https://developers.expediagroup.com/docs/rapid/resources/reference/signature-authentication>)
 - Customer-Ip
 - Customer-Session-ID
 - User-Agent

References for Rapid API

Resource Links

- Rapid documentation (website) : <https://developers.expediagroup.com/rapid/lodging>
- Rapid 3 documentation (YAML file) : <https://a.travel-assets.com/documentation-hubs/prod/rapid/latest/en-US/assets/rapid-3-postman-collection.json>
- Rapid signature authentication : <https://developers.expediagroup.com/rapid/lodging/reference/signature-authentication>
- RAPID typical shopping path : <https://support.expediapartnersolutions.com/hc/en-us/articles/115005962205-Typical-shopping-path>
- endpoint for development and testing : <https://test.ean.com>
- Error handling best practices : <https://developers.expediagroup.com/rapid/lodging/reference/error-responses>

RAPID API MODULES & FEATURES

PLS Rapid has six different API modules, and as a partner you can choose how to integrate and access them .



GEO API




CONTENT API



Post Booking API



SHOPPING API




BOOKING API



Notifications API

API Flow and PLS RAPID 3 services



Rapid API Integration API流程

Static Data
数据库

Geography
地理

Content
内容

Booking Flow
下单流程

LIVE API Calls

Hotel Search
酒店搜索

Hotel List
显示酒店列表

Hotel Details
房价和房态信息

Create Booking
预订

Verify Booking
验证预订状态

SHOP
询价

PRICE CHECK
验价

BOOK
预订

RETRIEVE
检索

Post Booking

订单管理
Manage Booking:
Retrieve/Cancel/
Change

Notifications
通知解决方案

Property Message
Center
住宿消息中心

GEOGRAPHY API

The Geography APIs provide you with access to geographic definitions and property mappings for over 800,000 regions and airports.



Geography resolution



Identifying inventory

- 
- What geography services do you have? 你们现在有什么地理数据/资源?
 - How do you decide what inventory to show the traveler for their searched destination? 你们现在所用的酒店展示策略是什么?
 - Would you be interested in expanding your list of destinations with our API? 你们有打算扩充你们现有的地域数据充吗?

Geography API – Region Types 地区类型

- 地理实体，例如城市或街区

Example region types: high_level_region, multi_city_vicinity, city, neighborhood

- Hierarchy 各地区之间的层次结构


- Ancestors: 表示某个指定地区之上的层次结构级别

- Descendants: 表示某个指定地区之下的层次结构级别

e.g Asia→China→Shanghai (multi-city)


- 有关详细说明，请参考：

<https://developers.expediagroup.com/docs/rapid/lodging/geography/geography-reference-lists>



地理信息树状结构 Hierarchy between regions


多种层级




旅游意义的地理信息 EPS Geography

对比传统地理信息


Google Definition "Seattle"



EPS Definition "Seattle"



Geography API Endpoints



REGIONS

多地区


- Retrieve all regions within a hierarchy (e.g. all of Europe)
- Use to populate database 建立数据库



REGION

单地区

- Retrieve one region at a time 返回单一地区资料
- Use to populate database or real-time for shopping



PROPERTIES WITHIN POLYGON

自定义多边形

- Maintain your own geography definition
- 用经纬度来所搜



Geography APIs


Region 单地区

Retrieve details of a single region

https://test.ean.com/v3/regions/{region_id}?language=en-US&include=details

Tip:

- Use our [top level regions](#) reference page to quickly identify the region ID for world, continents and countries



```
{
  "id": "178043",
  "type": "city",
  "name": "Mecca",
  "name_full": "Mecca, Makkah Province, Saudi Arabia",
  "country_code": "SA",
  "coordinates": {
    "center_longitude": 39.814848,
    "center_latitude": 21.415968,
    "bounding_polygon": {
      "type": "Polygon",
      "coordinates": [ ... ]
    }
  },
  "associations": {
    "point_of_interest": [ ... ]
  },
  "ancestors": [ ... ],
  "descendants": {
    "city": [ ... ],
    "neighborhood": [ ... ],
    "point_of_interest": [ ... ],
    "bus_station": [ ... ]
  },
  "property_ids": [ ... ],
  "categories": [
    "place:administrative",
    "administrative:city"
  ],
  "tags": [
    "geo-admin:city"
  ]
}
```

Geography APIs


Region 单地区

Retrieve details of a single region

https://test.ean.com/v3/regions/{region_id}?language=en-US&include=details

Tip:

- Use our [top level regions reference page](#) to quickly identify the region ID for world, continents and countries



```
{
  "id": "179898",
  "type": "multi_city_vicinity",
  "name": "Paris (ve civarı)",
  "name_full": "Paris (ve civarı), Fransa",
  "country_code": "FR",
  "coordinates": {
    "center_longitude": 2.348095,
    "center_latitude": 48.853564,
    "bounding_polygon": {
      "type": "MultiPolygon",
      "coordinates": [ ... ]
    ]
  },
  "associations": {
    "point_of_interest": [ ... ]
  },
  "ancestors": [ ... ],
  "descendants": {
    "city": [ ... ],
    "point_of_interest": [ ... ],
    "high_level_region": [ ... ],
    "metro_station": [ ... ]
  },
  "categories": [
    "tourism:metropolitanArea",
    "place:tourism"
  ],
  "tags": [
    "tourism:metropolitanArea"
  ]
}
```

Geography APIs

Regions 多地区

Retrieve details of all regions matching the search criteria

https://test.ean.com/v3/regions?language=en-US&include=details&ancestor_id=178043&include=property_ids

Tip:

- Use **ancestor id** parameter to return all other regions within the searched polygon
- You can include the **property id** parameters to return property ids also associated to the regions.

```
{
  "id": "553248634328633422",
  "type": "bus_station",
  "name": "Mecca (QCA-Mecca Bus Station)",
  "name_full": "Mecca (QCA-Mecca Bus Station), Mecca, Makkah Province, Saudi Arabia",
  "iata_airport_code": "QCA",
  "country_code": "SA",
  "coordinates": {
    "center_longitude": 39.787994,
    "center_latitude": 24.718333
  },
  "associations": {
    "property_ids": [
      "553248635939576109",
      "553248635939578254"
    ]
  },
  "ancestors": [
    {
      "id": "178043",
      "type": "region",
      "name": "Mecca",
      "name_full": "Mecca, Makkah Province, Saudi Arabia",
      "country_code": "SA",
      "coordinates": {
        "center_longitude": 39.787994,
        "center_latitude": 24.718333
      }
    }
  ],
  "categories": [
    "bus_station"
  ],
  "tags": [
    "bus_station"
  ]
},
{
  "id": "553248635939576109",
  "type": "neighborhood",
  "name": "Mecca City Center",
  "name_full": "Mecca City Center, Mecca, Makkah Province, Saudi Arabia",
  "country_code": "SA",
  "coordinates": {
    "center_longitude": 39.787994,
    "center_latitude": 24.718333
  },
  "associations": {
    "property_ids": [
      "553248635939578254"
    ]
  },
  "ancestors": [
    {
      "id": "178043",
      "type": "region",
      "name": "Mecca",
      "name_full": "Mecca, Makkah Province, Saudi Arabia",
      "country_code": "SA",
      "coordinates": {
        "center_longitude": 39.787994,
        "center_latitude": 24.718333
      }
    }
  ],
  "descendants": [
    {
      "id": "553248635939578254",
      "type": "neighborhood",
      "name": "Al Rasaifah",
      "name_full": "Al Rasaifah, Mecca, Makkah Province, Saudi Arabia",
      "country_code": "SA",
      "coordinates": {
        "center_longitude": 39.787994,
        "center_latitude": 24.718333
      }
    }
  ],
  "categories": [
    "neighborhood"
  ],
  "tags": [
    "neighborhood"
  ]
},
{
  "id": "553248635939578254",
  "type": "neighborhood",
  "name": "Al Rasaifah",
  "name_full": "Al Rasaifah, Mecca, Makkah Province, Saudi Arabia",
  "country_code": "SA",
  "coordinates": {
    "center_longitude": 39.787994,
    "center_latitude": 24.718333
  },
  "associations": {
    "property_ids": [
      "553248635939578254"
    ]
  },
  "ancestors": [
    {
      "id": "178043",
      "type": "region",
      "name": "Mecca",
      "name_full": "Mecca, Makkah Province, Saudi Arabia",
      "country_code": "SA",
      "coordinates": {
        "center_longitude": 39.787994,
        "center_latitude": 24.718333
      }
    }
  ],
  "descendants": [
    {
      "id": "553248635939578254",
      "type": "neighborhood",
      "name": "Al Rasaifah",
      "name_full": "Al Rasaifah, Mecca, Makkah Province, Saudi Arabia",
      "country_code": "SA",
      "coordinates": {
        "center_longitude": 39.787994,
        "center_latitude": 24.718333
      }
    }
  ],
  "categories": [
    "neighborhood"
  ],
  "tags": [
    "neighborhood"
  ]
}
```

Geography APIs

Polygons 多边形

Send us your destination polygons
and we will return PLS properties
within

https://test.ean.com/v3/properties/geography?include=property_ids

```
POST {{eanapi_url}}/{{rapid_version}}/properties/geography?include=property_ids

Params Authorization Headers (14) Body Pre-request Script Tests Settings
none form-data x-www-form-urlencoded raw binary GraphQL JSON

1 {
2   "type": "Polygon",
3   "coordinates": [
4     [
5       [
6         39.688747,
7         21.422093
8       ],
9       [
10        39.700507,
11        21.432747
12      ],
13      [
14        39.769938,
15        21.478275
16      ],
17      [
18        39.77222,
19        21.511738
20      ],
21      [
22        39.761399,
23        21.551585
24      ],
25      [
26        39.748601,
27        21.585052
28      ],
29      [
30        39.756447,
31        21.598747
32      ],
33      [
34        39.791806,
35        21.603308
36      ],
37      [
38        39.803923,
39        21.593569
40      ],
41      [
42        39.799348,
43        21.581096
44      ]
45    ]
46  ]
47 }
```

```
Body Cookies Headers (24) Test Results (2/2)
Pretty Raw Preview Visualize JSON

1 {
2   "4423727": {
3     "property_id": "4423727"
4   },
5   "42295737": {
6     "property_id": "42295737"
7   },
8   "38389168": {
9     "property_id": "38389168"
10  },
11  "19795040": {
12    "property_id": "19795040"
13  },
14  "16902362": {
15    "property_id": "16902362"
16  },
17  "91787370": {
18    "property_id": "91787370"
19  },
20  "99977765": {
21    "property_id": "99977765"
22  },
23  "25139462": {
24    "property_id": "25139462"
25  },
26  "88435682": {
27    "property_id": "88435682"
28  },
29  "18285510": {
30    "property_id": "18285510"
31  },
32  "17878262": {
33    "property_id": "17878262"
34  },
35  "89778443": {
36    "property_id": "89778443"
37  },
38  "90197172": {
39    "property_id": "90197172"
40  },
41  "92471816": {
42    "property_id": "92471816"
43  },
44  "33639078": {
45    "property_id": "33639078"
46  },
47  "99713085": {
```



Geography APIs

Include 参数



include=details

Returns coordinates of the bounding polygon associated with the regions.

Returns full hierarchy of ancestors/descendants describing how the regions relate to each other.

include=property_ids

Returns the list of Expedia Group property_ids that exist in the region's bounding polygon.

include=property_ids_expanded

Use if the region has <100 properties.

Provides the region's properties AND properties within 30km radius of the region.

Use also for single coordinate region (e.g. point of interest), this expanded option provides associated property mappings.

Geography APIs

Hotels Near Airport

Search our Geo API by iata code and we'll return properties nearby the airport

[https://test.ean.com/v3/regions?
include=details&iata_location_code=LHR&language=tr-TR&include=property_ids_expanded](https://test.ean.com/v3/regions?include=details&iata_location_code=LHR&language=tr-TR&include=property_ids_expanded)


Bonus: Property coordinates can then be used to populate a map!

```
{
  "id": "5392460",
  "type": "airport",
  "name": "Londra (LHR-Heathrow)",
  "name_full": "Londra, Birleşik Krallık (LHR-Heathrow)",
  "iata_airport_code": "LHR",
  "iata_airport_metro_code": "LON",
  "country_code": "GB",
  "country_subdivision_code": "GB-ENG",
  "coordinates": { ... },
  "associations": { ... },
  "ancestors": [ ... ],
  "property_ids_expanded": [
    "9447035",
    "1381606",
    "570358",
    "21877697",
    "6549589",
    "896804",
    "37251414",
    "7049006",
    "24448936",
    "5813",
    "12015537",
    "37192101",
    "3125521",
    "25005960",
    "1",
    "6882009",
    "6881153",
    "3525657",
  ]
}
```

Machine learning-driven search optimizes the traveler experience



Location suggestions
autocomplete as the traveler
types



Easily integrates with a
unified search widget


How it works

Typeahead API integrates seamlessly with Rapid's Geography API

- Typeahead API returns a set of up to 10 geographic options as a traveler types

- These options can include:

- Airports
- Cities
- Multi-cities
- Neighborhoods
- Point of interests
- Train stations
- Bus stations
- ...and more!



Example Typeahead API response

Geography Integration Options

Geography Integration - Option 1

直接使用Expedia的地理数据寻找酒店信息

Database

- Use 'Region Descendants' API to download all regions in the World (0) – Geo All
- Create a table relating **Expedia Group Geography IDs (Geo ID)** to **destination names** used in your database

Customer interaction


- Customer searches for a **destination name** in your UI
- Look up the **Expedia Group Geography ID** corresponding to that destination
- Call 'Region' API with **Geography ID**, returning associated Expedia Group property IDs
- Call 'Shopping' APIs using the associated **Expedia Group property IDs**

Geography API

使用 'Regions' API to 下载世界所有区域
(ancestor_id=0 或省略参数)



Shopping API




对每个 Rapid Region ID 使用 "Region" API 返回关联的 Rapid Property ID 和地理详细信息

Partner Database




创建 Rapid Region ID
目的地关联的数据库

Partner Site



- 顾客在你们的页面中搜索目的地名称
- 在你们的数据库中查找与该目的地相关的 region ID 和旗下的 property ID
- 使用 Rapid Property ID 在 SHOP API 请求



Geography Integration - Option 2

集成Expedia 和你们现有的地理数据

Database

- Use 'Region Descendants' API to download all regions in the World (0) – Geo All
- Create a table relating **Expedia Group Geography IDs** to **destination names** used in Partner database
- Use 'Region' API on each **Expedia Group Geography ID** to return the associated **Expedia Group property IDs**
- Create a table relating **Expedia Group property IDs** to Partner **destination names**

Customer interaction

- Customer searches for a **destination name** in Partner UI
- Look up all **Expedia Group property IDs** related to that **destination** in Partner database
- Call 'Shop' API using **Expedia Group property IDs**


Geography API

使用 'Regions' API to 下载世界所有区域
(ancestor_id=0 或省略参数)



对每个 Rapid Region ID 使用 "Region" API 返回关联的 Rapid Property ID 和地理详细信息

Shopping API



Partner Database

创建 Rapid Region ID 目的地关联的数据库





Dest -> PropertyID

创建将 Rapid Property ID 与合作伙伴目的地名称关联的数据库

Partner Site

- 顾客在你们的页面中搜索目的地名称
- 使用 Rapid Property ID 在 SHOP API 请求



Geography Integration - Option 3

用Expedia 的地理数据创建自己的地理数据库

Database

- Use 'Region Descendants' API to download all regions in the World (0) – Geo All
- Use 'Region' API on each **Expedia Group Geography ID** to return the associated **Expedia Group property IDs**
- Create a table relating **Expedia Group property IDs** to Partner **destination names**

Customer interaction

- Customer searches for a **destination name** in Partner UI
- Look up all **Expedia Group property IDs** related to that **destination** in Partner database
- Call 'Shop' API using **Expedia Group property IDs**

Geography API

使用 'Regions' API to 下载世界所有区域
(ancestor_id=0 或省略参数)



对每个 Rapid Region ID 使用 "Region" API 返回关联的 Property ID 和地理详细信息

Shopping API





Partner Database

创建 property ID 和你们目的地关联的数据库



Partner Site

- 顾客在你们的页面中搜索目的地名称
- 在你们的数据库中查找与该目的地相关的 property ID
- 使用 Rapid Property ID 在 SHOP API 请求



Geography Integration - Option 4

使用你们现有的地理数据库


Database

- Download full list of Expedia Group properties and their corresponding **latitude and longitude coordinates** – using Property Content Catalog API
- Leverage your own logic to map **Expedia Group property IDs** to **destinations** by coordinates and other factors
- Create a database linking **destinations** to their **Expedia Group property IDs**

Customer interaction

- Customer searches for a **destination name** in Partner UI
- Look up all **Expedia Group property IDs** related to that **destination** in Partner database
- Call 'Shop' API using **Expedia Group property IDs**

Geography API



Shopping API





Partner Database



Partner Site

- 顾客在你们的页面中搜索目的地名称
- 在你们的数据库中查找与该目的地相关的 property ID
- 使用 Rapid Property ID 在 SHOP API 请求



02

CONTENT API

The Content APIs provide you with access to content for all of Rapid's properties.



All the lodging options travelers want and need



700k

properties
across 250k
destinations

+300

new
properties
added every
day

35+

property
types, from
hotels to
houseboats




Property content

Rich content helping travelers make informed decisions


The Content APIs provide you with full information about all our properties including:

- Property level details and amenities 酒店信息和设施
- Room level details and amenities 个别房型信息设施
- Key policies 酒店政策
- Images 图片
- Property Geography 地区
- Bed Groups 床型
- Guest ratings 顾客评分和评论
- Information localized across 34 languages 支持多语言



Grab travelers' attention with more photos

Travelers are 150% more engaged on property listings with more than 20 photos.



We aim to deliver at least:

- 20 photos of the property
- 4 photos per guest room
- 1 photo of the bathroom
- 1 hero image

We currently hold:

- 24 million property images
- 12+ million room images
- 175 image captions translated into over 40 languages

Images sizes:

- Thumbnail
- Full size
- High resolution (85% of our images)
- In total, 11 image sizes are available, more info [here](#).

Image sorting:

- Rapid automatically sorts all property and room images to ensure they are delivered in the most logical and impactful way for the traveler (first hero image, then entrance, lobby, guest room etc...).

Access Rapid content & update processes

Two different methods

Property Content – API

- 返回所请求的酒店详细静态信息
- 每次最多请求250家酒店
- 支持增量跟新
- 通过翻页获取更多酒店信息

Property Catalog- File （目录）


- 返回一个包含了EPS在线酒店的基本信息的文件（约60MB）
- 包含经纬度
- 可以做基础的酒店mapping
- 可以通过文件中的更新时间，再次调用content API来确定哪些酒店需要更新

Access Rapid content & update processes

Property Catalog File

Property Catalog - File

- Includes only high-level details for all active Expedia Group properties
- | | |
|---------------|------------------|
| • property_id | • category |
| • name | • rank |
| • address | • business_model |
| • ratings | • dates |
| • location | • statistics |
| • phone | • chain |
| • fax | • brand |
| | • supply_source |



Access Rapid content & update processes

Property Content API Parameters

- Easily identify newly **added** properties or **updated** content to more efficiently update your database
 - Date added
 - Date updated


Note:

- The Content APIs do not *return* properties that have been removed from Expedia Group inventory.
- For updates - the full static content will be returned for active properties. The response does not identify what section of the content was updated.

- Conduct a property search in Property Content API to filter properties that meet criteria, including:
 - Business model
 - Property category
 - Star rating
 - Country code

Best Practice:

- Use the Inactive Property API to help remove deleted properties bi-weekly.
- Delta updates (newly added/updated) should be conducted at least **once a week**.





Integrating with Content API

1. Load Property Content

- 存储为静态数据以减少流量和加载时间
 - i. 使用 **EPS Property Inventory** 作为基础，创建所有酒店的主表。
 - “**Property Catalog File**” 下载活跃 **Rapid** 酒店的主要列表 + 高级内容
 - ii. 使用所有酒店详细信息填充主表
 - “**Property Content**” API 获取完整的酒店、房间和价格信息
 - 每次调用请求 **250** 个酒店
 - 信息包括：名称、地址、星级、排名、入住/退房、特殊说明、费用、政策、便利设施 **etc**

Integrating with Content API

2. Refresh/Update Property Content 更新酒店信息

Step 1: 删除 DELETE

Option 1 : 使用 Content API

从酒店数据库中选择 property_id, 每次调用 Content API 请求最多 250 个酒店 :

/properties/content?supply_source=expedia&business_model=expedia_collect&include=property_ids&language=en-US&property_id=...

如果某个 property_id 未出现在API 响应中, 则说明该酒店已失效。

在数据库中将这失效酒店标记为“inactive”。

Option 2: 使用 “Inactive Properties” API

获取自指定日期起已 'Inactive' / 不再出售的房产列表。

Step 2: 更新 UPDATE

使用 “Property Content” API

从酒店数据库中选择 property_id, 并使用 date_updated_start 和 date_updated_end 调用 Content API (每次最多 250 个酒店) 。

若 property_id 出现在 API 响应中, 则更新该酒店的所有内容。

Step 3: 新增 ADD

使用 date_added_start 和 date_added_end 参数, 按国家维度调用 Content API, 获取新增酒店信息。

Inactive property API 下线酒店

- Used to request a list of all properties that have become inactive since a specified date
- Allows you to update your content to exclude properties that are not sellable/bookable within Rapid.

Request: `https://test.ean.com/v3/properties/inactive?since=2023-06-01`

Header:

Pagination-Total-Results	①	13161
Load	②	1000
Link	③	<https://test.ean.com/v3/properties/inactive?token=Q11RF1Vda1JREAQQCQUI

Response:

```
[
  {
    "property_id": "10003243"
  },
  {
    "property_id": "104201"
  },
  ...
  {
    "property_id": "10520425"
  }
]
```

Pagination-Total-Results is the total number of property ids included in the result value.

1000 properties are returned in one page, and when the number of properties in the result value exceeds 1000, the URL for the next page is returned in Link.

Amenities

Property Amenities 酒店设施:


- Property amenities are available to all guests.
- 提供给入住酒店的所有顾客
- E.g. Outdoor pool, 泳池

Room Amenities 房型设施:

- Room amenities are applicable only to the associated room.
- 只有该房型有相对的设施
- E.g. Non-smoking, 无烟

Rate Plan Amenities 价格设施:

- Rate plan amenities are applicable only to the associated rate plan.
- 只有此价格会有相应的设施
- E.g. Breakfast, Free wireless internet 早餐



More info on our [developer hub](#).

Examples of the property amenities delivered via Rapid API

酒店设施例子

Property amenities	 Internet Available in all rooms: Free WiFi and wired Internet Available in some public areas: Free WiFi P Parking and transportation Free self parking Free valet parking 24-hour roundtrip airport shuttle (surcharge) Airport shuttle on request	 Business services 32 meeting rooms Business center Conference center (78921 square feet of space)  Outdoors Free pool cabanas Garden Pool sun loungers
---------------------------	--	--

Page display example

amenities	↑{ <i>description:</i> Lists all of the amenities available for all guests at the property. See our amenities reference for current known amenity ID and name values. Amenity ↑{ <i>description:</i> An individual amenity. id number Numeric identifier for the amenity. name string Amenity name. value string Amenity value.
------------------	--

Data model description

```

    },
    "amenities": {
      "1073744640": {
        "id": 1073744640,
        "name": "Wheelchair-accessible on-site restaurant"
      },
      "2177": {
        "id": 2177,
        "name": "Express check-in"
      },
      "1073744642": {
        "id": 1073744642,
        "name": "Visual alarms in hallways"
      }
    }
  },

```

Rapid content response example

Examples of the room amenities delivered via Rapid API

房型设施例子

Room Amenities:

Room amenities are applicable only to the associated room.

- E.g. Non-smoking

Room amenities



Bedroom

Air conditioning
Down comforter
Free cribs/infant beds
Hypo-allergenic bedding
Pillow menu
Rollaway/extra beds (surcharge)



Bathroom

Bathrobes
Deep soaking bathtub
Designer toiletries
Hair dryer
Rainfall showerhead
Separate bathtub and shower

Page display example

```
},
"rooms": {
  "200225353": {
    "id": "200225353",
    "name": "Executive Room, 1 King Bed, Non Smoking",
    "descriptions": { ...
  },
  "amenities": {
    "128": {
      "id": 128,
      "name": "Free newspaper"
    },
    "1": {
      "id": 1,
      "name": "Air conditioning"
    },
    "131": {
      "id": 131,
      "name": "Minibar"
    }
  }
}
```

Rapid content response example

Use Offline Content to Pre-Filter

```
{
  "18035": {
    "property_id": "18035",
    "name": "Chicago Marriott Downtown Magnificent Mile",
    "address": {
      "line_1": "540 North Michigan Avenue",
      "city": "Chicago",
      "state_province_code": "IL",
      "state_province_name": "Illinois",
      "postal_code": "60611",
      "country_code": "US",
      "obfuscation_required": false,
      "localized": {
        "links": {
          "en-US": {
            "method": "GET",
            "href": "https://api.ean.com/v3/pro"
          }
        }
      }
    },
    "ratings": {
      "property": {
        "rating": "4.0",
        "type": "Star"
      },
      "guest": {
        "count": 834,
        "overall": "4.3",
        "cleanliness": "4.5",
        "service": "4.5",
        "comfort": "4.4",
        "condition": "4.4",
        "neighborhood": "4.7",
        "amenities": "4.2",
        "recommendation_percent": "86.5"
      }
    },
    "location": {
      "coordinates": {
        "latitude": 41.892122,
        "longitude": -87.624283
      }
    },
    "obfuscation_required": false,
    "phone": "1-312-836-0100",
    "fax": "1-312-836-6139",
    "category": {
      "id": "1",
      "name": "Hotel"
    },
    "business_model": {
      "expedia_collect": true,
      "property_collect": true
    },
    "rank": 1618,
    "and proprietary"
  }
}
```

Star rating

Property rating

Geo coordinates

Property type

Property payment methods

Property Relevance

Property attributes

```
"attributes": {
  "pets": {
    "5058": {
      "id": "5058",
      "name": "Service animals are allowed"
    }
  }
}
```

Amenities at property level

```
"amenities": {
  "44": {
    "id": "44",
    "name": "Gift shops or newsstand"
  },
  "2070": {
    "id": "2070",
    "name": "Dry cleaning/laundry service"
  },
  "4696": {
    "id": "4696",
    "name": "Babysitting or childcare (surcharge)"
  }
}
```

Amenities at room level

```
"rooms": {
  "200997864": {
    "id": "200997864",
    "name": "Suite, 1 Bedroom, Non Smoking,
    "descriptions": { ...
  },
  "amenities": {
    "6176": {
      "id": "6176",
      "name": "Non-Smoking"
    }
  }
}
```

Amenities at rate plan level

```
"rates": {
  "210379128": {
    "id": "210379128",
    "amenities": {
      "2194": {
        "id": "2194",
        "name": "Breakfast for 2"
      }
    }
  }
}
```

Hotel chains 酒店集团信息

Returns a complete collection of chains recognized by Rapid.

- Chains represent a **parent company** which can have **multiple brands** associated with it.
- A brand can only be associated with one chain. For example, Hilton Worldwide is a chain that has multiple associated brands including Doubletree, Hampton Inn and Embassy Suites.
- The response is a JSON map where the key is the chain ID and the value is a chain object. Each chain object also contains a map of its related brands.
- Note that the set of chain IDs and brand IDs are totally independent of one another. It is possible for a chain and a brand to both use the same number as their ID, but this is just a coincidence that holds no meaning.
- Chain and brand names are provided in English only.

Content API Response Example:

```
"chain": {  
  "id": -6,  
  "name": "Hyatt Hotels"  
},  
"brand": {  
  "id": 2209,  
  "name": "Hyatt Place"  
},
```

Expedia group

Ratings/Reviews 评论/评分

User-generated content

103

M


traveler ratings

68M

traveler reviews

+18%

conversion increase*



Ratings 评分

Ratings and sub-ratings can be accessed through the content API or the Catalog file.

能在 Content API 和content 目录里获得这些信息。

11 categories



Cleanliness



Service



Comfort



Quality etc.

```
"ratings": {  
  "property": {  
    "rating": "3.5",  
    "type": "Star"  
  },  
  "guest": {  
    "count": 48382,  
    "overall": "3.1",  
    "cleanliness": "4.2",  
    "service": "1.1",  
    "comfort": "4.3",  
    "condition": "1.6",  
    "location": "4.0",  
    "neighborhood": "3.4",  
    "quality": "3.4",  
    "value": "2.2",  
    "amenities": "1.4",  
    "recommendation_percent": "73%"  
  }  
}
```

Reviews API 评论

9.2 Wonderful

[See all 1,633 reviews >](#)

- Call the reviews API, stating a property ID and language.
- We'll then return up to 100 recent reviews for this property in the specified language.

10/10 Excellent

Mesude

19 May 2023

😊 Liked: Cleanliness, staff & service, property conditions & facilities

This place is a tourist's dream! We loved the room's view of the sea and the location of Admiral Hotel. Extremely easy to get to Nyhavn, very close to the boat tours, castles, buses, restaurants and shopping. Almost everything was within walking distance. The room was beautifully set and very light and clean.

Stayed 2 nights in May 2023

```
"verification_source": "Expedia Group verified review",  
"date_submitted": "2023-05-19T23:16:15Z",  
"rating": "5.0",  
"reviewer_name": "Mesude",  
"text": "This place is a tourist's dream! We loved the room's view of the  
sea and the location of Admiral Hotel. Extremely easy to get to Nyhavn,  
very close to the boat tours, castles, buses, restaurants and shopping.  
Almost everything was within walking distance. The room was beautifully  
set and very light and clean."
```

Reviews API

Launch requirements

- 1 – Must be prevented from search engine indexing.
- 2 – Must not be cached or store locally
- 3 – Can only be used on PLS supply
- 4 – Must display source brand logo of the review

More info [here](#).

5.0 Exceptional



Jennifer

Hasn't changed a bit!

Have not stayed at the Venetian in years, but it has not changed.
Still excellent. I needed a less expensive alternative to the outrageous price-gouging going on at the Wynn where my conference was, and this was an easy walk with the bridge over the side street. The rooms are huge and regular rooms feel like a suite. They have real humans to check you in and service was excellent. Friendly staff. Would definitely stay here again.

Integrating property content

Important considerations

- What content will you store? 需要什么信息？
- How do you update the content? 如何更新信息？
- Frequency of content refresh? 多久更新信息？
- Any special logic for which properties to cache? 是否需要关照一些重点酒店？

VACATION RENTALS

民宿 / 非标准酒店



The rise of vacation rentals



30%+

More than 30% of travelers booked a vacation rental in 2018.

14%

VR are now 14% of the global inventory.

2x

Vacation rental are growing twice as much as the rate of hotel lodging.



Source: Expedia Group inventory as of October 2022

© 2023 Expedia, Inc., an Expedia Group Company. All rights reserved. Confidential and proprietary

Source:

© 2023 Expedia, Inc., an Expedia Group Company. All rights reserved. Confidential and proprietary

Vacation rental – categories 不同的类别

Vacation rental properties can be identified using the category object in the [Rapid Content API](#).

Category ID	Category
7	Condo
9	Cabin
10	Chalet
11	Cottage
14	Villa
16	Apartment
17	Private vacation home
18	Houseboat
22	Aparthotel
23	Condominium resort
24	Campsite
33	Residence
44	Mobile home (caravan/RV)

Helping you reach new travelers in new destinations

More than 250K vacation rentals across the world.

37%

Properties in
NAMER

10%




Properties in
LATAM

44%

Properties in
EMEA

9%

Properties in
APAC



9 vacation rental property categories in PLS Rapid

Types of PLS Vacation Rentals

3 vacation rental groupings based on selling complexity



Types of VR Properties

CATEGORY	RECEPTION 前台	AVAILABILITY	COMMUNICATION LEVEL WITH END TRAVELLER
Multi-Unit with Reception 多间房 + 前台	Yes	High	Low
Multi-Unit without Reception 多间房 + 没前台	No	Med	Med
Single Unit 单间房 + 没前台	No	Low	High*

*Property managers want to be able to contact their guest prior to their arrival for:

- Passport copy
- Property access
- Other policies

03

SHOPPING API

The Shopping API provides you with access to live rates and availability for 700,000 global accommodations.



Rapid's Shopping API endpoints

Rates and Availability : `/properties/availability` 询价

- 返回查询的所有的可用空房和价格 (每个请求最多包含250个酒店)
- 包含价格的详细信息，比如促销、退款政策、取消政策、罚金和价格明细

Price Check : `/properties/{property_id}/rooms/{room_id}/rates/{rate_id}` 验价

- 确认询价返回的价格
 - 在下单前，使用此接口来验证之前选择的价格当前仍然可用
 - HTTP 200 成功时的可能状态: Available, Price Changed, Sold Out
-
- 标记化链接仅在每个客户会话中有效，并且会过期。请勿存储链接值以供长期重复使用
 - 过期的链接会返回 HTTP 503 错误。从新的SHOP响应中获取新的price check 链接并重新尝试。

Main components of the Shopping API

Rates and availabilities

Shop

- Send max of 250 property ids per request & search by dates, occupancy, currency, language
 - 日期、人数、币种、语言
- Other important params:
 - country_code (POSa) – 销售国家
 - sales_environment (hotel_package or hotel_only) – 销售环境 - 单卖/打包
 - sales_channel (website / agent_tool/ mobile_app, etc) – 售卖平台（网站，移动设备，代理工具）
 - rate_plan_count (max 250) – 价格数量
 - rate_option (member) – 价格选项
 - billing_terms, payment_terms and partner_point_of_sale – 根据CID 提供参数

Availability Call

Example

[https://test.ean.com/v3/properties/availability?currency=USD&language=en-US](https://test.ean.com/v3/properties/availability?currency=USD&language=en-US&rate_plan_count=250&rate_option=member&country_code=SG&occupancy=2&sales_channel=mobile_app&sales_environment=hotel_only&checkin=2026-10-04&checkout=2026-10-08&supply_source=expedia&property_id=11775754&partner_point_of_sale=B2C_SA_MOD_XSELL_APP&billing_terms=EAC&payment_terms=1)
&rate_plan_count=250&rate_option=member&country_code=SG
&occupancy=2&sales_channel= mobile_app&sales_environment=hotel_only&checkin=2026-10-04&checkout=2026-10-08&supply_source=expedia
&property_id=11775754&partner_point_of_sale= B2C_SA_MOD_XSELL_APP&billing_terms=EAC &payment_terms=1

- **partner_point_of_sale** – B2C_SA_MOD_XSELL_APP
- **Billing_terms** – EAC
- **Sales_channel** - mobile_app (B2C)
- **payment_terms** – 1
- **Sales_environment** –
 - hotel_only (standalone)
 - hotel_package (cross-sell)
- **Rate_option** - member / cross_sell

Shopping API

Technical

Same room shop 只能选择一种房型

- No multiple room type selection allowed
- You can shop multiple rooms of the same type (max 8 rooms)

Occupancy date and responses 提供正确的入住人数

- Ensure to collect the correct child ages for the correct rate/ room
- You will receive rates based on the occupancy data

Rate limiting 流量限制

- We have a fair use policy for our API, the limits are calculated monthly, on an individual basis and taking into account your traffic across a 3-month period.

Country Codes 国家缩写

- The two-digit country codes set the traveler's point of sale – they do not affect localized content.

Static Data 不会展示任何酒店信息

- No static data (names, star ratings, geo info, etc) is returned. Only availability and rate-related data is provided

URL Links 链接过期错误

- Tokenized request links will expire after a short period. If a token link returns an HTTP 503 error, the link has likely expired.
- Obtain a new price check link from a fresh Shop response and attempt again.

Main components of the Shopping API

Rates and availability

Occupancy 人数

- 格式: numberOfAdults[-firstChildAge[,nextChildAge]]
- 2 adults, one 9-year-old and one 4-year-old (2大人, 2小孩 – 9岁和4岁)
 - `occupancy=2-9,4`
- A multi-room request to lodge an additional 2 adults (多间房)
 - `occupancy=2&occupancy=2`

Note:

- Rates are returned on a per unique room occupancy basis
- Multiple rooms of the same occupancy will need to be multiplied to display total on UI

Main components of the Shopping API

Rates and availabilities – multi room request (多间房请求)

1组occupancy = 1 房间

价格会根据个别的房间occupancy展示

- occupancy=2&occupancy=2
 - 只会显示一组价格
 - 需要客户自行计算总价
- occupancy=3&occupancy=2
 - 会显示 2 个不同房间 occupancy的价格

```
"id": "230434524",
"room_name": "Traditional Room, Women only, Shared B
"rates": [
  {
    "id": "276321199",
    "status": "available",
    "available_rooms": 2300,
    "refundable": false,
    "member_deal_available": false,
    "sale_scenario": { ... },
    "merchant_of_record": "expedia",
    "amenities": { ... },
    "links": { ... },
    "bed_groups": { ... },
    "cancel_penalties": [ ... ],
    "nonrefundable_date_ranges": [ ... ],
    "occupancy_pricing": {
      "2": { ... }
    },
    "promotions": {
      "deal": {
        "id": "409103524",
        "occupancy_pricing": {
          "2": { ... },
          "3": { ... }
        },
        "rightly": [ ... ],
        "totals": { ... }
      }
    }
  },
  {
    "id": "276321199",
    "status": "available",
    "available_rooms": 2300,
    "refundable": false,
    "member_deal_available": false,
    "sale_scenario": { ... },
    "merchant_of_record": "expedia",
    "amenities": { ... },
    "links": { ... },
    "bed_groups": { ... },
    "cancel_penalties": [ ... ],
    "nonrefundable_date_ranges": [ ... ],
    "occupancy_pricing": {
      "2": { ... },
      "3": { ... }
    },
    "promotions": {
      "deal": {
        "id": "409103524",
        "occupancy_pricing": {
          "2": { ... },
          "3": { ... }
        },
        "rightly": [ ... ],
        "totals": { ... }
      }
    }
  }
]
```

Main components of the Shopping API

Marketing Fees & Gross Profit 佣金价格

Available in Shop & Price Check API responses

gross_profit (GP) 毛利 :

- The gross profit is the *estimated* total earning for the booking which Expedia Group then shares with you

marketing_fee (MF) 佣金:

- Marketing fee is the pre-calculated amount you will earn on the booking, which is *estimated* based on your commercial agreement / cost of sale

```
    },  
    "marketing_fee": {  
      "request_currency": {  
        "value": "10.21",  
        "currency": "EUR"  
      },  
      "billable_currency": {  
        "value": "10.21",  
        "currency": "EUR"  
      }  
    },  
    "inclusive": {  
      "request_currency": {  
        "value": "136.19",  
        "currency": "EUR"  
      },  
      "billable_currency": {  
        "value": "136.19",  
        "currency": "EUR"  
      }  
    },  
    "strikethrough": {  
      "request_currency": {  
        "value": "16.47",  
        "currency": "EUR"  
      },  
      "billable_currency": {  
        "value": "16.47",  
        "currency": "EUR"  
      }  
    }  
  }  
}
```


Rate Types 价格类型

Offer flexibility with different ways to pay



Expedia Collect (预付)

- Expedia Group (or partner) collects from traveler
- Property invoices Expedia Group
- Pay at booking (usually pay now)



Property Collect (到店付)

- Property collects from traveler
- Expedia Group invoices property
- Pay at property (usually pay later)

Overview



	Standalone 单卖价	Package 打包价	MOD 会员价	Mobile 移动端价格	Distribution (OD) 高利润
Definition 定义	Hotel rate booked on its own. Also known as <i>hotel only</i>.	Rate booked with a transport component as: - Bundled (捆绑) - Cross sell (交叉)	Special discounted rate sold behind a closed user group environment (log in screen)	Discounted rate available to end travellers using a mobile device to book a rate. Mobile website or app	High margin rates so you will make more on a per booking basis from selling the same room.
Audience 场景	All travellers	All travellers - Package	All travellers - logged in	B2C travellers Mobile app	All travellers
Available?	YES	Yes	YES	YES	YES

Main components of the Shopping API

Standalone vs Package (单卖 / 打包)

- **Standalone**

sales_environment=**hotel_only**

- **Package**
- Only available for B2B channel
- To be sold with other travel component

sales_environment=**hotel_package**

rates.sale_scenario.package=**true**

```
{
  "id": "213308694",
  "room_name": "Suite (Clubhouse)",
  "rates": [
    {
      "id": "399283687",
      "status": "available",
      "available_rooms": 4,
      "refundable": false,
      "current_refundability": "non_refundable",
      "member_deal_available": false,
      "sale_scenario": {
        "package": false,
        "member": false,
        "corporate": false,
        "distribution": false
      }
    }
  ]
}
```

```
{
  "id": "213308694",
  "room_name": "Suite (Clubhouse)",
  "rates": [
    {
      "id": "399283687",
      "status": "available",
      "available_rooms": 4,
      "refundable": false,
      "current_refundability": "non_refundable",
      "member_deal_available": false,
      "sale_scenario": {
        "package": true,
        "member": false,
        "corporate": false,
        "distribution": false
      }
    }
  ]
}
```

Main components of the Shopping API

Member Deals - 会员价

- Add to search request **rate_option=member**
- Look for **member=true** Shop API responses to identify Member Only Deals
 - Path : `rates.sale_scenario.member=true`
- These rates should be shown only to users who have logged into the site to view rates
- 只能展示给登录后的会员

Get an extra 10% off or more! Unlock Member Pricing here. You agree to receive deals and offers from Expedia, and may unsubscribe at any time. Already a member? Sign in.

Sign up

Choose your Accommodation

Check-in: 4/26/2019 Check-out: 4/29/2019 Units: 1 Adults: 2 Children: 0 UPDATE

Type	Options	Nightly price	
Apartment, 2 Bedrooms 1 Double Bed and 1 Queen Bed Sleeps 4 guests (up to 3 children) More details	✓ Free Cancellation until Fri, Apr 19 • Cancellation Policy ✓ Reserve with deposit • Free Parking • Free Internet ✓ No surprises! No hidden Expedia fees	Recommended for you We have 1 left \$252	Reserve No registration necessary
Apartment, 2 Bedrooms 1 Queen Bed and 1 Twin Bunk Bed Sleeps 4 guests (up to 3 children) More details	✓ Free Cancellation until Fri, Apr 19 • Cancellation Policy ✓ Reserve with deposit • Free Parking • Free Internet ✓ No surprises! No hidden Expedia fees	We have 1 left \$252	Reserve No registration necessary

```

{id": "314131007",
"room_name": "Octavius Pool View Room 2 Queens Non-Smoking",
"rates": [
{
  {
    "id": "382433575",
    "status": "available",
    "available_rooms": 52,
    "refundable": true,
    "member_deal_available": false,
    "sale_scenario": {
      "package": false,
      "member": true,
      "corporate": false,
      "distribution": false
    },
    "merchant_of_record": "expedia",
    "amenities": {
      "2192": {
        "id": "2192",
        "name": "Free WiFi"
      }
    },
    "links": {
      "payment_options": {
        "method": "GET",
        "href": "/v3/properties/41245/payment-options?"
      }
    },
    "bed_groups": {

```

Main components of the Shopping API

Mobile Deals (B2C Only) 移动端价格


- Add to search request:
 - **sales_channel = mobile_app**
 - **Include = sale_scenario.mobile_promotion**
- Look for **mobile_promotion=true** Shop API responses to identify Mobile promotions

rates.sale_scenario.mobile_promotion=true

```

{
  "property_id": "10080",
  "status": "available",
  "rooms": [
    {
      "id": "201370596",
      "room_name": "Classic Twin Room",
      "rates": [
        {
          "id": "206754680",
          "status": "available",
          "available_rooms": 2147483647,
          "refundable": true,
          "member_deal_available": false,
          "sale_scenario": {
            "package": false,
            "member": false,
            "corporate": false,
            "distribution": false,
            "mobile_promotion": true
          },
          "merchant_of_record": "expedia",
          "amenities": { ... },
          "links": { ... },
          "bed_groups": { ... },
          "cancel_penalties": [ ... ],
          "occupancy_pricing": { ... },
          "promotions": {
            "deal": {
              "id": "720970845",
              "description": "Mobile exclusive: save 10%"
            }
          }
        }
      ]
    }
  ]
}

```



Short-term commission incentives vs. distribution rates

Two higher-margin options to boost your commission

Short-term commission incentives

短期促销 XLR

- 酒店暂时性的在一些入住时期，提高佣金比例
- 能在全部的酒店单卖价格上看到这促销
- Appear in “**marketing_fee_incentives**” field of Shopping API response



Optimization tip: Actively drive traffic to these properties and rates while they are live.

Distribution rates

高利润价格

- 酒店和Expedia 签了长期合约，特别提供高佣金的价格
- 在价格成面上，需要特地就解析和展示此类价格
- Appear in sales_scenario field of Shopping API response as “**distribution=true**”



Optimization tip: Design your shop and sort processes to prioritize the higher-margins offered by distribution rates.

By optimizing your inventory prioritization process for both cases, you can **cast a wider net of properties with deeper margins to help maximize your revenue.**

Main components of the Shopping API

Optimised Distribution (OD) Rates 高利润价格

- Available in Shop API responses
- Look for **distribution=true** to identify Expedia Business Rates
 - Path :

`rates.sale_scenario.distribution=true`

- The wholesale rates are available to Expedia Group partners to sell both online on approved B2C sites and offline via approved agent tools.
- The rate can be sold in either a standalone or package paths (Expedia Collect only)

```
{
  {
    "id": "290230369",
    "status": "available",
    "available_rooms": 5,
    "refundable": true,
    "member_deal_available": false,
    "sale_scenario": {
      "package": false,
      "member": false,
      "corporate": false,
      "distribution": true
    },
    "deposit_required": false,
    "merchant_of_record": "expedia",
    "amenities": {
      "2205": {
        "id": "2205",
        "name": "Breakfast buffet"
      },
      "2195": {
        "id": "2195",
        "name": "Free valet parking"
      },
      "2109": {
        "id": "2109",
        "name": "Free self parking"
      },
      "2192": {
        "id": "2192",
        "name": "Free WiFi"
      }
    }
  },
  "links": {
```



Main components of the Shopping API

Optimised Distribution (OD) Rates 高利润价格

Select property chains have partnered with Expedia Group to offer **B2B partners higher-margin rates**, often exclusive to Expedia Group

- If the rates are same irrespective of refundability, choose OD rates
- If there is additional amenity which is not a key amenity (like free parking) on non-OD rate but with same rate, prefer OD rates
- If there is a variance in rates (between OD vs non-OD), which is less than equal to 2%, prefer OD rates
- OR sort favourably on high margin OD rates

The image displays two JSON responses from the Shopping API, comparing an Optimised Distribution (OD) rate (left) with a Non OD rate (right). Annotations highlight key differences:

- OD Rate (Left):**
 - `"refundable": true` (highlighted in red)
 - `"distribution": true` (highlighted in yellow)
 - `"request_currency": {"value": "20964.56", "currency": "AED"}` (highlighted in red)
 - `"billable_currency": {"value": "20964.56", "currency": "AED"}` (highlighted in red)
 - `"marketing_fee": {"request_currency": {"value": "2172.43", "currency": "AED"}, "billable_currency": {"value": "2172.43", "currency": "AED"}}` (highlighted in red)
 - `"promotions": {"value_adds": {"id": "320149", "description": "500 FJD resort credit", "category": "entertainment", "offer_type": "credit", "frequency": "per_stay"}}` (highlighted in red)
- Non OD rate (Right):**
 - `"refundable": false` (highlighted in red)
 - `"distribution": false` (highlighted in yellow)
 - `"request_currency": {"value": "20964.64", "currency": "AED"}` (highlighted in red)
 - `"billable_currency": {"value": "20964.64", "currency": "AED"}` (highlighted in red)
 - `"marketing_fee": {"request_currency": {"value": "1250.98", "currency": "AED"}, "billable_currency": {"value": "1250.98", "currency": "AED"}}` (highlighted in red)
 - `"promotions": {"value_adds": {"id": "320149", "description": "500 FJD resort credit per room, per stay", "category": "entertainment", "offer_type": "credit", "frequency": "per_stay"}}` (highlighted in red)

Annotations include:

- OD Rate** (green box pointing to `"distribution": true`)
- Non OD rate** (red box pointing to `"refundable": false`)
- Higher Margin** (green box pointing to the OD rate's `"marketing_fee"`)
- Lower Margin** (red box pointing to the Non OD rate's `"marketing_fee"`)

Main components of the Shopping API

Short-term Incentives – Accelerator 短期促销 XLR

Ensure your shopping and sorting process considers extra incentives:

1. Include the **rooms.rates.marketing_fee_incentives** parameter in your Shopping API request
2. Impacted stay dates will be in the **marketing_fee_incentives field** in the API response

```
{
  "property_id": "19248",
  "status": "available",
  "rooms": [
    {
      "id": "123abc",
      "room_name": "Fancy Queen Room",
      "rates": [
        {
          "id": "333abc",
          "status": "available",
          "marketing_fee_incentives": [
            {
              "source": "property",
              "start": "2024-01-01",
              "end": "2024-01-01"
            }
          ]
        }
      ]
    },
    {
      "id": "7a8b9c",
      "status": "available",
      "marketing_fee_incentives": [
        {
          "source": "property",
          "start": "2024-01-01",
          "end": "2024-01-01"
        }
      ]
    }
  ]
}
```

Amenity Filtering 设施筛选功能

&amenity_category={{category value}}

- Allow partners to proactively limit the properties delivered in the API response to only those with the attributes/amenities their travelers are looking for.
- This can reduce the work done by your system and ensure relevant options are surfaced to travelers.
- A full list of amenity categories can be found in the [Content Reference List](#)

Single amenity filter

/v3/properties/availability?checkin=2023-06-23&checkout=2023-06-24¤cy=USD&language=en-US&occupancy=4&sales_environment=hotel_only&rate_plan_count=250&country_code=US&sales_channel=website&property_id=907707&property_id=1&property_id=909329&property_id=7652200&amenity_category=free_breakfast

Multiple amenity filter – API will only return rates with ALL amenities mentioned

/v3/properties/availability?checkin=2023-06-23&checkout=2023-06-24¤cy=USD&language=en-US&occupancy=4&sales_environment=hotel_only&rate_plan_count=250&country_code=US&sales_channel=website&property_id=907707&property_id=1&property_id=909329&property_id=7652200&amenity_category=free_breakfast&amenity_category=free_airport_transfer&amenity_category=free_wifi

Value-Add Promotions (VAPs) 增值服务


In-Stay Perks

In-stay benefits/perks to the traveller (i.e. Free Theme Park tickets)

These perks can be marked as FREE add-ons



Seasonal (time-sensitive) and rate specific 季度性



Different to amenities which are evergreen (i.e., free WIFI) 不同于永久设施



Display value adds boldly when the rate is surfaced.



Add an icon such as a gift for users to interpret as a free gift with the rate

```
    "promotions": {  
      "value_adds": {  
        "291577": {  
          "id": "291577",  
          "description": "Free water park access for 2 per day",  
          "category": "entertainment",  
          "offer_type": "free",  
          "frequency": "per_day",  
          "person_count": 2  
        }  
      }  
    }
```

Room, 1 King Bed (Palm)

8.9/10 Excellent

Free WiFi

P Free self parking

Sleeps 3

 Free water park access for 2 per day

Beach view

484 sq ft

1 King Bed

Non-refundable ⓘ

[More details >](#)

Extras

Price per night

Value add promotions



Junior Suite, 1 King Bed

377 sq ft

Sleeps 4

1 King Bed

[More details](#)

```
    "merchant_of_record": "expedia",  
    "amenities": {  
      "1073742786": {  
        "id": "1073742786",  
        "name": "Free breakfast"  
      },  
      "2109": {  
        "id": "2109",  
        "name": "Free self parking"  
      },  
      "2192": {  
        "id": "2192",  
        "name": "Free WiFi"  
      }  
    }  
  },
```

```
    "occupancy_pricing": {  
      "promotions": {  
        "deal": {  
          "id": "727185156",  
          "description": "Save 20%"  
        }  
      },  
      "value_adds": {  
        "284289": {  
          "id": "284289",  
          "description": "Free early check-in (2 hours early)",  
          "category": "service",  
          "offer_type": "free",  
          "frequency": "per_stay"  
        },  
        "284291": {  
          "id": "284291",  
          "description": "Free late check-out (2 hours later)",  
          "category": "service",  
          "offer_type": "free",  
          "frequency": "per_stay"  
        },  
        "284288": {  
          "id": "284288",  
          "description": "25% off spa",  
          "category": "entertainment",  
          "offer_type": "discount",  
          "frequency": "per_stay"  
        },  
        "284287": {  
          "id": "284287",  
          "description": "25% off food and beverage (once per stay)",  
          "category": "food_and_beverage",  
          "offer_type": "discount",  
          "frequency": "per_stay"  
        }  
      }  
    }  
  },
```

Option 2

Fully refundable ⓘ

Before Thu, 14 Jul

Free WiFi

Breakfast included

Parking included

25% off food and beverage (once per stay)

Free early check-in (2 hours early)

25% off spa

Free late check-out (2 hours later)

VAPs

Rate Amenities

Deal

30% off

£224 **£118**

includes taxes & fees

[Price details](#)

[Reserve](#)

Price Display 价格展示

Example

Price details

2 nights
\$1,089.03 per night

Taxes & fees ⓘ

Local tax
Due at property

Total

Pay today

Due at property

\$2,178.06

\$490.07

\$10.89

\$2,679.02


\$2,668.13

\$10.89

AED 40.00

Rates are quoted in USD (\$).

USD (\$) amounts due at the property are estimates based on current exchange rates, which may vary at the time of travel. You will pay these amounts in AED. Your card issuer may charge a foreign transaction fee.



Taxes and Fees Total =
 $\text{totals.inclusive} - \text{totals.exclusive}$
 $2,668.13 - 2178.06 = 490.07 \text{ USD}$

Price Display



Standard Double Room

Non-Refundable

Friday, May 28, 2022	\$108.53
Taxes & Fees ⓘ	\$10.85

Total Price **\$119.38**

including taxes and fees

City tax due at property approx **\$7.58***
(€7.00)

*This conversion is an approximate price based on the current exchange rate and may change before your stay.

Standard Double Room

Non-Refundable

Friday, May 28, 2022	\$108.53
Taxes & Fees ⓘ	\$10.85

City Tax **\$7.58**

Total Price **\$126.96**

including taxes and fees

Payment Schedule

Due Now **\$119.38**
Due at property approx **\$119.38**
(€7.00)

*This conversion is an approximate price based on the current exchange rate and may change before your stay.

Standard Double Room

Non-Refundable

Friday, May 28, 2022	\$108.53
Taxes & Fees ⓘ	\$10.85

This charge includes estimated amounts the travel service provider (i.e. hotel, car rental company) pays for their taxes, and/or taxes that we pay, to taxing authorities on your booking (including but not limited to sales, occupancy, and value added tax). This amount may also include any amounts charged to us for resort fees, cleaning fees, and other fees, and/or a fee we, the hotel supplier and/or the website you booked on, retain as part of the compensation for our and/or their services, which varies based on factors such as location, the amount, and how you booked. For more details, please see the [Terms & Conditions](#).

*This conversion is an approximate price based on the current exchange rate and may change before your stay.

Price Strikethrough 删除价格字段

Displaying Rate Drops 酒店提供折扣前的价格

The Shop response can return **strikethrough** fields

- **strikethrough** :
 - This provides a strikethrough (pre-discount) price that excludes all taxes and fees charged.
- **inclusive_strikethrough** :
 - This provides a strikethrough (pre-discount) price that has all 'taxes and fees' included. This can be used as the price to "strike through" on the UI
- **property_inclusive_strikethrough** :
 - This provides a strikethrough (pre-discount) price that has all 'taxes and fees' *AND property charges* included. This can be used as the price to "strike through" on the UI when displaying totals with property fees included.

```
"totals": {
  "inclusive": { ...
  },
  "exclusive": { ...
  },
  "strikethrough": {
    "billable_currency": {
      "value": "5259.00",
      "currency": "USD"
    },
    "request_currency": {
      "value": "5259.00",
      "currency": "USD"
    }
  }
}
```

Exclusive Strikethrough example

```
"inclusive_strikethrough": {
  "billable_currency": {
    "value": "5576.45",
    "currency": "USD"
  },
  "request_currency": {
    "value": "5576.45",
    "currency": "USD"
  }
}
```


Inclusive Strikethrough example

```
"property_inclusive_strikethrough": {
  "billable_currency": {
    "value": "137.24",
    "currency": "USD"
  },
  "request_currency": {
    "value": "106.38",
    "currency": "GBP"
  }
}
```

Property Inclusive Strikethrough example

Price Strikethrough

Displaying Rate Drops



Property Inclusive Strikethrough example

Cancel penalties and flag 取消政策

Returned in the Rates and availability API response and the Managed Booking API's itinerary retrieval response.

Constructed on name-value pairs:

- Start*: string 开始日期和时间
- End*: string 结束日期和时间
- Currency*: string 币种
- Amount: string 价格
- Percent: string 百分比
- Nights: string 晚数

* Always returned

Note: Amount, Percent and Nights are returned individually, or in pairs as Amount & Nights or Amount & Percent.

```
"id": "201132015",
"room_name": "Suite, Accessible",
"rates": [
  {
    "id": "258099883",
    "status": "available",
    "available_rooms": 1,
    "refundable": false,
    "member_deal_available": true,
    "sale_scenario": { ...
  },
  "merchant_of_record": "expedia",
  "amenities": { ...
  },
  "links": { ...
  },
  "bed_groups": { ...
  },
  "cancel_penalties": [
    {
      "start": "2023-09-20T23:53:00.139-06:00",
      "end": "2023-12-03T23:59:00.000-06:00",
      "percent": "100%",
      "currency": "USD"
    }
  ],
  "occupancy_pricing": {
    "adult": 150,
    "child": 75,
    "infant": 0
  }
}
```

Cancel penalties

Refundable Rate 可退款



refundable

boolean

Indicates if the rate is fully refundable at the time of booking. Cancel penalties may still apply. Please refer to the cancel penalties section for reference.

Refundable = **True**

- The rate is fully refundable.
- There can still be cancellation penalties within the inside window

Refundable=true :

- Rate is fully refundable

Refundable=true + Cancellation Policy

限时免费取消

- Rate is fully refundable during free cancellation timeframe

Option 2
Fully refundable ⓘ
Before Mon, 12 Sep
Free WiFi

Reserve

Cancel your reservation before 12 Sep at 15:59, and you'll get a full refund.
After that, you'll be charged for the first night of your stay plus taxes and fees.
Times are based on the property's local time.

Cancel penalties


Non-Refundable Rate 不可退款

Refundable = **False**

- The rate can be:
 - 100% non-refundable OR Partially refundable

Refundable=false:

- Rate is 100% Non-refundable
- **No** cancel penalty window is returned



Cancel penalties

Partial Refundable Rate 部分退款

Refundable = **False**

- The rate can be:
 - 100% non-refundable OR Partially refundable

Refundable=false + Cancellation Penalty :

- Rate is only Partially Refundable
- nonrefundable_date_ranges will be returned

Partially refundable rates are ones in which there are dates within a stay that are non-refundable irrespective of the policy that may be returned. These days are referred to as “exclusion dates”.

E.g. F1 Period


Non refundable date range - Example

- Stay date: 5 Sep to 14 Sep
- Nonrefundable_date_ranges: 8 Sep to 13 Sep
- Money refundable for: Sep 5, 6, 7, 13

Sep 5 to 7

8 to 13

Sep 13 to 14



Important information about your booking

- Reservations are non-refundable on the following dates: Sep 8, 2023, Sep 9, 2023, Sep 10, 2023, Sep 11, 2023, Sep 12, 2023, Sep 13, 2023
- Cancellations or changes made after 1:59pm (property local time) on Sep 3, 2023 or no-shows are subject to a property fee equal to the first nights rate plus taxes and fees.

Clearly state to traveller no refund will be given for non-refundable dates when cancelled.

```
"cancel_penalties": [
  {
    "start": "2023-09-03T13:59:00.000+02:00",
    "end": "2023-09-04T13:59:00.000+02:00",
    "nights": "1",
    "currency": "USD"
  }
],
"nonrefundable_date_ranges": [
  {
    "start": "2023-09-08",
    "end": "2023-09-13"
  }
],
```


Cancel penalties

Example policies

```
"cancel_penalties": [
  {
    "currency": "USD",
    "start": "2021-09-17T18:00:00.000+02:00",
    "end": "2021-09-18T18:00:00.000+02:00",
    "amount": "10.00",
    "nights": "1",
    "percent": "30%"
  },
  {
    "currency": "USD",
    "start": "2021-09-19T18:00:00.000+02:00",
    "end": "2021-09-20T18:00:00.000+02:00",
    "amount": "10.00",
    "nights": "1",
    "percent": "50%"
  }
],
```

```
"cancel_penalties": [
  {
    "start": "2020-10-02T18:00:00.000-07:00",
    "end": "2020-10-03T18:00:00.000-07:00",
    "nights": "1",
    "currency": "USD"
  }
],
```

```
"cancel_penalties": [
  {
    "start": "2020-10-02T18:00:00.000-07:00",
    "end": "2020-10-03T18:00:00.000-07:00",
    "percent": "30%",
    "currency": "USD"
  }
],
```

```
"refundable": false,
"cancel_penalties": [
  {
    "start": "2022-08-26T23:59:00.000+07:00",
    "end": "2022-09-29T23:59:00.000+07:00",
    "amount": "200",
    "currency": "USD"
  }
],
"nonrefundable_date_ranges": [
  {
    "start": "2022-09-30",
    "end": "2022-10-01"
  }
  {
    "start": "2022-10-05",
    "end": "2022-10-06"
  }
],
```

```
"cancel_penalties": [
  {
    "start": "2020-10-02T18:00:00.000-07:00",
    "end": "2020-10-03T18:00:00.000-07:00",
    "amount": "76.00",
    "currency": "USD"
  }
],
```

Amenities

Rate Level Inclusions 价格设施

Rate Plan Amenities:

Rate plan amenities are applicable only to the associated rate plan.

- E.g. Breakfast, Free wireless internet
- These include meal plans associated to the rate.
- Types of breakfast amenities 早餐
- Number of breakfast = occupancy
 - However does not apply for Breakfast for 1; Breakfast for 2 amenities loaded.
 - Property level may have 'free' breakfast for all rooms, or a surcharge is applicable.
- 正常情况 → 早餐数量 = 入住人数
 - 除非设施有标注早餐人数
 - 酒店有在入住须知 / 价格须知上特别显示

Option 2
Free cancellation
Before Sun, Sep 6

\$137
per night
\$173 total
Includes taxes & fees

✓ Reserve now, pay later

📶 Free WiFi

☕ Breakfast buffet included

P Parking included

[Price details](#) ▼

We have 5 left

Reserve

It only takes 2 minutes

Page display example

```
{
  "id": "208292107",
  "status": "available",
  "available_rooms": 5,
  "refundable": true,
  "member_deal_available": false,
  "sale_scenario": { ...
},
  "deposit_required": false,
  "merchant_of_record": "expedia",
  "amenities": {
    "2205": {
      "id": "2205",
      "name": "Breakfast Buffet"
    }
  }
}
```

Rapid content response example

Meal Plans 餐食

Meals plans are returned on different levels. They can be returned as rate amenity, property amenity or content.

- Rate plan amenities
 - You'll find these in the shop response
 - Some common ones are:
 - 1073742786 - Free Breakfast
 - 2194 - Breakfast for 2
 - 2205 - Breakfast Buffet
 - 2206 - Half Board
 - 2111 - All-Inclusive
- Property amenities
 - In the Content Reference Lists, these are listed under amenities_property
 - It's visible under the rapid content response
- All Inclusive rate plan
 - If `all_rate_plans`: true then all rate plans for the property are all-inclusive, even if there is no rate plan amenity 'all-inclusive'.
 - Other indicators that all rate plans are all-inclusive are 'All Inclusive' in the hotel name

```
"amenities": {  
  "1073742857": {  
    "id": "1073742857",  
    "name": "Breakfast for 1"  
  },  
  "1073742617": {  
    "id": "1073742617",  
    "name": "Disney park tickets"  
  },  
  "2192": {  
    "id": "2192",  
    "name": "Free WiFi"  
  }  
},
```

```
},  
"2001": {  
  "id": "2001",  
  "name": "Free breakfast"  
}
```

More info [here](#).

Caching and Traffic Management / 缓存价格

Rate caching

We understand that caching rates can result in added value and functionality to customers.

This allows you to locally store data on room rates and availability to be used as a quick snapshot of what's available at a particular point in time. Faster response times, less external API requests and rate pre-packaging (prices from) can be achieved with a cache.

Where possible, we recommend using our Shopping API directly for the freshest rates.

- What will the cache be used for?
- What is your cache strategy today?
- Will you be using a passive or active cache?
- How many combinations of nights out, length of stay, occupancy and hotel count do you want to cover?

Rates cache criteria

Unlike wholesalers and bed banks, hoteliers have direct access to change our rates – this means they are rather dynamic.

We need to understand the level of data required to propose the most suitable solution:

- Occupancy groups (i.e. 1 adt, 1 adt -2 chd, 2 adt-4 chd)
- Booking Window (i.e. checking in from 3,4,5,6,7 nights out)
- Length of Stay groups (i.e. 3, 4, 5 nights)
- Number of properties
- Number of Rooms

Rates are more dynamic closer to check-in

The Expedia Group rates available via Rapid API are more dynamic the closer you are to the check-in date.

The frequency of updating rates and the duration of their storage should be determined by the proximity of the future check-in date.

Monitor PRICE_MISMATCH and SOLD_OUT error rates to ensure your cache stays optimal. If errors are high, increase the frequency of update, shorten the storage time or the rate or redirect traffic to go direct to our shop API.

Rates cache refresh frequency

Aim to make your cache intelligent enough to self-adjust its refresh-weighting frequencies based on the following factors:

- **Popularity:** Particular destinations, lengths of stay and occupancy variables.
- **Conversion:** Higher selling categories should have more frequent refresh cycles.
- **Dynamic Rates:** If rates don't change for a number of refresh cycles, reduce the refresh weighting so that it moves to a slower refresh cycle.
- **Accuracy:** Identifying inaccurate/stale rates needing a refresh.
- **Availability:** To avoid exceeding Rapid Daily Rate Limits, restrict properties that have low/no availability

Traffic management overview

We expect you to utilize the Shopping API as efficiently as possible

Our throttling mechanism is dynamic and responsive and can be triggered by not only traffic but other aspects in the system.

Please utilise the Shopping API efficiently.

- Are you able to monitor your traffic?
- How often do you review and optimize traffic?
- Are you able to provide advance notice for upcoming campaigns

HTTP 429 (Too Many Requests)

A HTTP 429 (Too Many Requests) status code is returned when request counts exceed a throttle limit(day or Per Minute).

HTTP/1.1 429 Too Many Requests

Connection →keep-alive

Content-Length →106

Date →Fri, 01 Feb 2019 06:20:51 GMT

Rate-Limit-Day-Remaining →18

Rate-Limit-Day-Reset →1548979200000

Rate-Limit-Minute-Remaining →0

Rate-Limit-Minute-Reset →1549002000000

Rate-Limit-Reduction-Status →inactive

Server →EAN

Transaction-Id →003224d2-1407-42fe-8bf8-6d74226e7f00

Rate-Limit-Day-Reset` & 'Rate-Limit-Minute-Reset' indicates when per minute or day count is reset.

Review your traffic

It's important to have functionality in place to review and monitor your own traffic to avoid any interruption in service:

- Self-serve: Use response headers to assess proximity to Daily limits
- Advise your Account Manager of any upcoming campaigns or periods of high traffic
- Reduce Load
- Increase booking/revenue to increase daily limits

Self-Serve traffic monitoring

HTTP/1.1 200 OK
Content-Type: application/json
Server: EAN
Vary: accept-encoding,Accept-Encoding
Rate-Limit-Minute-Reset: 1593688320000
Transaction-Id: 93337698-8519-4efc-abf6-b0fe6fd7d77b
HotDays-Requested: 3
Rate-Limit-Minute-Remaining: 79
Room-Nights-Requested: 3
HotDays-Responded: 3
Rate-Limit-Day-Remaining: 69
Room-Nights-Responded: 3
Rate-Limit-Reduction-Status: inactive
Rate-Limit-Day-Reset: 1593648000000
Content-Encoding: gzip
Content-Length: 4262
Connection: keep-alive

- **Rate-Limit-Day-Remaining:** Remaining capacity, as a percentage, for the daily time window.
 - Example shows 69% of limit is left.
- **Rate-Limit-Day-Reset:** Timestamp, as the number of milliseconds since the Unix Epoch, when the daily capacity resets.
- **Rate-Limit-Reduction-Status:** Indicates the state (inactive, active)
 - Active: Daily Limits Exceeded

Proactively Reducing Load

Avoid throttle errors(429) by requesting less properties if you are close to your daily limits.

Consider the following:

- Would using more accurate/granular Geography help?
- Do you have any less likely to convert properties being called? (rank:99999999 properties)
- Avoid duplication of shop requests

Increase Booking/Revenue

Alternatively, we can work with you to optimize your integration by exploring:

- Content:
 - Highlight rate amenities
 - Fine tuning content
 - Up sell alternative rates
- Reduce booking errors
- Reduce cancellations


04

BOOKING API

The Booking API allows you to book rooms and rates confirmed by the Price Check response.



Rapid booking flow



Main components of the Booking API

Itineraries

The Booking API allows you to book rooms & rates confirmed by the price check response

Required Data


- Payment information, including billing/cardholder contact information, is required within the request.

Booking links

- Each successful booking response contains links to retrieve the itinerary or cancel a room.

Test bookings

- To make a test booking that will not charge your card or be sent to the property, see our Test Request documentation



Booking API (EAC)

Instant booking – body data



```
{
  "affiliate_reference_id": "MY_ID_0001",
  "hold": false,
  "email": "john@example.com",
  "phone": {
    "country_code": "1",
    "area_code": "487",
    "number": "5550077"
  },
  "rooms": [
    {
      "given_name": "John123",
      "family_name": "Smith",
      "smoking": false,
      "special_request": "Top floor or away from street please"
    }
  ],
  "payments": [
    {
      "type": "affiliate_collect",
      "billing_contact": {
        "given_name": "John",
        "family_name": "Smith",
        "address": {
          "line_1": "555 1st St",
          "line_2": "10th Floor",
          "line_3": "Unit 12",
          "city": "Seattle",
          "state_province_code": "WA",
          "postal_code": "98121",
          "country_code": "US"
        }
      }
    }
  ],
  "affiliate_metadata": "data_point_1:123|data_point2:This is data.",
  "traveler_handling_instructions": "Custom traveler handling instructions for the hotel."
}
```

Unique ID must be passed for every unique booking attempt

Email address of end traveller or monitored mailbox

Phone number of lead traveller

Booking for one Room

For multi-Room, duplicate "rooms" array as number of rooms to book.

affiliate_collect as payment method

For **EAC payment method**: Change value in "type" field to "affiliate_collect" and remove fields "number", "security_code", "expiration_month" and "expiration_year"

Payor name

Send the name of the actual end payor for the booking.

This information is required for regulatory / sanctions screening purposes.

If it is not possible to provide the name of the actual end payor, provide the name of the partner's company / legal entity paying EPS.


If the POS = Russia, Ukraine, Venezuela, then TRUE payor information is always required.

Billing post code and country must represent billing contact passed in

Affiliate meta data

Data entered will be pulled through into Expedia Group reporting

Rapid booking flow – hold & resume




Hold and resume feature 锁单功能

Minimise stress at point of booking

- 锁单10分钟。
- 不受退款政策影响
- 锁单时不会付款
- 2 步骤下单 – 请求锁单，确认下单
 - 没有进行确认下单，自动认为订单要取消
 - Hold = True

Request Flow Example



Global sanctions screening - 制裁审查



Traveler data required via the API

Field	Description
Traveler name	Name of the end traveler
Payer name	Name of the person paying EPS
Point of sale country	Country where the traveler is shopping from
Plus at least one of the following fields:	
Billing country	Country of the person paying EPS
Billing zip	Billing zip of the person paying EPS
Traveler phone number	Accurate contact number for the end traveler

To ensure our rates are not used by blocked individuals, we use traveler data to screen bookings against UN/UK/EU sanctions lists. This has the benefits of protecting both of us against possible sanctions violations, and you to comply with your affiliate agreement with us.



Expedia Partner Solutions also complies with the General Data Protection Regulation (GDPR) and is committed to not accessing, using and/or disclosing traveler data in an unauthorized fashion. Screening individuals is consistent with GDPR which permits "processing is necessary for compliance with a legal obligation to which the controller is subject".

Global sanctions screening - 制裁审查



Traveler data required via the API

Field	Description
Traveler name	Name of the end traveler
Payer name	Name of the person paying EPS
Point of sale country	Country where the traveler is shopping from

Plus at least one of the following fields:

Billing country	Country of the person paying EPS
Billing zip	Billing zip of the person paying EPS
Traveler phone number	Accurate contact number for the end traveler

From: travelverification@expedia.com <travelverification@expedia.com>

Sent: Tuesday, June 9, 2026 11:11 AM

To: Joshua Clark <joshclark@expediagroup.com>

Subject: Reservation - 06/09/2026 - Booking ID 12345678910 / Itinerary Sanctions Contact Example / Booking Confirmation 987654321000 [thread::3vZmcJ86d9-qwVw5EKHTqS0::]

Dear Agent,

We are contacting you regarding Booking ID 12345678910 / Itinerary Sanctions Contact Example / Booking Confirmation 987654321000.

Please be advised that this customer, **Josh Clark**, has been identified as a possible match to an individual or entity on a sanctions list. **Failure to respond to this email within one day will result in the cancellation of the booking.** For Expedia Group to continue processing this transaction, we need to confirm the following information for **Macarena Valverde**:

- Full Name:
- Date of Birth:
- Customer's full billing/residential address:

If you have more than one itinerary with the same customer, please respond to all requests for information separately, or advise of any other itinerary numbers involving the same customer, as Expedia is required to screen all potential matches individually.

International Sanctions prevent companies from processing transactions for any sanctioned individuals or entities, therefore if Expedia Group is unable to confirm that the customer is not the sanctioned individual we will be forced to cancel this booking.

If you require any support or further information, please reach out to your Expedia EPS Account Manager who is copied in on this email.

We look forward to your prompt response and appreciate your cooperation.

Sincerely,

Buford Derrickson
Sanctions Compliance Analyst
Expedia Group

Loyalty 酒店集团会员

- Loyalty earn can be a key decision-maker for travellers as they can earn points on some rates on our Rapid API even if not booked directly with the hotel. Our API then pass on this information to the properties.
- 提供客人的酒店集团会员信息给酒店。填写在我们的API - Body里
 - 不是每一个订单 / 每个价格都能获取积分（酒店有决定权）

The Shopping response includes a **value_adds** field which will indicate whether if the rate is eligible for hotel loyalty points.

```
"rooms": [  
  {  
    "given_name": "John",  
    "family_name": "Smith",  
    "smoking": false,  
    "special_request": "Top floor or away from  
street please",  
    "loyalty_id": "ABC123"  
  }  
],
```

ERROR HANDLING INSTRUCTIONS

错误响应处理



PLS Rapid's API services share the common error codes, messages and response formats.

See our [Common Error Responses](#) page for more information.



To send a test request for the Booking API, include an additional HTTP header named Test in your booking request and use the appropriate value for the response you are testing.

Please review our [testing notes](#) in full before attempting any tests.

ERROR HANDLING INSTRUCTIONS

Logging

- Record all booking request and response logs (with time and header information)
- Record all error response logs (with time and header information)

Read all API error response code and content and handle accordingly

Booking Timeout / 500, 503, 504 response codes

- Timeout - wait 90 seconds to confirm status
- Or if you get 500 / 503 / 504 http response code
- Check status using affiliate_reference_id and email to retrieve itinerary
- Please review our detailed process for [Handling Booking Request](#)

ERROR HANDLING INSTRUCTIONS

If you did not receive any response after create booking or a 500, 503, 504 code

- It means we don't know the final status
- You must wait 90 seconds and use retrieve itinerary (affiliate_reference_id) to get the status of the booking

If Create booking returned 409, 410 http code

- Wait 90 seconds and use <affiliate_reference_id> to review potential duplicated bookings before offering travellers a new price or another room/hotel

If Create booking returned 4XX (other than 409, 410) http code

- Adjust the content of the book request seeking guidance from the nested error message.
- Retry with the same affiliate_reference_id
- If the http code is 201 Created, the booking is succeeded

Manual handling: if cannot verify status check with Voyager, contact support@expediapartnersolutions.com

05

POST BOOKING API

The Manage Booking API allows you to discover how to use the Retrieve, Change, and Cancel API calls to manage existing itineraries.



Manage Booking

Booking Retrieval



- Passing the Affiliate Reference ID and e-mail provided in the booking call

[GET] https://test.ean.com/v3/itineraries?affiliate_reference_id=MY_ID_0001&email=john@example.com

- Passing the ItineraryID and e-mail as query parameters


[GET] <https://test.ean.com/v3/itineraries/7529937024219?email=john@example.com>

- Using tokenized URI included in the original Book response (not recommend method)

[GET] <https://test.ean.com/v3/itineraries/7529937024219?token=QldfCGlcUA4FVFF...>

Itinerary History via Retrieve API

Partners will have access to a booking’s full itinerary history via the Retrieve API response.



Use the existing Retrieve API request and pass the new `include=history_v2` flag and the response will include historic details about a booking itinerary.

created	modified	canceled
Event object will include details of the original booking. i.e. creating a single room booking	Event object will include details of changes made to the booking. i.e. hard changes via API or EG servicing /agent tools	Event object will include details of any cancellations made to the booking. i.e. cancelling the room

```
{
  "itinerary_id": "8999989898988",
  "rooms": [ ... ],
  ...
  "itinerary_history": [
    {
      "history_id": "842737548",
      "event_timestamp": "2023-06-27T13:31:15.523Z",
      "event_type": "adjustment",
      "amount": {
        "value": "-32.10",
        "currency": "USD"
      },
      "agent_id": "10203"
    }
  ],
  "room_history": [
    [
      {
        "history_id": "42b4240c-109d-4bd6-a141-1db50619b700",
        "event_timestamp": "2023-06-27T20:54:47.551Z",
        "event_type": "created",
        "event_source": "rapid_api",
        "confirmation_id": {
```

Instant Bookings

- Cancel Instant booking (per room)
This link will be available in the booking response and in the retrieve response.

[DELETE] [https://test.ean.com/v3/itineraries/7529937024219/rooms/cf068798-7ec0-44e3-a96a-acdd30f08c9f?token=QFICEVhQRmxH\[...\]](https://test.ean.com/v3/itineraries/7529937024219/rooms/cf068798-7ec0-44e3-a96a-acdd30f08c9f?token=QFICEVhQRmxH[...])

Held Bookings

- Cancel Held Booking (per booking)
This link will be available in a held booking response.

[PUT] [https://test.ean.com/v3/itineraries/8999989898988?token=MY5S3j36cOc\[...\]](https://test.ean.com/v3/itineraries/8999989898988?token=MY5S3j36cOc[...])

Notifications APIs

Notifications API

Expedia Group will send a notification event, to your endpoint, triggered by events from channels outside of the API

To receive notifications:

- Setup an endpoint to receive pushed messages
 - Enable listener HTTPS port 443
 - Provide event topics you want to subscribe to
-
- **Notification Service Tester** tool available for testing
 - Setup different URL for test and production environment
-
- Retry mechanism available for undelivered messages
- First retry after 5 minutes, second after 1 hour, subsequent retries every 12 hours up to 7 days

For full description, check our public documentation at <https://developers.expediagroup.com/docs/rapid/lodging/notifications>

Supported message types

Rapid Notifications can inform your systems with a message for the following events:

event_type value	Source	Event	Details
itinerary.agent.create	Customer support agent or Affiliate Voyager	Booking creation	A new booking was created by a Rapid customer support agent or Affiliate Voyager.
itinerary.agent.change	Customer support agent or Affiliate Voyager	Booking update	An existing booking was updated by a Rapid customer support agent or Affiliate Voyager.
itinerary.agent.cancel	Customer support agent or Affiliate Voyager	Booking cancellation	An existing booking was canceled by a Rapid customer support agent or Affiliate Voyager.
itinerary.supplier.cancel	Hotel	Booking cancellation	An existing booking was canceled by the hotel. The customer should contact your business' customer support.
itinerary.supplier.confirm	Hotel	Booking update	The hotel has updated the property confirmation ID for the booking.
itinerary.fraud.cancel	Expedia	Booking cancellation	An existing booking was canceled by Expedia because the booking did not comply with the terms and/or conditions applicable to the transaction. The customer will need to contact transactionprocessing@travelscape.com with their telephone number and the best time to discuss the cancellation.
itinerary.message.received	Hotel	New Property Message Center message	The property has sent a new message via the Property Message Center (PMC). This event will contain the full property message text. In addition to notification, messages will also be accessible via emails and the PMC tool.
itinerary.supplier.change	Supplier	Booking update	An existing booking is changed by the hotel due to delayed arrival or early check out by the traveler.
itinerary.traveler.noshow	Supplier	Traveler no show	The traveler didn't show up; hence, the supplier marked the booking as No show.
itinerary.supplier.refund	Supplier	Booking update	For Expedia Collect bookings, hotel is providing traveler requested refunds. It is the duty of partner to ensure traveler receives the refunds.



Notifications API

Undeliverable Notifications API:

Messages are considered undeliverable and moved into storage for retrieval by this API after 7 days of active delivery attempts

For full description, check our public documentation at <https://developers.expediagroup.com/docs/rapid/lodging/notifications>

Example for itinerary.agent.create

```
{
  "event_id": "dbacce6c-afcb-4b23-ae66-48050757551c",
  "event_type": "itinerary.agent.create",
  "event_time": "2017-08-09T16:47:32.039Z",
  "itinerary_id": "8091234567890",
  "email": "customer@example.com",
  "message": "An agent created a new itinerary.",
  "affiliate_reference_id": "b086d299-2f1f-4134-a23c-f4a1c9286fac"
}
```

Example for itinerary.supplier.confirm

```
{
  "event_id": "e02d6f41-4708-476f-915d-8a7032942e94",
  "event_type": "itinerary.supplier.confirm",
  "event_time": "2018-04-28T20:31:03.423Z",
  "itinerary_id": "8999989898988",
  "email": "alice@example.com",
  "message": "The supplier confirmed one or more rooms on this itinerary.",
  "affiliate_reference_id": "R194193582",
  "rooms": [
    {
      "confirmation_id": {
        "expedia": "926784314",
        "property": "BEF23123AA"
      }
    },
    {
      "confirmation_id": {
        "expedia": "926784315"
      }
    }
  ]
}
```

Example for itinerary.message.received

```
{
  "event_id": "1aed5641-7285-4c42-b079-f5f2f139d148",
  "event_type": "itinerary.message.received",
  "event_time": "2023-11-14T02:33:18.860105363Z",
  "itinerary_id": "9025254271673",
  "email": "john@email.com",
  "message": "We accept your request for river view room. Looking forward to your visit",
  "affiliate_reference_id": "b086d299-2f1f-4134-a23c-f4a1c9286fac"
}
```




Property Message Center 酒店客人联系框



Property Message Center


A poor customer experience and inefficiencies can lead a traveller to want to speak directly to the property and find out that there is no easy way to do so. It can lead to cancellations.

To avoid this, our property message center offers a two-way conversation platform that allows hoteliers and travellers/agents a chat to communicate.




Top messaging topics

Property-initiated Messaging




Traveler-initiated Messaging




Set-up #1 – Traveler & Property

- Providing traveler email address
- Booking flow**



Set-up #2 – Property & Agent

- Providing a monitored agent email address
- Booking flow



Restrictions & Launch Requirements

No historical logs

Two-way messaging only

**Link disappears after 45
days after the stay**

<https://support.expediapartnersolutions.com/hc/en-us/articles/20983983633298-Property-Message-Center-Agent-Model-Launch-Requirements>

<https://support.expediapartnersolutions.com/hc/en-us/articles/20983900107538-Property-Message-Center-Traveler-Model-Launch-Requirements>

Additional Managed Booking APIs

Soft Change API 软性更改

Allow travellers to make small changes to their bookings -不涉及金钱变化



Reduces customer care calls cost for partners

Allow travelers to self-serve changes to room-level details which do not impact cost or schedule

First name or Last name

Special requests*

Phone number

Hotel loyalty program ID

Smoking preferences

A link will be available in the Retrieve API response to trigger a room detail change.

PUT/itineraries/{itinerary_id}/rooms/{room_id}

EXAMPLE

```
{
  "given_name": "John",
  "family_name": "Smith",
  "smoking": false,
  "special_request": "Top floor or away from street please",
  "loyalty_id": "ABC123"
}
```

Note:- *Special request are just requests and is not guaranteed

Hard Change API 硬性更改

Flexible API solutions to modify bookings with a financial impact - 涉及金钱变化



Resolve booking changes faster

Improve the traveler experience

A new link will be available in the Retrieve API response if booking is eligible for change


Steps:

1. Retrieve existing booking
2. Use new link to Shop for new rate
3. Price check selected rate
4. Review & Commit any refunds or extra charges due
5. Retrieve booking details with Retrieval API

Eligible booking can make :

- Date change
- Room type change
- Occupancy change

How Rapid's Hard Change API works



Partner promotions

Partner Couponing – Expedia launch requirements

- Partner must be merchant of record.
- Partner must fund coupons.
- Coupon transaction needs to be separate to the transaction between PLS and Partner (Rate send and received through API untouched).
- Coupons cannot be pre-applied; customers need to input the coupon code during the booking journey.
- Coupon reduced rates cannot be advertised (e.g. rate less coupon discount cannot be visible in Meta).
- Coupons only available to customer facing sites.
- Coupon restricted list must be applied (Expedia to share)
- Coupon capped at 15% of hotel booking value.
- Throughout the booking flow (shop, book and confirmation), the partner must have a clear display that splits out coupon as an additional component, rather than as a price discount.
- Frequency ≤ 12 coupons / year
- Duration $\leq 50\%$ / year (26 week)
- Value $\leq 15\%$

**Approval
required**

Partner cashback - Expedia launch requirements

- Partner must be merchant of record.
- Partner must fund cashback.
- Cashback transaction needs to happen outside of the transaction between PLS and Partner (Rate send and received through API untouched).
- Cashback capped at 10% of hotel booking value.
- Cashback only paid after the stay has been completed by the customer.
- Cashback cannot be pre-applied or advertised as a reduced rate. Cashback can be broadly advertised e.g. as marketing message. When advertised, at all times, it needs to mention “cashback after stay”.
- Cashback cannot be advertised on specific rates during shopping path, e.g. · Can't be advertised in **Search listing** · Can't be advertised on **Individual hotel listing** · Can't be advertised **next to specific rates** Cashback can be called out on **check-out page** but must have a clear display that splits out the amount an additional component, rather than a price discount: Room ate \$91 Tax \$9 Total \$100 Plus \$8 cashback

Partner Loyalty programmes - Expedia launch requirements



- Partner must be merchant of record.
- Partner must fund points.
- Points transaction needs to happen outside of the transaction between PLS and Partner (Rate send and received through API untouched) and facilitated by the partner.
- Points applied must be customer earned points and not generic points (i.e. points must relate to the customers previous purchases/activities).
- Customers must have the ability to switch points on and off on a booking.
- Points only available after the stay has been completed by the customer.
- Throughout the booking flow (shop, book and confirmation), the partner must have a clear display that splits out points as an additional component, rather than as a price discount
 - Example: Room rate \$80. Tax \$8. Sub Total \$88. 500 Points used. \$5 Total incl points \$83.

PLS Technical Support

PLS Technical Support

- How to contact Technical Support

Visit <https://support.expediapartnersolutions.com/>



Please select from one of the available options

Technical Help for a Booking

EPS Rapid API Help

EPS Rapid API Site Review

Report an issue with a Template Site (E4P or White Label)

GET to PC Escalation

EAC Adjustments and Manual Credits

PLS Technical Support

- PLS product operational status

Sign into **PLS Portal** at <https://portal.expediapartnersolutions.com/>

The “System Status” module shows an overview of incidents across Expedia products, including if any of them are experiencing any incidents currently



System status

✓ All systems operational

Active incidents	Time since last incident	Incidents in the last 30 days
0	28 days	1

Last update: Dec 18, 2024 10:58 AM UTC

[View Status](#)

<https://support.expediapartnersolutions.com/hc/en-us/articles/360013694360-Support-How-to-receive-maintenance-and-incident-notifications-by-email-or-Slack-in-your-Portal>

PLS Technical Support

• Things to know and provide

Sign into support.expediapartnersolutions.com to create an account

- Get visibility of all tickets
- Use company email @partner.com so PLS Technical Support can align ticket to correct PLS partner account

Logs:

- Rapid request and response logs for the booking including availability, price check, book and retrieve
- Preferably as Ascii text file (.txt or .JSON) – not PDF please
- Include Response Header Transaction-ID if possible

- Include full Request URL

`https://api.ean.com/v3/properties/availability?checkin=2022-06-08&checkout=2022-06-13¤cy=GBP&language=en-US
&country_code=GB&occupancy=2&property_id=1162824&sales_channel=website&sales_environment=hotel_package&filter=property_collect&rate_plan_count=10&partner_point_of_sale=EAC
&payment_terms=EAC&billing_terms=EAC`

Pre-launch

Next steps

- All kicked-off and ready to go!
- Review the list of launch requirements
- Connection of the profile
- Agree upon timeline to submit the site review
- Development of the launch requirement on partner UI
- Submission of UI for review of compliance against LR
- **Launch!**

