

# Cucumber Report

May 18, 2023, 7:09:23 PM

Start : May 18, 7:05:54.781 PM

End : May 18, 7:09:20.607 PM

Duration : 3 m 25.826 s

Features




Scenarios

Steps

PASSED - 6  
FAILED - 5  
SKIPPED - 0

PASSED - 37  
FAILED - 32  
SKIPPED - 0

PASSED - 179  
FAILED - 32  
SKIPPED - 167



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>GetStart Page</u>	6.891 s	1	1	0	0	4	4	0	0
<u>Home Page</u>	3.814 s	1	1	0	0	4	4	0	0
<u>Register Page validation</u>	22.220 s	10	10	0	0	27	27	0	0
<u>SignIn</u>	18.053 s	3	3	0	0	15	15	0	0
<u>Data Structure Intro</u>	13.866 s	5	5	0	0	17	17	0	0
<u>Array Page</u>	37.320 s	10	10	0	0	53	53	0	0
<u>Linked List</u>	30.477 s	9	7	2	0	61	54	2	5
<u>Stack</u>	12.276 s	5	0	5	0	29	1	5	23
<u>Queue</u>	14.618 s	6	0	6	0	37	1	6	30
<u>Tree</u>	35.832 s	15	0	15	0	109	1	15	93
<u>Graph</u>	9.787 s	4	0	4	0	22	2	4	16

#	Feature Name	Scenario Name
1	<u>Linked List</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</u>
2		<u>User navigate back to selected LinkedList Topic Page and try Practice Question Page</u>
3	<u>Stack</u>	<u>User navigate to Stack Page for selected Topic</u>
4		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Stack</u>
5		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Stack</u>
6		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Stack</u>
7		<u>User navigate back to selected Stack Topic Page and try Practice Question Page</u>
8	<u>Queue</u>	<u>User navigate to Queue Page for selected Topic and click on Try Here button</u>

#	Feature Name	Scenario Name
9	<u>Queue</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>
10		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>
11		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>
12		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>
13		<u>User navigate back to selected Queue Topic Page and try Practice Question Page</u>
14	<u>Tree</u>	<u>User navigate to Tree Page for selected Topic and click on Try Here button</u>
15		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>

#	Feature Name	Scenario Name
16	<u>Tree</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
17		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
18		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
19		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
20		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
21		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
22		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>


#	Feature Name	Scenario Name
23	<u>Tree</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
24		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
25		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
26		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
27		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>
28	<u>Graph</u>	<u>User navigate back to selected Tree Topic Page and try Practice Question Page</u>
29		<u>User navigate to Graph Page for selected Topic and click on Try Here button</u>

#	Feature Name	Scenario Name
30	<u>Graph</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Graph</u>
31		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Graph</u>
32		<u>User navigate back to selected Graph Topic Page and try Practice Question Page</u>


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@GetStartedPage	1	1	0	0	1	1	0	0
@HomePageValidation	1	1	0	0	1	1	0	0
@01homePageClickGetStarted/dropdownbox_WithoutSignin	1	1	0	0	1	1	0	0
@NavigateToRegisterPage	1	1	0	0	1	1	0	0
@RegisterPageValidation	10	10	0	0	1	1	0	0
@Register_AllfieldsBlank	1	1	0	0	1	1	0	0
@Register_PasswordFieldsBlank	1	1	0	0	1	1	0	0
@Register_ConfirmPasswordFieldsBlank	1	1	0	0	1	1	0	0
@RegisterPage_invalidUserData	4	4	0	0	1	1	0	0
@RegisterPage_validUserData	1	1	0	0	1	1	0	0
@LogoutAfterRegistration	1	1	0	0	1	1	0	0
@LoginWithInvalidUserDetails	2	2	0	0	1	1	0	0
@SignIn	3	3	0	0	1	1	0	0
@LoginWithValidUserDetailsAndLogOut	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@NavToDataStructures	1	1	0	0	1	1	0	0
@DataStructurePagePythonCodeValidation	2	2	0	0	1	1	0	0




<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@ArrayPage	1	1	0	0	1	1	0	0
@ArrayPagePythonCodeValidation	4	4	0	0	1	1	0	0
@ArrayPagePracticePage	1	1	0	0	1	1	0	0
@LinkedListPagePythonCodeValidation	1	1	0	0	1	0	1	0
@LinkedListPracticePage	1	0	1	0	1	0	1	0
@StackPage	1	0	1	0	1	0	1	0
@StackPagePythonCodeValidation	3	0	3	0	1	0	1	0
@StackPagePracticePage	1	0	1	0	1	0	1	0
@QueuePagePythonCodeValidation	1	0	1	0	1	0	1	0
@TreePagePythonCodeValidation	1	0	1	0	1	0	1	0
@GraphPagePythonCodeValidation	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>GetStart Page</u>	1	1	0	0	6.891 s
2	<u>Home Page</u>	1	1	0	0	3.814 s
3	<u>Register Page validation</u>	10	10	0	0	22.220 s
4	<u>SignIn</u>	3	3	0	0	18.053 s
5	<u>Data Structure Intro</u>	5	5	0	0	13.866 s
6	<u>Array Page</u>	10	10	0	0	37.320 s
7	<u>Linked List</u>	9	7	2	0	30.477 s
8	<u>Stack</u>	5	0	5	0	12.276 s
9	<u>Queue</u>	6	0	6	0	14.618 s
10	<u>Tree</u>	15	0	15	0	35.832 s




#	Feature Name	T	P	F	S	Duration
11	<u>Graph</u>	4	0	4	0	9.787 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>GetStart Page</u>	<u>User launch Start page of an dsalgo project</u>	4	4	0	0	6.883 s
2	<u>Home Page</u>	<u>User is on Home page and click getstarted link/dropbox on home page without sign in</u>	4	4	0	0	3.811 s
3	<u>Register Page validation</u>	<u>User click register button on Home page</u>	3	3	0	0	2.490 s
4		<u>User click register button with all fields blank</u>	2	2	0	0	1.371 s
5		<u>User click on register button with Password field blank</u>	2	2	0	0	1.456 s
6		<u>User click on register button with valid Username &amp; Password and confirm Password field as blank</u>	2	2	0	0	1.599 s
7		<u>The user is on Register Page and entered invalid user Details</u>	3	3	0	0	3.586 s
8		<u>The user is on Register Page and entered invalid user Details</u>	3	3	0	0	2.200 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>The user is on Register Page and entered invalid user Details</u>	3	3	0	0	2.338 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Register Page validation</u>	<u>The user is on Register Page and entered invalid user Details</u>	3	3	0	0	2.286 s
11		<u>The user opens Register Page and entered valid user Details</u>	4	4	0	0	2.879 s
12		<u>User logout from application after registration</u>	2	2	0	0	1.577 s
13	<u>SignIn</u>	<u>User entered invalid login details on Login Page</u>	5	5	0	0	6.039 s
14		<u>User entered invalid login details on Login Page</u>	5	5	0	0	6.754 s
15		<u>User entered valid login details on Login Page</u>	5	5	0	0	5.157 s
16	<u>Data Structure Intro</u>	<u>User entered valid login details on Login Page and logged in</u>	4	4	0	0	5.253 s
17		<u>User navigate to Data Structure Page for selected Topic and click on Try Here button</u>	6	6	0	0	2.555 s
18		<u>User enter valid and invalid python code in tryEditor</u>	2	2	0	0	2.051 s
19		<u>User enter valid and invalid python code in tryEditor</u>	2	2	0	0	2.745 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Data Structure Intro</u>	<u>User navigate to Data Structure from dropdown and try Practice Question Page</u>	3	3	0	0	1.087 s
21	<u>Array Page</u>	<u>User validate dropbox</u>	3	3	0	0	2.151 s
22		<u>User validate ArrayPage</u>	7	7	0	0	4.950 s
23		<u>User validate ArrayPage</u>	7	7	0	0	5.029 s
24		<u>User validate ArrayPage</u>	7	7	0	0	4.781 s
25		<u>User validate ArrayPage</u>	7	7	0	0	4.216 s
26		<u>PracticeQuestion Page</u>	2	2	0	0	0.289 s
27		<u>User validate PracticeQuestion Array Page</u>	5	5	0	0	3.732 s
28		<u>User validate PracticeQuestion Array Page</u>	5	5	0	0	3.651 s
29		<u>User validate PracticeQuestion Array Page</u>	5	5	0	0	4.318 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<a href="#">Array Page</a>	<a href="#">User validate PracticeQuestion Array Page</a>	5	5	0	0	3.808 s
31	<a href="#">Linked List</a>	<a href="#">User navigate to Linked List Page for selected Topic</a>	3	3	0	0	2.522 s
32		<a href="#">User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</a>	8	8	0	0	3.782 s
33		<a href="#">User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</a>	8	8	0	0	3.263 s
34		<a href="#">User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</a>	8	8	0	0	3.825 s
35		<a href="#">User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</a>	8	8	0	0	3.678 s
36		<a href="#">User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</a>	8	8	0	0	3.246 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
37		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</u>	8	8	0	0	3.418 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
38	<u>Linked List</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList</u>	8	3	1	4	4.091 s
39		<u>User navigate back to selected LinkedList Topic Page and try Practice Question Page</u>	2	0	1	1	2.303 s
40	<u>Stack</u>	<u>User navigate to Stack Page for selected Topic</u>	3	1	1	1	2.911 s
41		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Stack</u>	8	0	1	7	2.326 s
42		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Stack</u>	8	0	1	7	2.292 s
43		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Stack</u>	8	0	1	7	2.265 s
44		<u>User navigate back to selected Stack Topic Page and try Practice Question Page</u>	2	0	1	1	2.284 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
45	<u>Queue</u>	<u>User navigate to Queue Page for selected Topic and click on Try Here button</u>	3	1	1	1	2.913 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>Queue</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>	8	0	1	7	2.270 s
47		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>	8	0	1	7	2.278 s
48		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>	8	0	1	7	2.304 s
49		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</u>	8	0	1	7	2.300 s
50		<u>User navigate back to selected Queue Topic Page and try Practice Question Page</u>	2	0	1	1	2.326 s
51	<u>Tree</u>	<u>User navigate to Tree Page for selected Topic and click on Try Here button</u>	3	1	1	1	2.823 s
52		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.302 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
53	<u>Tree</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.304 s
54		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.306 s
55		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.306 s
56		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.287 s
57		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.313 s
58		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.316 s
59		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.298 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>Tree</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.319 s
61		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.535 s
62		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.282 s
63		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.365 s
64		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Tree</u>	8	0	1	7	2.303 s
65		<u>User navigate back to selected Tree Topic Page and try Practice Question Page</u>	2	0	1	1	2.273 s
66	<u>Graph</u>	<u>User navigate to Graph Page for selected Topic and click on Try Here button</u>	3	1	1	1	2.836 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
67	<u>Graph</u>	<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Graph</u>	8	0	1	7	2.287 s
68		<u>User click on Try Here button and enter valid and invalid python code in tryEditor for Graph</u>	8	0	1	7	2.289 s
69		<u>User navigate back to selected Graph Topic Page and try Practice Question Page</u>	3	1	1	1	2.271 s

**GetStart Page**



<b>PASSED</b>	<b>DURATION - 6.891 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:05:54.781 PM // 7:06:01.672 PM /					

**User launch Start page of an dsalgo project**

<div>PASSED</div> <div>DURATION - 6.883 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:05:54.789 PM // 7:06:01.672 PM /</div>				
<div>GetStart Page</div>				
<div>@GetStartedPage</div>				


#	Step / Hook Details	Status	Duration
1	Given The User launches the Chrome browser	PASSED	0.046 s
2	When The user opens DS Algo portal link	PASSED	0.440 s
3	And The user clicks the Get Started button	PASSED	1.212 s
4	Then The user should be redirected to homepage with page title as "NumpyNinja"	PASSED	0.030 s

**Home Page**

<b>PASSED</b>	<b>DURATION - 3.814 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:06:01.891 PM // 7:06:05.705 PM /					


**User is on Home page and click getstarted link/dropbox on home page without sign in**






#	Step / Hook Details	Status	Duration
1	When The user clicks on Get Started link on homepage "Array" without login	PASSED	1.195 s
2	Then The user get warning message "You are not logged in"	PASSED	0.073 s
3	When The user select options from dropbox menu on homepage "Array" without login	PASSED	2.491 s
4	Then The user get warning message "You are not logged in"	PASSED	0.037 s

## Register Page validation





## User click register button on Home page



#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DS Algo Portal	PASSED	1.224 s



#	Step / Hook Details	Status	Duration
2	When The user clicks the Register button on Home page	PASSED	0.933 s
3	Then The User will be navigated to Register Page with title as "Registration"	PASSED	0.313 s

### User click register button with all fields blank

PASSED	DURATION - 1.371 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:06:08.338 PM // 7:06:09.709 PM /				
Register Page validation				
@Register_AllfieldsBlank @RegisterPageValidation				



#	Step / Hook Details	Status	Duration
1	When The user clicks the Register button on register page with all fields value empty	PASSED	1.015 s
2	Then Error message is displayed "Please fill out this field. below Username textbox"	PASSED	0.348 s

### User click on register button with Password field blank

PASSED		DURATION - 1.456 s			Steps Total - 2 Pass - 2 Fail - 0 Skip - 0			
/ 7:06:09.771 PM // 7:06:11.227 PM /								
Register Page validation								
@Register_PasswordFieldsBlank @RegisterPageValidation								



#	Step / Hook Details	Status	Duration
1	When The user clicks the Register button on register page with valid Username and Password fields value empty	PASSED	1.119 s
2	Then Error message is displayed "Please fill out this field. below Password textbox"	PASSED	0.333 s

### User click on register button with valid Username & Password and confirm Password field as blank

<div>PASSED</div>	<div>DURATION - 1.599 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:06:11.276 PM // 7:06:12.875 PM /</div>				
<div>Register Page validation</div>				
<div>@Register_ConfirmPasswordFieldsBlank</div> <div>@RegisterPageValidation</div>				



#	Step / Hook Details	Status	Duration
1	When The user clicks the Register link on register page with Password as "abcd@1234" confirmPassword fields value empty	PASSED	1.321 s
2	Then Error message is displayed "Please fill out this field. below confirm Password textbox"	PASSED	0.266 s

### The user is on Register Page and entered invalid user Details

<div>PASSED</div> <div>DURATION - 3.586 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:06:12.925 PM // 7:06:16.511 PM /</div>			
<div>Register Page validation</div>			
<div>@RegisterPage_invalidUserData</div> <div>@RegisterPageValidation</div>			



#	Step / Hook Details	Status	Duration
1	When User enter Invalid signUp details on register page from given sheetname "RegisterPage" and 0	PASSED	2.241 s
2	And The user clicks Register button	PASSED	1.061 s
3	Then Registration failed and error message is displayed	PASSED	0.276 s

### The user is on Register Page and entered invalid user Details

<b>PASSED</b>	<b>DURATION - 2.200 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:06:16.562 PM // 7:06:18.762 PM /				
<i>Register Page validation</i>				
@RegisterPage_invalidUserData @RegisterPageValidation				


#	Step / Hook Details	Status	Duration
1	When User enter Invalid signUp details on register page from given sheetname "RegisterPage" and 1	PASSED	1.073 s
2	And The user clicks Register button	PASSED	0.839 s
3	Then Registration failed and error message is displayed	PASSED	0.284 s

### The user is on Register Page and entered invalid user Details

<b>PASSED</b>	<b>DURATION - 2.338 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:06:18.803 PM // 7:06:21.141 PM /				
<i>Register Page validation</i>				
@RegisterPage_invalidUserData @RegisterPageValidation				


#	Step / Hook Details	Status	Duration
1	When User enter Invalid signUp details on register page from given sheetname "RegisterPage" and 2	PASSED	1.138 s
2	And The user clicks Register button	PASSED	0.856 s
3	Then Registration failed and error message is displayed	PASSED	0.336 s

### The user is on Register Page and entered invalid user Details




#	Step / Hook Details	Status	Duration
1	When User enter Invalid signUp details on register page from given sheetname "RegisterPage" and 3	PASSED	1.120 s
2	And The user clicks Register button	PASSED	0.899 s
3	Then Registration failed and error message is displayed	PASSED	0.267 s

### The user opens Register Page and entered valid user Details




#	Step / Hook Details	Status	Duration
1	When User enter Valid signUp details on register page UserName , Password as "abcd@124" and ConfirmPassword as "abcd@124"	PASSED	0.513 s
2	And The user clicks Register button	PASSED	1.275 s
3	And User will be navigated to Home page of DS Algo	PASSED	0.032 s
4	Then successMessage will be displayed "New Account Created. You are logged in as"	PASSED	1.049 s

### User logout from application after registration




#	Step / Hook Details	Status	Duration
1	When User clicks on signOut link on Home page	PASSED	0.539 s
2	Then Message will be displayed as "Logged out successfully"	PASSED	1.030 s

## SignIn





## User entered invalid login details on Login Page



#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DS Algo Portal	PASSED	1.244 s
2	When User clicks on signIn link on Home page	PASSED	1.321 s
3	Then User is navigated to Login Page title as "Login"	PASSED	0.310 s



#	Step / Hook Details	Status	Duration
4	When User entered login details from sheet "SignIn" and 0	PASSED	2.109 s
5	Then Error message is displayed	PASSED	1.055 s

### User entered invalid login details on Login Page

PASSED		DURATION - 6.754 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0		
/ 7:06:34.150 PM // 7:06:40.904 PM /							
SignIn							
@LoginWithInvalidUserDetails @SignIn							

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DS Algo Portal	PASSED	1.588 s
2	When User clicks on signIn link on Home page	PASSED	1.316 s
3	Then User is navigated to Login Page title as "Login"	PASSED	0.262 s
4	When User entered login details from sheet "SignIn" and 1	PASSED	2.517 s
5	Then Error message is displayed	PASSED	1.054 s



### User entered valid login details on Login Page

PASSED		DURATION - 5.157 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0			
/ 7:06:40.951 PM // 7:06:46.108 PM /								
SignIn								
@SignIn @LoginWithValidUserDetailsAndLogOut								



#	Step / Hook Details	Status	Duration
1	When User entered Username as "SDET108@numpy.com" and Password as "abcd@1234"	PASSED	1.257 s
2	Then Success message is displayed	PASSED	1.203 s
3	And User is navigated to Home page of DsAlgo Portal	PASSED	1.059 s

#	Step / Hook Details	Status	Duration
4	When User clicks on signOut link on Home page	PASSED	0.587 s
5	Then Message will be displayed as "Logged out successfully"	PASSED	1.035 s

## Data Structure Intro

PASSED	DURATION - 13.866 s	Scenarios		Steps	
/ 7:06:46.177 PM // 7:07:00.043 PM /		Total - 5		Total - 17	
		Pass - 5		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



## User entered valid login details on Login Page and logged in

PASSED	DURATION - 5.253 s		Steps	
/ 7:06:46.177 PM // 7:06:51.430 PM /				
Data Structure Intro				
@Login				

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DS Algo Portal	PASSED	1.395 s
2	When User clicks on signIn link on Home page	PASSED	1.682 s
3	And User entered Username as "SDET108@numpy.com" and Password as "abcd@1234"	PASSED	1.125 s
4	Then User is navigated to Home page of DsAlgo Portal	PASSED	1.034 s



## User navigate to Data Structure Page for selected Topic and click on Try Here button



<div>PASSED</div> <div>DURATION - 2.555 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:06:51.477 PM // 7:06:54.032 PM /				
Data Structure Intro				
@NavToDataStructures				



#	Step / Hook Details	Status	Duration
1	When The user clicks on DataStructure GetStarted button on homepage "Data Structures-Introduction"	PASSED	0.941 s
2	Then User will be navigated to Data Structures-Introduction page title as "Data Structures-Introduction"	PASSED	0.007 s
3	When User clicks on Time Complexity link	PASSED	0.376 s
4	Then User will be navigated to time-complexity page title as "Time Complexity"	PASSED	0.032 s
5	When User clicks Try Here button in the datastructure page	PASSED	1.118 s
6	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.080 s

### User enter valid and invalid python code in tryEditor

<div>PASSED</div> <div>DURATION - 2.051 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:06:54.080 PM // 7:06:56.131 PM /</div>			
<div>Data Structure Intro</div>			
<div>@DataStructurePagePythonCodeValidation</div>			



#	Step / Hook Details	Status	Duration
1	When User Enter Python code in tryEditor from "print 'Data Structures-Introduction'" for DataStructures topic and click Run button	PASSED	2.006 s
2	Then User should be presented with the Run output for valid Python code and Message for DataStructure Page	PASSED	0.037 s

### User enter valid and invalid python code in tryEditor

<div>PASSED</div> <div>DURATION - 2.745 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:06:56.172 PM // 7:06:58.917 PM /</div>			
<div>Data Structure Intro</div>			
<div>@DataStructurePagePythonCodeValidation</div>			

#	Step / Hook Details	Status	Duration
1	When User Enter Python code in tryEditor from "print Data Structures-Introduction" for DataStructures topic and click Run button	PASSED	2.694 s
2	Then User should be presented with the Run output for valid Python code and Message for DataStructure Page	PASSED	0.049 s

### User navigate to Data Structure from dropdown and try Practice Question Page



<div>PASSED</div>	<div>DURATION - 1.087 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:06:58.956 PM // 7:07:00.043 PM /</div>				
<div>Data Structure Intro</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate back to dataStructure page of selected topic	PASSED	0.264 s
2	When User clicks Practice Questions Page on DataStructure Page	PASSED	0.742 s
3	Then User should be redirected to a Practice Questions Page of selected DataStructure Topic Page	PASSED	0.075 s

### Array Page



<div>PASSED</div>	<div>DURATION - 37.320 s</div>	<div>Scenarios</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>10</div></div>	<div>Steps</div> <div>Total - 53</div> <div>Pass - 53</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>53</div></div>
<div>/ 7:07:00.093 PM // 7:07:37.413 PM /</div>					

**User validate dropbox**

<div>PASSED</div>	<div>DURATION - 2.151 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:07:00.093 PM // 7:07:02.244 PM /</div>				
<div>Array Page</div>				
<div>@ArrayPage</div>				



#	Step / Hook Details	Status	Duration
1	Given The User is on practice page of data Structure	PASSED	0.080 s
2	When The user select "Array" from dropbox menu	PASSED	2.037 s
3	When user is navigate to "Array" Page	PASSED	0.018 s

**User validate ArrayPage**

<div>PASSED</div> <div>DURATION - 4.950 s</div>	<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 7</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 7:07:02.279 PM // 7:07:07.229 PM /</div>		
<div>Array Page</div>		
<div>@ArrayPagePythonCodeValidation</div>		



#	Step / Hook Details	Status	Duration
1	Then User click "Arrays in Python" link on Array page	PASSED	0.733 s
2	And User clicks Try Here button of selected topic	PASSED	0.720 s
3	When User Enter valid Python code in tryEditor from "print 'Arrays in Python'" for topics in Array and click Run button	PASSED	1.776 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.048 s
5	When User Enter Invalid Python code in tryEditor from "print Arrays in Python" for topics in Array and click Run button	PASSED	1.507 s
6	Then User should be presented with alert and no runOutput for Invalid Python code for Array Page	PASSED	0.032 s
7	And User navigate back to Array topic list	PASSED	0.122 s

**User validate ArrayPage**

<div>PASSED</div>	<div>DURATION - 5.029 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:07:07.273 PM // 7:07:12.302 PM /				
Array Page				
@ArrayPagePythonCodeValidation				

#	Step / Hook Details	Status	Duration
1	Then User click "Arrays Using List" link on Array page	PASSED	0.463 s
2	And User clicks Try Here button of selected topic	PASSED	0.629 s
3	When User Enter valid Python code in tryEditor from "print 'Arrays Using List'" for topics in Array and click Run button	PASSED	1.756 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.040 s
5	When User Enter Invalid Python code in tryEditor from "error Arrays Using List" for topics in Array and click Run button	PASSED	1.970 s
6	Then User should be presented with alert and no runOutput for Invalid Python code for Array Page	PASSED	0.037 s
7	And User navigate back to Array topic list	PASSED	0.124 s



### User validate ArrayPage

<div>PASSED</div> <div>DURATION - 4.781 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:07:12.359 PM // 7:07:17.140 PM /</div>			
<div>Array Page</div>			
<div>@ArrayPagePythonCodeValidation</div>			

#	Step / Hook Details	Status	Duration
1	Then User click "Basic Operations in Lists" link on Array page	PASSED	0.546 s
2	And User clicks Try Here button of selected topic	PASSED	0.593 s
3	When User Enter valid Python code in tryEditor from "print 'Basic Operations in Lists'" for topics in Array and click Run button	PASSED	1.625 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.040 s
5	When User Enter Invalid Python code in tryEditor from "error Basic Operations in Lists" for topics in Array and click Run button	PASSED	1.792 s
6	Then User should be presented with alert and no runOutput for Invalid Python code for Array Page	PASSED	0.053 s



#	Step / Hook Details	Status	Duration
7	And User navigate back to Array topic list	PASSED	0.122 s

### User validate ArrayPage

PASSED		DURATION - 4.216 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:07:17.183 PM // 7:07:21.399 PM /						
Array Page						
@ArrayPagePythonCodeValidation						



#	Step / Hook Details	Status	Duration
1	Then User click "Applications of Array" link on Array page	PASSED	0.409 s
2	And User clicks Try Here button of selected topic	PASSED	0.513 s
3	When User Enter valid Python code in tryEditor from "print 'Applications of Array'" for topics in Array and click Run button	PASSED	1.541 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.043 s
5	When User Enter Invalid Python code in tryEditor from "error Applications of Array" for topics in Array and click Run button	PASSED	1.571 s
6	Then User should be presented with alert and no runOutput for Invalid Python code for Array Page	PASSED	0.040 s
7	And User navigate back to Array topic list	PASSED	0.099 s

### PracticeQuestion Page

PASSED	DURATION - 0.289 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:07:21.440 PM // 7:07:21.729 PM /				
Array Page				
@ArrayPagePracticePage				



#	Step / Hook Details	Status	Duration
1	When user click on practice Question	PASSED	0.273 s
2	Then User will be navigated to Practice Question Array page as "Practice Questions"	PASSED	0.008 s

### User validate PracticeQuestion Array Page

<div>PASSED</div> <div>DURATION - 3.732 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:07:21.762 PM // 7:07:25.494 PM /</div>				
<div>Array Page</div>				



#	Step / Hook Details	Status	Duration
1	Then User click "Search the array" on practice question Array page	PASSED	0.415 s
2	Then User should clear textcode in tryEditor	PASSED	1.215 s
3	When User entered valid Python code in tryEditor "PythonCode" and 0 and click Run button	PASSED	1.848 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.041 s
5	And User navigate back to Array topic list	PASSED	0.205 s

### User validate PracticeQuestion Array Page

PASSED		DURATION - 3.651 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:07:25.550 PM // 7:07:29.201 PM /						
Array Page						



#	Step / Hook Details	Status	Duration
1	Then User click "Max Consecutive Ones" on practice question Array page	PASSED	0.742 s
2	Then User should clear textcode in tryEditor	PASSED	1.180 s
3	When User entered valid Python code in tryEditor "PythonCode" and 1 and click Run button	PASSED	1.548 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.040 s
5	And User navigate back to Array topic list	PASSED	0.121 s

### User validate PracticeQuestion Array Page

<div>PASSED</div>	<div>DURATION - 4.318 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:07:29.255 PM // 7:07:33.573 PM /</div>				
<div>Array Page</div>				



#	Step / Hook Details	Status	Duration
1	Then User click "Find Numbers with Even Number of Digits" on practice question Array page	PASSED	0.719 s
2	Then User should clear textcode in tryEditor	PASSED	1.196 s
3	When User entered valid Python code in tryEditor "PythonCode" and 2 and click Run button	PASSED	2.237 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.032 s
5	And User navigate back to Array topic list	PASSED	0.131 s

### User validate PracticeQuestion Array Page



PASSED		DURATION - 3.808 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:07:33.605 PM // 7:07:37.413 PM /						
Array Page						

#	Step / Hook Details	Status	Duration
1	Then User click "Search the array Squares of a Sorted Array" on practice question Array page	PASSED	0.460 s
2	Then User should clear textcode in tryEditor	PASSED	1.215 s
3	When User entered valid Python code in tryEditor "PythonCode" and 3 and click Run button	PASSED	1.818 s
4	Then User should be presented with the Run output for valid Python code and massege for Array Page	PASSED	0.064 s
5	And User navigate back to Array topic list	PASSED	0.251 s

### Linked List



<b>FAILED</b>	DURATION - 30.477 s	Scenarios Total - 9 Pass - 7 Fail - 2 Skip - 0		Steps Total - 61 Pass - 54 Fail - 2 Skip - 5	
/ 7:07:37.461 PM // 7:08:07.938 PM /					

### User navigate to Linked List Page for selected Topic

<div>PASSED</div>	<div>DURATION - 2.522 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:07:37.461 PM // 7:07:39.983 PM /</div>				
<div>Linked List</div>				
<div>@LinkedListPagePythonCodeValidation</div>				

#	Step / Hook Details	Status	Duration
1	Given The User is on practice page of Array	PASSED	0.077 s
2	When The user select "Linked List" from homepage dropDown menu	PASSED	2.405 s
3	Then User will be navigated to LinkedList page title as "Linked List"	PASSED	0.022 s

### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList



<div>PASSED</div>	<div>DURATION - 3.782 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:07:40.036 PM // 7:07:43.818 PM /</div>				
<div>Linked List</div>				

#	Step / Hook Details	Status	Duration
1	When User click "Introduction" to select topics covered on Link List page	PASSED	0.578 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.756 s




#	Step / Hook Details	Status	Duration
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.008 s
4	When User Enter valid Python code in tryEditor from "print 'LinkedList Introduction'" for for LinkedList topic and click Run button	PASSED	1.696 s
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	PASSED	0.031 s
6	When User Enter Invalid Python code in tryEditor from "error LinkedList Introduction" for for LinkedList topic and click Run button	PASSED	0.550 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	PASSED	0.032 s
8	And User navigate back to LinkedList page of selected topic	PASSED	0.120 s

### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList

PASSED	DURATION - 3.263 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:07:43.850 PM // 7:07:47.113 PM /				
Linked List				


#	Step / Hook Details	Status	Duration
1	When User click "Creating Linked List" to select topics covered on Link List page	PASSED	0.539 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.437 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.016 s
4	When User Enter valid Python code in tryEditor from "print 'LinkedList createLinkedList'" for for LinkedList topic and click Run button	PASSED	1.648 s
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	PASSED	0.040 s
6	When User Enter Invalid Python code in tryEditor from "error LinkedList createLinkedList" for for LinkedList topic and click Run button	PASSED	0.415 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	PASSED	0.048 s
8	And User navigate back to LinkedList page of selected topic	PASSED	0.120 s

### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList



#	Step / Hook Details	Status	Duration
1	When User click "type of" to select topics covered on Link List page	PASSED	0.611 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.657 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.015 s
4	When User Enter valid Python code in tryEditor from "print 'Types of Linked List'" for for LinkedList topic and click Run button	PASSED	1.892 s
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	PASSED	0.039 s
6	When User Enter Invalid Python code in tryEditor from "error Types of Linked List" for for LinkedList topic and click Run button	PASSED	0.405 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	PASSED	0.049 s
8	And User navigate back to LinkedList page of selected topic	PASSED	0.152 s



### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList



#	Step / Hook Details	Status	Duration
1	When User click "Implement Linked" to select topics covered on Link List page	PASSED	0.657 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.663 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.016 s
4	When User Enter valid Python code in tryEditor from "print 'Linked List Implement Linked'" for for LinkedList topic and click Run button	PASSED	1.683 s



#	Step / Hook Details	Status	Duration
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	PASSED	0.133 s
6	When User Enter Invalid Python code in tryEditor from "error Implement Linked" for for LinkedList topic and click Run button	PASSED	0.387 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	PASSED	0.040 s
8	And User navigate back to LinkedList page of selected topic	PASSED	0.089 s

### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList

PASSED	DURATION - 3.246 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:07:54.733 PM // 7:07:57.979 PM /				
Linked List				



#	Step / Hook Details	Status	Duration
1	When User click "Traversal" to select topics covered on Link List page	PASSED	0.465 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.482 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.008 s
4	When User Enter valid Python code in tryEditor from "print 'Linked List Traversal'" for for LinkedList topic and click Run button	PASSED	1.668 s
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	PASSED	0.047 s
6	When User Enter Invalid Python code in tryEditor from "error LinkedList Traversal" for for LinkedList topic and click Run button	PASSED	0.363 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	PASSED	0.057 s
8	And User navigate back to LinkedList page of selected topic	PASSED	0.148 s

### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList


PASSED	DURATION - 3.418 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:07:58.028 PM // 7:08:01.446 PM /				
Linked List				

#	Step / Hook Details	Status	Duration
1	When User click "Insertion" to select topics covered on Link List page	PASSED	0.571 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.579 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.010 s
4	When User Enter valid Python code in tryEditor from "print 'Linked List Insertion'" for for LinkedList topic and click Run button	PASSED	1.661 s
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	PASSED	0.032 s
6	When User Enter Invalid Python code in tryEditor from "error Insertion" for for LinkedList topic and click Run button	PASSED	0.359 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	PASSED	0.067 s
8	And User navigate back to LinkedList page of selected topic	PASSED	0.139 s



### User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList

<div>FAILED</div> <div>DURATION - 4.091 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 7:08:01.497 PM // 7:08:05.588 PM /				
Linked List				


#	Step / Hook Details	Status	Duration
1	When User click "Deletion" to select topics covered on Link List page	PASSED	0.999 s
2	When User clicks Try Here button in the Linked List of selected topic page	PASSED	0.588 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	PASSED	0.015 s
4	When User Enter valid Python code in tryEditor from "print 'Linked List Deletion'" for for LinkedList topic and click Run button  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=113.0.5672.93) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, sendKeysToElement {id=51D1E5580C82FAC2E000EA8DC2109C55_element_364, value=[Ljava.lang.CharSequence;@260ffec]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3eedf883ef2e40556b2062f08d8036a4)] -> xpath: //form[@id='answer_form']/div/div/div/textarea] Session ID: 3eedf883ef2e40556b2062f08d8036a4  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)	FAILED	2.186 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy44.sendKeys(Unknown Source) at pageObjects.linkedListPage_PF.tryEditorValidPythonCode(linkedListPage_PF.java:141) at pageObjects.linkedListPage_PF.linkedListPagePythonCodeValidationAndRun(linkedListPage_PF.java:129) at stepDefinitions.linkedListSteps. user_enter_valid_python_code_in_try_editor_from_for_for_linked_list_topic_and_click_run_button(linkedListSteps.java:62)   at ?.User Enter valid Python code in tryEditor from "print 'Linked List Deletion'" for for LinkedList topic and click Run button(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/07linkedList.feature:18) * Not displayable characters are replaced by '?'. </pre>		
5	Then User should be presented with the Run output for valid Python code and Message for for LinkedList Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error LinkedList Deletion" for for LinkedList topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for LinkedList Page	SKIPPED	0.000 s
8	And User navigate back to LinkedList page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.295 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for LinkedList		
			



**User navigate back to selected LinkedList Topic Page and try Practice Question Page**

<div>FAILED</div> <div>DURATION - 2.303 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:08:05.635 PM // 7:08:07.938 PM /</div>				
<div>Linked List</div>				
<div>@LinkedListPracticePage</div>				



#	Step / Hook Details	Status	Duration
1	<p>When User clicks Practice Questions Page on LinkedList Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)     at pageObjects.linkedListPage_PF.practiceQuesLinkedList(linkedListPage_PF.java:105)     at stepDefinitions.linkedListSteps.user_clicks_practice_questions_page_on_linked_list_page(linkedListSteps.java:100)</pre>	FAILED	2.055 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks Practice Questions Page on LinkedList Page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/07LinkedList.feature:42) * Not displayable characters are replaced by '?'. 2 Then User should be redirected to a Practice Questions Page of selected LinkedList Topic Page		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User navigate back to selected LinkedList Topic Page and try Practice Question Page	SKIPPED	0.000 s
		PASSED	0.232 s


## Stack

FAILED	DURATION - 12.276 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 29 Pass - 1 Fail - 5 Skip - 23	
/ 7:08:07.981 PM // 7:08:20.257 PM /					

## User navigate to Stack Page for selected Topic



FAILED	DURATION - 2.911 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:08:07.981 PM // 7:08:10.892 PM /				
Stack	@StackPage			

#	Step / Hook Details	Status	Duration
1	Given The User is on practice page of LinkedList	PASSED	0.043 s
2	When The user select "Stack" from homepage dropDown menu org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@data-toggle='dropdown']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/	FAILED	2.569 s


#	Step / Hook Details	Status	Duration
	<p>#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[@data-toggle='dropdown']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.HomePage_PF.homeClickDrpdown(HomePage_PF.java:98)  at stepDefinitions.linkedListSteps.the_user_select_from_homepage_drop_down_menu(linkedListSteps.java:29)  at ?.The user select "Stack" from homepage dropDown menu(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/08Stacked.feature:8)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
3	Then User will be navigated to Stack page title as "Stack"	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.286 s
	User navigate to Stack Page for selected Topic		
			





User click on Try Here button and enter valid and invalid python code in tryEditor for Stack

FAILED		DURATION - 2.326 s			Steps Total - 8 Pass - 0 Fail - 1 Skip - 7			
/ 7:08:10.944 PM // 7:08:13.270 PM /								
Stack								
@StackPagePythonCodeValidation								

#	Step / Hook Details	Status	Duration
1	<p>When User click "Operations in" to select topics covered on Stack page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Operations in Stack']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Operations in Stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)</pre>	FAILED	2.070 s


#	Step / Hook Details	Status	Duration
	at pageObjects.stackPage_PF.StackTopicCovered(stackPage_PF.java:75) at stepDefinitions.stackSteps.user_click_to_select_topics_covered_on_stack_page(stackSteps.java:39) at ?.User click "Operations in" to select topics covered on Stack page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/08Stacked.feature:14) * Not displayable characters are replaced by '?'.		
2	When User clicks Try Here button in the Stack of selected topic page	SKIPPED	0.008 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Operations in Stack'" for Stack topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Stack Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Operations in Stack" for Stack topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Stack Page	SKIPPED	0.008 s
8	And User navigate back to Stack page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.233 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Stack		
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Stack



<b>FAILED</b> DURATION - 2.292 s / 7:08:13.323 PM // 7:08:15.615 PM / Stack @StackPagePythonCodeValidation		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	When User click "Applications" to select topics covered on Stack page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Applications']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	2.044 s


#	Step / Hook Details	Status	Duration
	<p>[3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Applications']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)</p> <p>at pageObjects.stackPage_PF.StackTopicCovered(stackPage_PF.java:75)</p> <p>at stepDefinitions.stackSteps.user_click_to_select_topics_covered_on_stack_page(stackSteps.java:39)</p> <p>at ?.User click "Applications" to select topics covered on Stack page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/08Stacked.feature:14)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User clicks Try Here button in the Stack of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Applications in Stack'" for Stack topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Stack Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Applications in Stack" for Stack topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Stack Page	SKIPPED	0.000 s
8	And User navigate back to Stack page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.228 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Stack		

#	Step / Hook Details	Status	Duration
			



**User click on Try Here button and enter valid and invalid python code in tryEditor for Stack**

<div>FAILED</div> <div>DURATION - 2.265 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:08:15.662 PM // 7:08:17.927 PM /</div>				
<div>Stack</div>				
<div>@StackPagePythonCodeValidation</div>				


#	Step / Hook Details	Status	Duration
1	<p>When User click "Implementation" to select topics covered on Stack page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Implementation']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Implementation']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	<b>FAILED</b>	2.012 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.stackPage_PF.StackTopicCovered(stackPage_PF.java:75) at stepDefinitions.stackSteps.user_click_to_select_topics_covered_on_stack_page(stackSteps.java:39) at ?.User click "Implementation" to select topics covered on Stack page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/ src/test/resources/Features/08Stacked.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks Try Here button in the Stack of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Implementation in Stack'" for Stack topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Stack Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Implementation in Stack" for Stack topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Stack Page	SKIPPED	0.000 s
8	And User navigate back to Stack page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.237 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Stack		
			



### User navigate back to selected Stack Topic Page and try Practice Question Page

FAILED		DURATION - 2.284 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1		
/ 7:08:17.973 PM // 7:08:20.257 PM /							
Stack							
@StackPagePracticePage							



#	Step / Hook Details	Status	Duration
1	<p>When User clicks Practice Questions Page on Stack Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)     at pageObjects.stackPage_PF.practiceQuesStack(stackPage_PF.java:86)     at stepDefinitions.stackSteps.user_clicks_practice_questions_page_on_stack_page(stackSteps.java:92)     at ?.User clicks Practice Questions Page on Stack Page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/08Stacked.feature:37)     * Not displayable characters are replaced by '?'. </pre>	FAILED	2.028 s
2	Then User should be redirected to a Practice Questions Page of selected Stack Topic Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.256 s
	User navigate back to selected Stack Topic Page and try Practice Question Page		

#	Step / Hook Details	Status	Duration
			


## Queue

<b>FAILED</b>	DURATION - 14.618 s	Scenarios		Steps	
/ 7:08:20.297 PM // 7:08:34.915 PM /		Total - 6	6	Total - 37	37
		Pass - 0		Pass - 1	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 30	

## User navigate to Queue Page for selected Topic and click on Try Here button



<b>FAILED</b>	DURATION - 2.913 s		Steps	
/ 7:08:20.297 PM // 7:08:23.210 PM /			Total - 3	3
Queue			Pass - 1	
@QueuePagePythonCodeValidation			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given The User is on practice page of Stack	PASSED	0.048 s
2	When The user select "Queue" from homepage dropDown menu	FAILED	2.567 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@data-toggle='dropdown']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[@data-toggle='dropdown']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		


#	Step / Hook Details	Status	Duration
	<p>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.HomePage_PF.homeClickDrpdown(HomePage_PF.java:98)  at stepDefinitions.linkedListSteps.the_user_select_from_homepage_drop_down_menu(linkedListSteps.java:29)  at ?.The user select "Queue" from homepage dropDown menu(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/09Queue.feature:8)  * Not displayable characters are replaced by '?'. </p>		
3	Then User will be navigated to Queue page title as "Queue"	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>User navigate to Queue Page for selected Topic and click on Try Here button</p> 	PASSED	0.290 s

**User click on Try Here button and enter valid and invalid python code in tryEditor for Queue**





<div>FAILED</div> <div>DURATION - 2.270 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 7:08:23.257 PM // 7:08:25.527 PM /				
Queue				

#	Step / Hook Details	Status	Duration
1	<p>When User click "Implementation of Queue in" to select topics covered on Queue page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//a[text()='Implementation of Queue in Python']\"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Implementation of Queue in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\\Users\\tusha\\AppData\\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.queuePage_PF.QueueTopicCovered(queuePage_PF.java:82)</p>	FAILED	2.030 s


#	Step / Hook Details	Status	Duration
	at stepDefinitions.queueSteps.user_click_to_select_topics_covered_on_queue_page(queueSteps.java:35) at ?.User click "Implementation of Queue in" to select topics covered on Queue page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/09Queue.feature:13) * Not displayable characters are replaced by '?'.		
2	When User clicks Try Here button in the Queue of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Queue Implementation'" for Queue topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Queue Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Queue Implementation" for Queue topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Queue Page	SKIPPED	0.001 s
8	And User navigate back to Queue page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.231 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Queue		
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Queue



<b>FAILED</b> DURATION - 2.278 s / 7:08:25.561 PM // 7:08:27.839 PM / Queue		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	When User click "Implementation using collections.deque" to select topics covered on Queue page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Implementation using collections.deque']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Implementation using collections.deque']}]]	FAILED	2.030 s


#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.queuePage_PF.QueueTopicCovered(queuePage_PF.java:82)  at stepDefinitions.queueSteps.user_click_to_select_topics_covered_on_queue_page(queueSteps.java:35)  at ?.User click "Implementation using collections.deque" to select topics covered on Queue page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/09Queue.feature:13)  * Not displayable characters are replaced by '?'. </p>		
2	When User clicks Try Here button in the Queue of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.003 s
4	When User Enter valid Python code in tryEditor from "print 'Implemenation using collections.deque'" for Queue topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Queue Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Implemenation using collections.deque" for Queue topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Queue Page	SKIPPED	0.000 s
8	And User navigate back to Queue page of selected topic	SKIPPED	0.005 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.230 s

#	Step / Hook Details	Status	Duration
	<p>User click on Try Here button and enter valid and invalid python code in tryEditor for Queue</p> 		



### User click on Try Here button and enter valid and invalid python code in tryEditor for Queue

<div>FAILED</div> <div>DURATION - 2.304 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:08:27.894 PM // 7:08:30.198 PM /</div>				
<div>Queue</div>				


#	Step / Hook Details	Status	Duration
1	<p>When User click "Implementation using array" to select topics covered on Queue page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Implementation using array']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Implementation using array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</pre>	FAILED	2.034 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.queuePage_PF.QueueTopicCovered(queuePage_PF.java:82) at stepDefinitions.queueSteps.user_click_to_select_topics_covered_on_queue_page(queueSteps.java:35) at ?.User click "Implementation using array" to select topics covered on Queue page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/09Queue.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks Try Here button in the Queue of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Implemenation using Array'" for Queue topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Queue Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Implemenation using Array" for Queue topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Queue Page	SKIPPED	0.000 s
8	And User navigate back to Queue page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.251 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Queue		
			



**User click on Try Here button and enter valid and invalid python code in tryEditor for Queue**

<div>FAILED</div> <div>DURATION - 2.300 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 7:08:30.247 PM // 7:08:32.547 PM /				
Queue				


#	Step / Hook Details	Status	Duration
1	<p>When User click "Queue Operations" to select topics covered on Queue page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Queue Operations']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Queue Operations']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)     at pageObjects.queuePage_PF.QueueTopicCovered(queuePage_PF.java:82)     at stepDefinitions.queueSteps.user_click_to_select_topics_covered_on_queue_page(queueSteps.java:35)</pre>	FAILED	2.050 s

#	Step / Hook Details	Status	Duration
	at ?.User click "Queue Operations" to select topics covered on Queue page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/09Queue.feature:13) * Not displayable characters are replaced by '?'. 2 When User clicks Try Here button in the Queue of selected topic page 3 Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code 4 When User Enter valid Python code in tryEditor from "print 'Queue Operations'" for Queue topic and click Run button 5 Then User should be presented with the Run output for valid Python code and Message for for Queue Page 6 When User Enter Invalid Python code in tryEditor from "error Queue Operations" for Queue topic and click Run button 7 Then User should be presented with alert and no runOutput for Invalid Python code for Queue Page 8 And User navigate back to Queue page of selected topic		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User click on Try Here button and enter valid and invalid python code in tryEditor for Queue	PASSED	0.241 s
			

### User navigate back to selected Queue Topic Page and try Practice Question Page



FAILED		DURATION - 2.326 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 7:08:32.589 PM // 7:08:34.915 PM /						
Queue						

#	Step / Hook Details	Status	Duration
1	When User clicks Practice Questions Page on Queue Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...},	FAILED	2.056 s



#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  atjdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.queuePage_PF.practiceQuesQueue(queuePage_PF.java:95)  at stepDefinitions.queueSteps.user_clicks_practice_questions_page_on_queue_page(queueSteps.java:93)  at ?.User clicks Practice Questions Page on Queue Page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/09Queue.feature:38)  * Not displayable characters are replaced by '?'. </p>		
2	Then User should be redirected to a Practice Questions Page of selected Queue Topic Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.252 s
	User navigate back to selected Queue Topic Page and try Practice Question Page		
			

Tree




<b>FAILED</b>	<b>DURATION - 35.832 s</b>	Scenarios Total - 15 Pass - 0 Fail - 15 Skip - 0		Steps Total - 109 Pass - 1 Fail - 15 Skip - 93	
/ 7:08:34.956 PM // 7:09:10.788 PM /					



**User navigate to Tree Page for selected Topic and click on Try Here button**

<b>FAILED</b>	<b>DURATION - 2.823 s</b>		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:08:34.956 PM // 7:08:37.779 PM /				
Tree				
@TreePagePythonCodeValidation				

#	Step / Hook Details	Status	Duration
1	Given The User is on practice page of Queue	PASSED	0.016 s
2	When The user select "Tree" from homepage dropDown menu  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@data-toggle='dropdown']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[@data-toggle='dropdown']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)	FAILED	2.570 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.HomePage_PF.homeClickDrpdown(HomePage_PF.java:98) at stepDefinitions.linkedListSteps.the_user_select_from_homepage_drop_down_menu(linkedListSteps.java:29) at ?.The user select "Tree" from homepage dropDown menu(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:8) * Not displayable characters are replaced by '?'. </pre>		
3	Then User will be navigated to Tree page title as "Tree"	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.228 s
	User navigate to Tree Page for selected Topic and click on Try Here button		
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree



FAILED		DURATION - 2.302 s			Steps Total - 8 Pass - 0 Fail - 1 Skip - 7			
/ 7:08:37.814 PM // 7:08:40.116 PM /								
Tree								

#	Step / Hook Details	Status	Duration
1	When User click "Overview of Trees" to select topics covered on Tree page	FAILED	2.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/		


#	Step / Hook Details	Status	Duration
	<p>#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)  at ?.User click "Overview of Trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13)  * Not displayable characters are replaced by '?'. </p>		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Overview of Trees'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Overview of Trees" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.229 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		

#	Step / Hook Details	Status	Duration
			



**User click on Try Here button and enter valid and invalid python code in tryEditor for Tree**

<div>FAILED</div> <div>DURATION - 2.304 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:08:40.148 PM // 7:08:42.452 PM /</div>				
<div>Tree</div>				


#	Step / Hook Details	Status	Duration
1	<p>When User click "Terminologies" to select topics covered on Tree page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Terminologies']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Terminologies']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	2.018 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134) at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38) at ?.User click "Terminologies" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Terminologies'" for Tree topic and click Run button	SKIPPED	0.015 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Terminologies" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.271 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			



### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree

FAILED		DURATION - 2.306 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div> <div></div>
/ 7:08:42.484 PM // 7:08:44.790 PM /					
Tree					


#	Step / Hook Details	Status	Duration
1	<p>When User click "Types of Trees" to select topics covered on Tree page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Types of Trees']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Types of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)  at ?.User click "Types of Trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13)  * Not displayable characters are replaced by '?'. </p>	FAILED	2.048 s
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Types of Trees'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.008 s
6	When User Enter Invalid Python code in tryEditor from "error Types of Trees" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.250 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree



FAILED		DURATION - 2.306 s			Steps Total - 8 Pass - 0 Fail - 1 Skip - 7			
/ 7:08:44.830 PM // 7:08:47.136 PM /								
Tree								

#	Step / Hook Details	Status	Duration
1	When User click "Tree Traversals" to select topics covered on Tree page	FAILED	2.065 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Tree Traversals']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Tree Traversals']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134) at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38) at ?.User click "Tree Traversals" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/ src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.001 s
4	When User Enter valid Python code in tryEditor from "print 'Tree Traversals'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Tree Traversals" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.231 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			

**User click on Try Here button and enter valid and invalid python code in tryEditor for Tree**





<div>FAILED</div> <div>DURATION - 2.287 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:08:47.176 PM // 7:08:49.463 PM /</div>				
<div>Tree</div>				

#	Step / Hook Details	Status	Duration
1	<b>When User click "Traversals-Illustration" to select topics covered on Tree page</b>  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Traversals-Illustration']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Traversals-Illustration']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134) at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)	<b>FAILED</b>	2.046 s


#	Step / Hook Details	Status	Duration
	at ?.User click "Traversals-Illustration" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'. 2 When User clicks Try Here button in the Tree of selected topic page 3 Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code 4 When User Enter valid Python code in tryEditor from "print 'Traversals-Illustration'" for Tree topic and click Run button 5 Then User should be presented with the Run output for valid Python code and Message for for Tree Page 6 When User Enter Invalid Python code in tryEditor from "error Traversals-Illustration" for Tree topic and click Run button 7 Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page 8 And User navigate back to Tree page of selected topic		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User click on Try Here button and enter valid and invalid python code in tryEditor for Tree	PASSED	0.225 s
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree



FAILED		DURATION - 2.313 s			Steps Total - 8 Pass - 0 Fail - 1 Skip - 7			
/ 7:08:49.503 PM // 7:08:51.816 PM /								
Tree								

#	Step / Hook Details	Status	Duration
1	When User click "Binary Trees" to select topics covered on Tree page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Binary Trees']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Binary Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...},	FAILED	2.063 s


#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)  at ?.User click "Binary Trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13)  * Not displayable characters are replaced by '?'. </p>		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Binary Trees'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Binary Trees" for Tree topic and click Run button	SKIPPED	0.003 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.237 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		

#	Step / Hook Details	Status	Duration
			



**User click on Try Here button and enter valid and invalid python code in tryEditor for Tree**

<div>FAILED</div> <div>DURATION - 2.316 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:08:51.868 PM // 7:08:54.184 PM /</div>				
<div>Tree</div>				


#	Step / Hook Details	Status	Duration
1	<p>When User click "Types of Binary Trees" to select topics covered on Tree page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Binary Trees']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Binary Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	2.056 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134) at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38) at ?.User click "Types of Binary Trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'.		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Types of Binary Trees'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Types of Binary Trees" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.252 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			



### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree

FAILED		DURATION - 2.298 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>			
/ 7:08:54.225 PM // 7:08:56.523 PM /								
Tree								


#	Step / Hook Details	Status	Duration
1	<p>When User click "Implementation in Python" to select topics covered on Tree page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Implementation in Python']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Implementation in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)  at ?.User click "Implementation in Python" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	2.057 s
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Implementation in Python'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Implementation in Python" for Tree topic and click Run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User click on Try Here button and enter valid and invalid python code in tryEditor for Tree	PASSED	0.235 s
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree



FAILED	DURATION - 2.319 s		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
/ 7:08:56.551 PM // 7:08:58.870 PM /				
Tree				

#	Step / Hook Details	Status	Duration
1	When User click "Binary Tree Traversals" to select topics covered on Tree page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Tree Traversals']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Tree Traversals']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	2.058 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134) at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38) at ?.User click "Binary Tree Traversals" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/ DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Binary Tree Traversals'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Binary Tree Traversals" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.253 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			

User click on Try Here button and enter valid and invalid python code in tryEditor for Tree





<div><div>FAILED</div><div>DURATION - 2.535 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 8</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 7</div></div>	<div></div>
/ 7:08:58.914 PM // 7:09:01.449 PM /				
Tree				

#	Step / Hook Details	Status	Duration
1	<p>When User click "Implementation of Binary Trees" to select topics covered on Tree page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Binary Trees']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Binary Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62006/devtoo..., se.cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)</p>	FAILED	2.017 s


#	Step / Hook Details	Status	Duration
	at ?.User click "Implementation of Binary Trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'. 2 When User clicks Try Here button in the Tree of selected topic page 3 Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code 4 When User Enter valid Python code in tryEditor from "print 'Implementation of Binary Trees'" for Tree topic and click Run button 5 Then User should be presented with the Run output for valid Python code and Message for for Tree Page 6 When User Enter Invalid Python code in tryEditor from "error Implementation of Binary Trees" for Tree topic and click Run button 7 Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page 8 And User navigate back to Tree page of selected topic		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User click on Try Here button and enter valid and invalid python code in tryEditor for Tree	PASSED	0.510 s
			

### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree



FAILED		DURATION - 2.282 s			Steps Total - 8 Pass - 0 Fail - 1 Skip - 7			
/ 7:09:01.475 PM // 7:09:03.757 PM /								
Tree								

#	Step / Hook Details	Status	Duration
1	When User click "Applications of Binary trees" to select topics covered on Tree page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//a[text()='Applications of Binary trees']\"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Applications of Binary trees']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63	FAILED	2.046 s


#	Step / Hook Details	Status	Duration
	<p>(0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...), goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)  at ?.User click "Applications of Binary trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13)  * Not displayable characters are replaced by '?'. </p>		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Applications of Binary trees'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Applications of Binary trees" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.236 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		

#	Step / Hook Details	Status	Duration
			



**User click on Try Here button and enter valid and invalid python code in tryEditor for Tree**

<div>FAILED</div> <div>DURATION - 2.365 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 7:09:03.789 PM // 7:09:06.154 PM /				
Tree				


#	Step / Hook Details	Status	Duration
1	<p>When User click "Binary Search Trees" to select topics covered on Tree page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Binary Search Trees']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Binary Search Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	2.047 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134) at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38) at ?.User click "Binary Search Trees" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13) * Not displayable characters are replaced by '?'.		
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Binary Search Trees'" for Tree topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Binary Search Trees" for Tree topic and click Run button	SKIPPED	0.000 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.297 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			



### User click on Try Here button and enter valid and invalid python code in tryEditor for Tree

FAILED		DURATION - 2.303 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 7:09:06.170 PM // 7:09:08.473 PM /						
Tree						


#	Step / Hook Details	Status	Duration
1	<p>When User click "Implementation Of BST" to select topics covered on Tree page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Implementation Of BST']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Implementation Of BST']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.treePage_PF.TreeTopicCovered(treePage_PF.java:134)  at stepDefinitions.treeSteps.user_click_to_select_topics_covered_on_tree_page(treeSteps.java:38)  at ?.User click "Implementation Of BST" to select topics covered on Tree page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	2.066 s
2	When User clicks Try Here button in the Tree of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Implementation Of BST'" for Tree topic and click Run button	SKIPPED	0.002 s
5	Then User should be presented with the Run output for valid Python code and Message for for Tree Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Implementation Of BST" for Tree topic and click Run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then User should be presented with alert and no runOutput for Invalid Python code for Tree Page	SKIPPED	0.000 s
8	And User navigate back to Tree page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.229 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Tree		
			



### User navigate back to selected Tree Topic Page and try Practice Question Page

FAILED		DURATION - 2.273 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 7:09:08.515 PM // 7:09:10.788 PM /						
Tree						

#	Step / Hook Details	Status	Duration
1	When User clicks Practice Questions Page on Tree Page	FAILED	2.038 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.treePage_PF.practiceQuesTree(treePage_PF.java:146) at stepDefinitions.treeSteps.user_clicks_practice_questions_page_on_tree_page(treeSteps.java:92) at ?.User clicks Practice Questions Page on Tree Page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/10Tree.feature:46) * Not displayable characters are replaced by '?'. </pre>		
2	Then User should be redirected to a Practice Questions Page of selected Tree Topic Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.233 s
	User navigate back to selected Tree Topic Page and try Practice Question Page		
			

## Graph


FAILED	DURATION - 9.787 s	Scenarios		Steps	
/ 7:09:10.820 PM // 7:09:20.607 PM /		Total - 4		Total - 22	
		Pass - 0		Pass - 2	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 16	

User navigate to Graph Page for selected Topic and click on Try Here button





<div>FAILED</div> <div>DURATION - 2.836 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:09:10.820 PM // 7:09:13.656 PM /</div>				
<div>Graph</div>				
<div>@GraphPagePythonCodeValidation</div>				


#	Step / Hook Details	Status	Duration
1	Given The User is on practice page of Tree	PASSED	0.021 s
2	When The user select "Graph" from homepage dropDown menu  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@data-toggle='dropdown']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[@data-toggle='dropdown']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.HomePage_PF.homeClickDrpdown(HomePage_PF.java:98)	FAILED	2.568 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.linkedListSteps.the_user_select_from_homepage_drop_down_menu(linkedListSteps.java:29) at ?.The user select "Graph" from homepage dropDown menu(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/11Graph.feature:9) * Not displayable characters are replaced by '?'.		
3	Then User will be navigated to Graph page title as "Graph"	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.241 s
	User navigate to Graph Page for selected Topic and click on Try Here button		
			



### User click on Try Here button and enter valid and invalid python code in tryEditor for Graph

FAILED		DURATION - 2.287 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 7:09:13.688 PM // 7:09:15.975 PM /						
Graph						


#	Step / Hook Details	Status	Duration
1	When User click "Graph" to select topics covered on Graph page	FAILED	2.030 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='graph']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[@href='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.graphPage_PF.GraphTopicCovered(graphPage_PF.java:68) at stepDefinitions.graphSteps.user_click_to_select_topics_covered_on_graph_page(graphSteps.java:37) at ?.User click "Graph" to select topics covered on Graph page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/11Graph.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks Try Here button in the Graph of selected topic page	SKIPPED	0.000 s
3	Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code	SKIPPED	0.000 s
4	When User Enter valid Python code in tryEditor from "print 'Graph'" for Graph topic and click Run button	SKIPPED	0.000 s
5	Then User should be presented with the Run output for valid Python code and Message for for Graph Page	SKIPPED	0.000 s
6	When User Enter Invalid Python code in tryEditor from "error Graph output" for Graph topic and click Run button	SKIPPED	0.001 s
7	Then User should be presented with alert and no runOutput for Invalid Python code for Graph Page	SKIPPED	0.001 s
8	And User navigate back to Graph page of selected topic	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.248 s
	User click on Try Here button and enter valid and invalid python code in tryEditor for Graph		
			



User click on Try Here button and enter valid and invalid python code in tryEditor for Graph

<div>FAILED</div> <div>DURATION - 2.289 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:09:16.018 PM // 7:09:18.307 PM /</div>				
<div>Graph</div>				

#	Step / Hook Details	Status	Duration
1	<p>When User click "GraphRepresentations" to select topics covered on Graph page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='graph']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[@href='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at pageObjects.graphPage_PF.GraphTopicCovered(graphPage_PF.java:68) at stepDefinitions.graphSteps.user_click_to_select_topics_covered_on_graph_page(graphSteps.java:37)</pre>	FAILED	2.036 s

#	Step / Hook Details	Status	Duration
	at ?.User click "GraphRepresentations" to select topics covered on Graph page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/11Graph.feature:14) * Not displayable characters are replaced by '?'. 2 When User clicks Try Here button in the Graph of selected topic page 3 Then User should be redirected tryEditor page title as "Assessment" with a Run button to test Python code 4 When User Enter valid Python code in tryEditor from "print 'Graph Representations'" for Graph topic and click Run button 5 Then User should be presented with the Run output for valid Python code and Message for for Graph Page 6 When User Enter Invalid Python code in tryEditor from "error Graph Representations" for Graph topic and click Run button 7 Then User should be presented with alert and no runOutput for Invalid Python code for Graph Page 8 And User navigate back to Graph page of selected topic		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User click on Try Here button and enter valid and invalid python code in tryEditor for Graph	PASSED	0.245 s
			

### User navigate back to selected Graph Topic Page and try Practice Question Page

FAILED		DURATION - 2.271 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 7:09:18.336 PM // 7:09:20.607 PM /								
Graph								

#	Step / Hook Details	Status	Duration
1	Given User is on graph page of selected topic	PASSED	0.011 s
2	When User clicks Practice Questions Page on Graph Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eedf883ef2e40556b2062f08d8036a4, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:	FAILED	2.016 s

#	Step / Hook Details	Status	Duration
	<p>113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\tusha\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62006/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3eedf883ef2e40556b2062f08d8036a4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source)  at pageObjects.graphPage_PF.practiceQuesGraph(graphPage_PF.java:81)  at stepDefinitions.graphSteps.user_clicks_practice_questions_page_on_graph_page(graphSteps.java:101)  at ?.User clicks Practice Questions Page on Graph Page(file:///C:/Users/tusha/eclipse-workspace/DS_Algo_CucumberBDD/src/test/resources/Features/11Graph.feature:36)  * Not displayable characters are replaced by '?'. </p>		
3	Then User should be redirected to a Practice Questions Page of selected Graph Topic Page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.240 s
	User navigate back to selected Graph Topic Page and try Practice Question Page		
	