

Cucumber Report

Aug 16, 2023, 12:43:02 PM

Start : Aug 16, 12:42:45.982 PM

End : Aug 16, 12:43:01.932 PM

Duration : 15.950 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 1

PASSED - 19



FAILED - 2

SKIPPED - 2

PASSED - 63

FAILED - 2


SKIPPED - 4




<i>Feature</i>		<i>Scenario</i>				<i>Step</i>			
<i>Name</i>	<i>Duration</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<u>Program Feature</u>	13.808 s	17	15	2	0	51	49	2	0
<u>Batch features</u>	2.122 s	6	4	0	2	18	14	0	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PostRequest_CreateProgram	2	2	0	0	2	0	1	1
@PostRequest_existingValues	1	1	0	0	1	0	1	0
@PutRequest_updateProgramByValidID	1	1	0	0	1	0	1	0
@PutRequest_updateProgrambyValidProgramName	1	1	0	0	1	0	1	0
@GetRequest_ValidProgramID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteProgramWithValidProgramID	2	2	0	0	2	0	1	1
@DeleteRequest_DeleteProgramWithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@DeleteProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryFields	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryALLFields	1	1	0	0	1	0	1	0
@PostRequest_CreateProgram_2	1	1	0	0	1	0	1	0
@PutRequest_updateByProgrambyID_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@DeleteProgramwithvalidProgramName	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequest_GetwithinvalidProgramID	1	1	0	0	1	0	1	0
@PostRequest_CreateBatch	1	1	0	0	1	0	0	1
@PostRequest_CreateBatch_2	1	0	0	1	1	0	0	1
@PostRequest_CreateExistingBatch	1	0	0	1	1	0	0	1
@DeleteRequest_DeleteBatch	1	1	0	0	1	0	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Program Feature</u>	17	15	2	0	13.808 s
2	<u>Batch features</u>	6	4	0	2	2.122 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Feature</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	6.261 s
2	<u>Program Feature</u>	<u>User create program with valid endpoint and existing Program name.</u>	3	3	0	0	0.327 s
3	<u>Program Feature</u>	<u>Users are able to update a program with valid programID and mandatory request body</u>	3	3	0	0	0.557 s
4	<u>Program Feature</u>	<u>User able to update a program with valid programName and mandatory request body</u>	3	3	0	0	0.522 s
5	<u>Program Feature</u>	<u>User able to retrieve a program with valid programID and LMS API</u>	3	3	0	0	0.341 s
6	<u>Program Feature</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.345 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Program Feature</u>	<u>User able to delete a program with invalid programId and mandatory request body</u>	3	3	0	0	0.389 s
8	<u>Program Feature</u>	<u>User tries to update a program with invalid programID and mandatory request body</u>	3	3	0	0	0.497 s
9	<u>Program Feature</u>	<u>User tries to update a program with invalid programName and mandatory request body</u>	3	3	0	0	0.583 s
10	<u>Program Feature</u>	<u>User able to delete a program with invalid programName and mandatory request body</u>	3	3	0	0	0.329 s
11	<u>Program Feature</u>	<u>User create program with missing mandatory fields.</u>	3	3	0	0	0.564 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>Program Feature</u>	<u>User create program with missing All mandatory fields.</u>	3	3	0	0	0.506 s
13	<u>Program Feature</u>	<u>User creates request for a new program two with the LMS API endpoint</u>	3	3	0	0	0.563 s
14	<u>Program Feature</u>	<u>User tries to update a program with missing mandatory request body</u>	3	2	1	0	0.442 s
15	<u>Program Feature</u>	<u>User tries to update a program with valid Program name and missing mandatory request body</u>	3	2	1	0	0.450 s
16	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.326 s
17	<u>Program Feature</u>	<u>User tries to retrieve a program with invalid programID and LMS API</u>	3	3	0	0	0.320 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Batch features</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	0.497 s
19	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.798 s
20	<u>Batch features</u>	<u>User creates request for a new batch for existing program and batch with the LMS API endpoint</u>	3	1	0	2	0.018 s
21	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	1	0	2	0.012 s
22	<u>Batch features</u>	<u>User creates request for a deleting batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.337 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Batch features</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.312 s

Program Feature



FAILED	DURATION - 13.808 s	Scenarios		Steps	
/ 12:42:45.982 PM // 12:42:59.790 PM /		Total - 17		Total - 51	
		Pass - 15		Pass - 49	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

User creates request for a new program with the LMS API endpoint

<div>PASSED</div> <div>DURATION - 6.261 s</div>		Steps	
/ 12:42:45.986 PM // 12:42:52.247 PM /		Total - 3	
Program Feature		Pass - 3	
@PostRequest_CreateProgram		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	1.286 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	4.357 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.368 s

User create program with valid endpoint and existing Program name.

PASSED	DURATION - 0.327 s		Steps	
/ 12:42:52.362 PM // 12:42:52.689 PM /			Total - 3	
Program Feature			Pass - 3	
@PostRequest_existingValues			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Program with existing values in program name.	PASSED	0.308 s
3	Then User receives 400 Bad Request Status with message for existing values in program name.	PASSED	0.004 s

Users are able to update a program with valid programID and mandatory request body

PASSED	DURATION - 0.557 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:42:52.710 PM // 12:42:53.267 PM /				
Program Feature				
@PutRequest_updateProgramByValidID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request with mandatory and additional fields to update a Program with valid program ID	PASSED	0.529 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.005 s

User able to update a program with valid programName and mandatory request body

PASSED	DURATION - 0.522 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:42:53.290 PM // 12:42:53.812 PM /				
Program Feature				
@PutRequest_updateProgrambyValidProgramName				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.006 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with valid program name	PASSED	0.500 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.005 s

User able to retrieve a program with valid programID and LMS API

<div>PASSED</div> <div>DURATION - 0.341 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:42:53.835 PM // 12:42:54.176 PM /</div>			
<div>Program Feature</div>			
<div>@GetRequest_ValidProgramID</div>			


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to view Program with valid program ID	PASSED	0.324 s
3	Then User receives 200 OK Status with response body to view Program with valid program ID	PASSED	0.004 s

User able to delete a program with valid programId and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.345 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:42:54.196 PM // 12:42:54.541 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteRequest_DeleteProgramWithValidProgramID</div>				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.322 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.004 s

User able to delete a program with invalid programId and mandatory request body



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.005 s
2	When User sends HTTPS Request to delete Program with invalid program ID	PASSED	0.354 s
3	Then User get 404 Status with response body for delete Program with invalid program ID	PASSED	0.008 s

User tries to update a program with invalid programID and mandatory request body



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program ID	PASSED	0.473 s
3	Then User receives 404 Status code with response body to update Program with invalid program ID	PASSED	0.005 s

User tries to update a program with invalid programName and mandatory request body

PASSED	DURATION - 0.583 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:42:55.501 PM // 12:42:56.084 PM /				
Program Feature				
@PutRequest_updateProgramwithinvalidProgramName				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program Name	PASSED	0.564 s
3	Then User receives 404 Status code with response body to update Program with invalid program Name	PASSED	0.005 s

User able to delete a program with invalid programName and mandatory request body

PASSED	DURATION - 0.329 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:42:56.106 PM // 12:42:56.435 PM /				
Program Feature				
@DeleteProgramwithinvalidProgramName				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request to delete Program with invalid program name	PASSED	0.313 s
3	Then User receives 404 Status code with response body to delete Program with invalid program name	PASSED	0.004 s

User create program with missing mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request and request Body to create program with missing mandatory fields.	PASSED	0.544 s
3	Then User receives 400 Bad Request Status with message to create Program with missing mandatory fields	PASSED	0.004 s

User create program with missing All mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body to create program with missing ALL mandatory fields.	PASSED	0.489 s
3	Then User receives 400 Bad Request Status with message to create Program with missing ALL mandatory fields	PASSED	0.004 s

User creates request for a new program two with the LMS API endpoint

<div>PASSED</div>	<div>DURATION - 0.563 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:42:57.571 PM // 12:42:58.134 PM /</div>				
<div>Program Feature</div>				
<div>@PostRequest_CreateProgram_2</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.538 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.015 s



User tries to update a program with missing mandatory request body

<div>FAILED</div> <div>DURATION - 0.442 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:42:58.153 PM // 12:42:58.595 PM /				
Program Feature				
@PutRequest_updateByProgrambyID_withMissingMandatoryFields				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to update Program with missing mandatory fields	PASSED	0.393 s
3	Then User receives 400 Bad Request Status with message to update Program with missing mandatory fields <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</pre>	FAILED	0.040 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 400 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/GitRepodownloadFolderAug2023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:96) * Not displayable characters are replaced by '?'. </pre>		



User tries to update a program with valid Program name and missing mandatory request body

<div>FAILED</div> <div>DURATION - 0.450 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:42:58.650 PM // 12:42:59.100 PM /</div>				
<div>Program Feature</div>				
<div>@PutRequest_updateProgramByProgramName_withMissingMandatoryFields</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with valid Program name and missing mandatory fields	PASSED	0.426 s
3	Then User receives 404 Bad Request Status with message to update Program with missing mandatory fields <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 404 Bad Request Status with message to update Program with missing mandatory </pre>	FAILED	0.007 s



#	Step / Hook Details	Status	Duration
	fields(file:///D:/GitRepodownloadFolderAug2023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:102) * Not displayable characters are replaced by '?'. 		

User able to delete a program with valid programName and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.326 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:42:59.125 PM // 12:42:59.451 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteProgramwithvalidProgramName</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Program with valid program name	PASSED	0.314 s
3	Then User receive 200 Status with response body for delete Program with valid program name	PASSED	0.003 s

User tries to retrieve a program with invalid programID and LMS API



<div>PASSED</div>	<div>DURATION - 0.320 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:42:59.470 PM // 12:42:59.790 PM /</div>				
<div>Program Feature</div>				
<div>@GetRequest_GetwithinvalidProgramID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with invalid program ID	PASSED	0.307 s
3	Then User receives 404 Status code with response body for Program with invalid program ID	PASSED	0.003 s

Batch features



SKIPPED	DURATION - 2.122 s	Scenarios		Steps	
/ 12:42:59.810 PM // 12:43:01.932 PM /		Total - 6 Pass - 4 Fail - 0 Skip - 2		Total - 18 Pass - 14 Fail - 0 Skip - 4	

User creates request for a new program with the LMS API endpoint

PASSED	DURATION - 0.497 s		Steps	
/ 12:42:59.811 PM // 12:43:00.308 PM /			Total - 3	
Batch features			Pass - 3	
@PostRequest_CreateProgram			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.459 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.013 s



User creates request for a new batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.798 s		Steps	
/ 12:43:00.328 PM // 12:43:01.126 PM /			Total - 3	
Batch features			Pass - 3	
@PostRequest_CreateBatch			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields	PASSED	0.556 s



#	Step / Hook Details	Status	Duration
3	Then User receives 201 Created Status with response body for newly created batch	PASSED	0.232 s

User creates request for a new batch for existing program and batch with the LMS API endpoint

SKIPPED	DURATION - 0.018 s		Steps Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 12:43:01.182 PM // 12:43:01.200 PM /				
Batch features				
@PostRequest_CreateBatch_2				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields and previous batch id	SKIPPED	0.003 s
	Step undefined		
3	Then User receives 201 Created Status with response body for newly created batch with new batch id	SKIPPED	0.002 s
	Step undefined		



User creates request for a new batch for existing program with the LMS API endpoint

SKIPPED	DURATION - 0.012 s		Steps Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 12:43:01.231 PM // 12:43:01.243 PM /				
Batch features				
@PostRequest_CreateExistingBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body to create new Batch with existing batch name	SKIPPED	0.002 s
	Step undefined		



#	Step / Hook Details	Status	Duration
3	Then User receives 400 Status with response body for existing batch	SKIPPED	0.001 s
	Step undefined		

User creates request for a deleting batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.337 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 12:43:01.264 PM // 12:43:01.601 PM /							
Batch features							
@DeleteRequest_DeleteBatch							

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request to delete Batch by batchId	PASSED	0.323 s
3	Then User receives 200 Status ok with response to delete batch by Id	PASSED	0.003 s

User able to delete a program with valid programId and mandatory request body

PASSED	DURATION - 0.312 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 12:43:01.620 PM // 12:43:01.932 PM /							
Batch features							
@DeleteRequest_DeleteProgramWithValidProgramID							

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.300 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.002 s