

# Cucumber Report

Aug 16, 2023, 10:09:57 PM

**Start : Aug 16, 10:09:41.219 PM**

**End : Aug 16, 10:09:56.672 PM**

**Duration : 15.453 s**

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 1

PASSED - 19



FAILED - 2

SKIPPED - 2

PASSED - 63

FAILED - 2


SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Program Feature</u>	13.451 s	17	15	2	0	51	49	2	0
<u>Batch features</u>	1.984 s	6	4	0	2	18	14	0	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PostRequest_CreateProgram	2	2	0	0	2	0	1	1
@PostRequest_existingValues	1	1	0	0	1	0	1	0
@PutRequest_updateProgramByValidID	1	1	0	0	1	0	1	0
@PutRequest_updateProgrambyValidProgramName	1	1	0	0	1	0	1	0
@GetRequest_ValidProgramID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteProgramWithValidProgramID	2	2	0	0	2	0	1	1
@DeleteRequest_DeleteProgramWithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@DeleteProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryFields	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryALLFields	1	1	0	0	1	0	1	0
@PostRequest_CreateProgram_2	1	1	0	0	1	0	1	0
@PutRequest_updateByProgrambyID_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@DeleteProgramwithvalidProgramName	1	1	0	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@GetRequest_GetwithinvalidProgramID	1	1	0	0	1	0	1	0
@PostRequest_CreateBatch	1	1	0	0	1	0	0	1
@PostRequest_CreateBatch_2	1	0	0	1	1	0	0	1
@PostRequest_CreateExistingBatch	1	0	0	1	1	0	0	1
@DeleteRequest_DeleteBatch	1	1	0	0	1	0	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Program Feature</u>	17	15	2	0	13.451 s
2	<u>Batch features</u>	6	4	0	2	1.984 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Feature</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	6.642 s
2	<u>Program Feature</u>	<u>User create program with valid endpoint and existing Program name.</u>	3	3	0	0	0.349 s
3	<u>Program Feature</u>	<u>Users are able to update a program with valid programID and mandatory request body</u>	3	3	0	0	0.506 s
4	<u>Program Feature</u>	<u>User able to update a program with valid programName and mandatory request body</u>	3	3	0	0	0.425 s
5	<u>Program Feature</u>	<u>User able to retrieve a program with valid programID and LMS API</u>	3	3	0	0	0.320 s
6	<u>Program Feature</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.342 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Program Feature</u>	<u>User able to delete a program with invalid programId and mandatory request body</u>	3	3	0	0	0.367 s
8	<u>Program Feature</u>	<u>User tries to update a program with invalid programID and mandatory request body</u>	3	3	0	0	0.468 s
9	<u>Program Feature</u>	<u>User tries to update a program with invalid programName and mandatory request body</u>	3	3	0	0	0.427 s
10	<u>Program Feature</u>	<u>User able to delete a program with invalid programName and mandatory request body</u>	3	3	0	0	0.327 s
11	<u>Program Feature</u>	<u>User create program with missing mandatory fields.</u>	3	3	0	0	0.468 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>Program Feature</u>	<u>User create program with missing All mandatory fields.</u>	3	3	0	0	0.435 s
13	<u>Program Feature</u>	<u>User creates request for a new program two with the LMS API endpoint</u>	3	3	0	0	0.481 s
14	<u>Program Feature</u>	<u>User tries to update a program with missing mandatory request body</u>	3	2	1	0	0.432 s
15	<u>Program Feature</u>	<u>User tries to update a program with valid Program name and missing mandatory request body</u>	3	2	1	0	0.411 s
16	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.340 s
17	<u>Program Feature</u>	<u>User tries to retrieve a program with invalid programID and LMS API</u>	3	3	0	0	0.313 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Batch features</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	0.465 s
19	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.772 s
20	<u>Batch features</u>	<u>User creates request for a new batch for existing program and batch with the LMS API endpoint</u>	3	1	0	2	0.011 s
21	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	1	0	2	0.010 s
22	<u>Batch features</u>	<u>User creates request for a deleting batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.293 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Batch features</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.305 s

## Program Feature



<div>FAILED</div> <div>DURATION - 13.451 s</div>		<div>Scenarios</div> <div>Total - 17</div> <div>Pass - 15</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 51</div> <div>Pass - 49</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>	
/ 10:09:41.219 PM // 10:09:54.670 PM /									

### User creates request for a new program with the LMS API endpoint

<div>PASSED</div> <div>DURATION - 6.642 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:09:41.225 PM // 10:09:47.867 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	1.423 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	4.617 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.414 s

### User create program with valid endpoint and existing Program name.

<div>PASSED</div> <div>DURATION - 0.349 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:09:47.978 PM // 10:09:48.327 PM /</div>				
<div>Program Feature</div>				
<div>@PostRequest_existingValues</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request and request Body for Program with existing values in program name.	PASSED	0.315 s
3	Then User receives 400 Bad Request Status with message for existing values in program name.	PASSED	0.003 s

### Users are able to update a program with valid programID and mandatory request body

PASSED	DURATION - 0.506 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:09:48.346 PM // 10:09:48.852 PM /				
Program Feature				
@PutRequest_updateProgramByValidID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request with mandatory and additional fields to update a Program with valid program ID	PASSED	0.494 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.003 s

### User able to update a program with valid programName and mandatory request body

PASSED	DURATION - 0.425 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:09:48.865 PM // 10:09:49.290 PM /				
Program Feature				
@PutRequest_updateProgrambyValidProgramName				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with valid program name	PASSED	0.415 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.003 s

### User able to retrieve a program with valid programID and LMS API

<div>PASSED</div> <div>DURATION - 0.320 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:09:49.305 PM // 10:09:49.625 PM /</div>			
<div>Program Feature</div>			
<div>@GetRequest_ValidProgramID</div>			


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request to view Program with valid program ID	PASSED	0.304 s
3	Then User receives 200 OK Status with response body to view Program with valid program ID	PASSED	0.004 s

### User able to delete a program with valid programId and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.342 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:09:49.641 PM // 10:09:49.983 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteRequest_DeleteProgramWithValidProgramID</div>				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.328 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.004 s

### User able to delete a program with invalid programId and mandatory request body



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.009 s
2	When User sends HTTPS Request to delete Program with invalid program ID	PASSED	0.346 s
3	Then User get 404 Status with response body for delete Program with invalid program ID	PASSED	0.004 s

### User tries to update a program with invalid programID and mandatory request body



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program ID	PASSED	0.456 s
3	Then User receives 404 Status code with response body to update Program with invalid program ID	PASSED	0.003 s

### User tries to update a program with invalid programName and mandatory request body

<b>PASSED</b>	DURATION - 0.427 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:09:50.867 PM // 10:09:51.294 PM /				
Program Feature				
@PutRequest_updateProgramwithinvalidProgramName				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program Name	PASSED	0.414 s
3	Then User receives 404 Status code with response body to update Program with invalid program Name	PASSED	0.004 s

### User able to delete a program with invalid programName and mandatory request body

<b>PASSED</b>	DURATION - 0.327 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:09:51.308 PM // 10:09:51.635 PM /				
Program Feature				
@DeleteProgramwithinvalidProgramName				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request to delete Program with invalid program name	PASSED	0.311 s
3	Then User receives 404 Status code with response body to delete Program with invalid program name	PASSED	0.008 s

### User create program with missing mandatory fields.



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body to create program with missing mandatory fields.	PASSED	0.455 s
3	Then User receives 400 Bad Request Status with message to create Program with missing mandatory fields	PASSED	0.003 s



### User create program with missing All mandatory fields.



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body to create program with missing ALL mandatory fields.	PASSED	0.423 s
3	Then User receives 400 Bad Request Status with message to create Program with missing ALL mandatory fields	PASSED	0.004 s



### User creates request for a new program two with the LMS API endpoint



<div>PASSED</div> <div>DURATION - 0.481 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:09:52.594 PM // 10:09:53.075 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_CreateProgram_2</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.462 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.010 s



### User tries to update a program with missing mandatory request body

<div>FAILED</div> <div>DURATION - 0.432 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:09:53.093 PM // 10:09:53.525 PM /				
Program Feature				
@PutRequest_updateByProgrambyID_withMissingMandatoryFields				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to update Program with missing mandatory fields	PASSED	0.375 s
3	Then User receives 400 Bad Request Status with message to update Program with missing mandatory fields  <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;404&gt; but was &lt;500&gt;.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</pre>	FAILED	0.047 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174)   at ?.User receives 400 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/GitRepodownloadFolderAug2023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:96) * Not displayable characters are replaced by '?'. </pre>		



### User tries to update a program with valid Program name and missing mandatory request body

FAILED		DURATION - 0.411 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:09:53.563 PM // 10:09:53.974 PM /						
Program Feature						
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields						

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with valid Program name and missing mandatory fields	PASSED	0.398 s
3	Then User receives 404 Bad Request Status with message to update Program with missing mandatory fields <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;404&gt; but was &lt;500&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)   at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174)   at ?.User receives 404 Bad Request Status with message to update Program with missing mandatory </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	fields(file:///D:/GitRepodownloadFolderAug2023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:102) * Not displayable characters are replaced by '?'.   		

### User able to delete a program with valid programName and mandatory request body

<b>PASSED</b>		DURATION - 0.340 s			<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 10:09:54.000 PM // 10:09:54.340 PM /							
Program Feature							
@DeleteProgramwithvalidProgramName							



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Program with valid program name	PASSED	0.331 s
3	Then User receive 200 Status with response body for delete Program with valid program name	PASSED	0.002 s

### User tries to retrieve a program with invalid programID and LMS API



<div>PASSED</div>	<div>DURATION - 0.313 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:09:54.357 PM // 10:09:54.670 PM /</div>				
<div>Program Feature</div>				
<div>@GetRequest_GetwithinvalidProgramID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with invalid program ID	PASSED	0.301 s
3	Then User receives 404 Status code with response body for Program with invalid program ID	PASSED	0.003 s

### Batch features



SKIPPED	DURATION - 1.984 s	Scenarios Total - 6 Pass - 4 Fail - 0 Skip - 2		Steps Total - 18 Pass - 14 Fail - 0 Skip - 4	
/ 10:09:54.688 PM // 10:09:56.672 PM /					

### User creates request for a new program with the LMS API endpoint

PASSED	DURATION - 0.465 s		Steps	
/ 10:09:54.688 PM // 10:09:55.153 PM /			Total - 3	
Batch features			Pass - 3	
@PostRequest_CreateProgram			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.442 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.012 s



### User creates request for a new batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.772 s		Steps	
/ 10:09:55.176 PM // 10:09:55.948 PM /			Total - 3	
Batch features			Pass - 3	
@PostRequest_CreateBatch			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields	PASSED	0.545 s



#	Step / Hook Details	Status	Duration
3	Then User receives 201 Created Status with response body for newly created batch	PASSED	0.219 s

### User creates request for a new batch for existing program and batch with the LMS API endpoint

SKIPPED	DURATION - 0.011 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 10:09:56.000 PM // 10:09:56.011 PM /				
Batch features				
@PostRequest_CreateBatch_2				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields and previous batch id	SKIPPED	0.002 s
	Step undefined		
3	Then User receives 201 Created Status with response body for newly created batch with new batch id	SKIPPED	0.002 s
	Step undefined		



### User creates request for a new batch for existing program with the LMS API endpoint

SKIPPED	DURATION - 0.010 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 10:09:56.033 PM // 10:09:56.043 PM /				
Batch features				
@PostRequest_CreateExistingBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body to create new Batch with existing batch name	SKIPPED	0.001 s
	Step undefined		



#	Step / Hook Details	Status	Duration
3	Then User receives 400 Status with response body for existing batch	SKIPPED	0.001 s
	Step undefined		

### User creates request for a deleting batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.293 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:09:56.059 PM // 10:09:56.352 PM /				
Batch features				
@DeleteRequest_DeleteBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete Batch by batchId	PASSED	0.284 s
3	Then User receives 200 Status ok with response to delete batch by Id	PASSED	0.003 s

### User able to delete a program with valid programId and mandatory request body

PASSED	DURATION - 0.305 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:09:56.367 PM // 10:09:56.672 PM /				
Batch features				
@DeleteRequest_DeleteProgramWithValidProgramID				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.294 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.003 s