

Cucumber Report

Aug 16, 2023, 5:47:51 PM

Start : Aug 16, 5:47:40.667 PM

End : Aug 16, 5:47:51.238 PM

Duration : 10.571 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 1

PASSED - 19



FAILED - 2

SKIPPED - 2

PASSED - 63

FAILED - 2


SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Program Feature</u>	9.036 s	17	15	2	0	51	49	2	0
<u>Batch features</u>	1.527 s	6	4	0	2	18	14	0	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PostRequest_CreateProgram	2	2	0	0	2	0	1	1
@PostRequest_existingValues	1	1	0	0	1	0	1	0
@PutRequest_updateProgramByValidID	1	1	0	0	1	0	1	0
@PutRequest_updateProgrambyValidProgramName	1	1	0	0	1	0	1	0
@GetRequest_ValidProgramID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteProgramWithValidProgramID	2	2	0	0	2	0	1	1
@DeleteRequest_DeleteProgramWithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@DeleteProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryFields	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryALLFields	1	1	0	0	1	0	1	0
@PostRequest_CreateProgram_2	1	1	0	0	1	0	1	0
@PutRequest_updateByProgrambyID_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@DeleteProgramwithvalidProgramName	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequest_GetwithinvalidProgramID	1	1	0	0	1	0	1	0
@PostRequest_CreateBatch	1	1	0	0	1	0	0	1
@PostRequest_CreateBatch_2	1	0	0	1	1	0	0	1
@PostRequest_CreateExistingBatch	1	0	0	1	1	0	0	1
@DeleteRequest_DeleteBatch	1	1	0	0	1	0	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Program Feature</u>	17	15	2	0	9.036 s
2	<u>Batch features</u>	6	4	0	2	1.527 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Feature</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	3.608 s
2	<u>Program Feature</u>	<u>User create program with valid endpoint and existing Program name.</u>	3	3	0	0	0.283 s
3	<u>Program Feature</u>	<u>Users are able to update a program with valid programID and mandatory request body</u>	3	3	0	0	0.396 s
4	<u>Program Feature</u>	<u>User able to update a program with valid programName and mandatory request body</u>	3	3	0	0	0.362 s
5	<u>Program Feature</u>	<u>User able to retrieve a program with valid programID and LMS API</u>	3	3	0	0	0.276 s
6	<u>Program Feature</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.323 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Program Feature</u>	<u>User able to delete a program with invalid programId and mandatory request body</u>	3	3	0	0	0.273 s
8	<u>Program Feature</u>	<u>User tries to update a program with invalid programID and mandatory request body</u>	3	3	0	0	0.341 s
9	<u>Program Feature</u>	<u>User tries to update a program with invalid programName and mandatory request body</u>	3	3	0	0	0.346 s
10	<u>Program Feature</u>	<u>User able to delete a program with invalid programName and mandatory request body</u>	3	3	0	0	0.270 s
11	<u>Program Feature</u>	<u>User create program with missing mandatory fields.</u>	3	3	0	0	0.356 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>Program Feature</u>	<u>User create program with missing All mandatory fields.</u>	3	3	0	0	0.340 s
13	<u>Program Feature</u>	<u>User creates request for a new program two with the LMS API endpoint</u>	3	3	0	0	0.406 s
14	<u>Program Feature</u>	<u>User tries to update a program with missing mandatory request body</u>	3	2	1	0	0.344 s
15	<u>Program Feature</u>	<u>User tries to update a program with valid Program name and missing mandatory request body</u>	3	2	1	0	0.337 s
16	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.283 s
17	<u>Program Feature</u>	<u>User tries to retrieve a program with invalid programID and LMS API</u>	3	3	0	0	0.275 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Batch features</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	0.370 s
19	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.518 s
20	<u>Batch features</u>	<u>User creates request for a new batch for existing program and batch with the LMS API endpoint</u>	3	1	0	2	0.008 s
21	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	1	0	2	0.006 s
22	<u>Batch features</u>	<u>User creates request for a deleting batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.282 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Batch features</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.276 s

Program Feature



FAILED	DURATION - 9.036 s	Scenarios Total - 17 Pass - 15 Fail - 2 Skip - 0		Steps Total - 51 Pass - 49 Fail - 2 Skip - 0	
/ 5:47:40.667 PM // 5:47:49.703 PM /					

User creates request for a new program with the LMS API endpoint

<div>PASSED</div> <div>DURATION - 3.608 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:40.671 PM // 5:47:44.279 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.724 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	2.562 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.202 s

User create program with valid endpoint and existing Program name.

<div>PASSED</div> <div>DURATION - 0.283 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:44.348 PM // 5:47:44.631 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_existingValues</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Program with existing values in program name.	PASSED	0.275 s
3	Then User receives 400 Bad Request Status with message for existing values in program name.	PASSED	0.002 s

Users are able to update a program with valid programID and mandatory request body

PASSED	DURATION - 0.396 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:47:44.640 PM // 5:47:45.036 PM /				
Program Feature				
@PutRequest_updateProgramByValidID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request with mandatory and additional fields to update a Program with valid program ID	PASSED	0.389 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.002 s

User able to update a program with valid programName and mandatory request body

PASSED	DURATION - 0.362 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:47:45.044 PM // 5:47:45.406 PM /				
Program Feature				
@PutRequest_updateProgrambyValidProgramName				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with valid program name	PASSED	0.356 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.001 s

User able to retrieve a program with valid programID and LMS API

<div>PASSED</div> <div>DURATION - 0.276 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:45.415 PM // 5:47:45.691 PM /</div>			
<div>Program Feature</div>			
<div>@GetRequest_ValidProgramID</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to view Program with valid program ID	PASSED	0.270 s
3	Then User receives 200 OK Status with response body to view Program with valid program ID	PASSED	0.002 s

User able to delete a program with valid programId and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.323 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:45.701 PM // 5:47:46.024 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteRequest_DeleteProgramWithValidProgramID</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.317 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.002 s

User able to delete a program with invalid programId and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.273 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:46.033 PM // 5:47:46.306 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteRequest_DeleteProgramWithInvalidProgramID</div>				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete Program with invalid program ID	PASSED	0.265 s
3	Then User get 404 Status with response body for delete Program with invalid program ID	PASSED	0.001 s

User tries to update a program with invalid programID and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.341 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:46.315 PM // 5:47:46.656 PM /</div>				
<div>Program Feature</div>				
<div>@PutRequest_updateProgramwithInvalidProgramID</div>				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program ID	PASSED	0.333 s
3	Then User receives 404 Status code with response body to update Program with invalid program ID	PASSED	0.002 s

User tries to update a program with invalid programName and mandatory request body




#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program Name	PASSED	0.339 s
3	Then User receives 404 Status code with response body to update Program with invalid program Name	PASSED	0.001 s

User able to delete a program with invalid programName and mandatory request body




#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete Program with invalid program name	PASSED	0.265 s
3	Then User receives 404 Status code with response body to delete Program with invalid program name	PASSED	0.001 s

User create program with missing mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create program with missing mandatory fields.	PASSED	0.349 s
3	Then User receives 400 Bad Request Status with message to create Program with missing mandatory fields	PASSED	0.001 s

User create program with missing All mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create program with missing ALL mandatory fields.	PASSED	0.335 s
3	Then User receives 400 Bad Request Status with message to create Program with missing ALL mandatory fields	PASSED	0.001 s

User creates request for a new program two with the LMS API endpoint

<div>PASSED</div>	<div>DURATION - 0.406 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:48.015 PM // 5:47:48.421 PM /</div>				
<div>Program Feature</div>				
<div>@PostRequest_CreateProgram_2</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.393 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.007 s



User tries to update a program with missing mandatory request body

<div>FAILED</div> <div>DURATION - 0.344 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:48.428 PM // 5:47:48.772 PM /</div>				
<div>Program Feature</div>				
<div>@PutRequest_updateByProgrambyID_withMissingMandatoryFields</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to update Program with missing mandatory fields	PASSED	0.321 s
3	Then User receives 400 Bad Request Status with message to update Program with missing mandatory fields java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 400 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/GitRepodownloadFolderAug2023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:96) * Not displayable characters are replaced by '?'. </pre>		



User tries to update a program with valid Program name and missing mandatory request body

FAILED		DURATION - 0.337 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:47:48.790 PM // 5:47:49.127 PM /						
Program Feature						
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields						

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request for Program with valid Program name and missing mandatory fields	PASSED	0.328 s
3	Then User receives 404 Bad Request Status with message to update Program with missing mandatory fields <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 404 Bad Request Status with message to update Program with missing mandatory </pre>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	fields(file:///D:/GitRepodownloadFolderAug2023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:102) * Not displayable characters are replaced by '?'. 		

User able to delete a program with valid programName and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.283 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:49.137 PM // 5:47:49.420 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteProgramwithvalidProgramName</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete Program with valid program name	PASSED	0.277 s
3	Then User receive 200 Status with response body for delete Program with valid program name	PASSED	0.001 s

User tries to retrieve a program with invalid programID and LMS API



<div>PASSED</div>	<div>DURATION - 0.275 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:47:49.428 PM // 5:47:49.703 PM /</div>				
<div>Program Feature</div>				
<div>@GetRequest_GetwithinvalidProgramID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request for Program with invalid program ID	PASSED	0.268 s
3	Then User receives 404 Status code with response body for Program with invalid program ID	PASSED	0.002 s

Batch features



SKIPPED	DURATION - 1.527 s	Scenarios Total - 6 Pass - 4 Fail - 0 Skip - 2		Steps Total - 18 Pass - 14 Fail - 0 Skip - 4	
/ 5:47:49.711 PM // 5:47:51.238 PM /					

User creates request for a new program with the LMS API endpoint

PASSED	DURATION - 0.370 s		Steps	
/ 5:47:49.711 PM // 5:47:50.081 PM /			Total - 3	
Batch features			Pass - 3	
@PostRequest_CreateProgram			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.358 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.006 s



User creates request for a new batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.518 s		Steps	
/ 5:47:50.088 PM // 5:47:50.606 PM /			Total - 3	
Batch features			Pass - 3	
@PostRequest_CreateBatch			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields	PASSED	0.411 s



#	Step / Hook Details	Status	Duration
3	Then User receives 201 Created Status with response body for newly created batch	PASSED	0.103 s

User creates request for a new batch for existing program and batch with the LMS API endpoint

SKIPPED	DURATION - 0.008 s		Steps Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 5:47:50.633 PM // 5:47:50.641 PM /				
Batch features				
@PostRequest_CreateBatch_2				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields and previous batch id	SKIPPED	0.001 s
	Step undefined		
3	Then User receives 201 Created Status with response body for newly created batch with new batch id	SKIPPED	0.001 s
	Step undefined		



User creates request for a new batch for existing program with the LMS API endpoint

SKIPPED	DURATION - 0.006 s		Steps Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 5:47:50.656 PM // 5:47:50.662 PM /				
Batch features				
@PostRequest_CreateExistingBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create new Batch with existing batch name	SKIPPED	0.002 s
	Step undefined		



#	Step / Hook Details	Status	Duration
3	Then User receives 400 Status with response body for existing batch	SKIPPED	0.001 s
	Step undefined		

User creates request for a deleting batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.282 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:47:50.672 PM // 5:47:50.954 PM /				
Batch features				
@DeleteRequest_DeleteBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete Batch by batchId	PASSED	0.277 s
3	Then User receives 200 Status ok with response to delete batch by Id	PASSED	0.001 s

User able to delete a program with valid programId and mandatory request body

PASSED	DURATION - 0.276 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:47:50.962 PM // 5:47:51.238 PM /				
Batch features				
@DeleteRequest_DeleteProgramWithValidProgramID				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.271 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.001 s