

Cucumber Report

Aug 15, 2023, 5:11:19 PM

Start : Aug 15, 5:11:02.753 PM

End : Aug 15, 5:11:18.120 PM

Duration : 15.367 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 1

PASSED - 19
FAILED - 2
SKIPPED - 2


PASSED - 63
FAILED - 2
SKIPPED - 4




| Feature | | Scenario | | | | Step | | | |
|------------------------|----------|----------|----|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Program Feature</u> | 13.356 s | 17 | 15 | 2 | 0 | 51 | 49 | 2 | 0 |
| <u>Batch features</u> | 1.991 s | 6 | 4 | 0 | 2 | 18 | 14 | 0 | 4 |

| Tag | Scenario | | | | Feature | | | |
|---|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @PostRequest_CreateProgram | 2 | 2 | 0 | 0 | 2 | 0 | 1 | 1 |
| @PostRequest_existingValues | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PutRequest_updateProgramByValidID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PutRequest_updateProgrambyValidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @GetRequest_ValidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @DeleteRequest_DeleteProgramWithValidProgramID | 2 | 2 | 0 | 0 | 2 | 0 | 1 | 1 |
| @DeleteRequest_DeleteProgramWithInvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PutRequest_updateProgramwithInvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PutRequest_updateProgramwithInvalidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @DeleteProgramwithInvalidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PostRequest_missingMandatoryFields | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PostRequest_missingMandatoryALLFields | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PostRequest_CreateProgram_2 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PutRequest_updateByProgrambyID_withMissingMandatoryFields | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PutRequest_updateProgramByProgramName_withMissingMandatoryFields | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @DeleteProgramwithvalidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |


| Tag | Scenario | | | | Feature | | | |
|-------------------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @GetRequest_GetwithinvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @PostRequest_CreateBatch | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 1 |
| @PostRequest_CreateBatch_2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @PostRequest_CreateExistingBatch | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @DeleteRequest_DeleteBatch | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 1 |




| # | Feature Name | T | P | F | S | Duration |
|---|------------------------|----|----|---|---|----------|
| 1 | <u>Program Feature</u> | 17 | 15 | 2 | 0 | 13.356 s |
| 2 | <u>Batch features</u> | 6 | 4 | 0 | 2 | 1.991 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|---|----------|
| 1 | <u>Program Feature</u> | <u>User creates request for a new program with the LMS API endpoint</u> | 3 | 3 | 0 | 0 | 6.099 s |
| 2 | <u>Program Feature</u> | <u>User create program with valid endpoint and existing Program name.</u> | 3 | 3 | 0 | 0 | 0.330 s |
| 3 | <u>Program Feature</u> | <u>Users are able to update a program with valid programID and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.538 s |
| 4 | <u>Program Feature</u> | <u>User able to update a program with valid programName and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.741 s |
| 5 | <u>Program Feature</u> | <u>User able to retrieve a program with valid programID and LMS API</u> | 3 | 3 | 0 | 0 | 0.325 s |
| 6 | <u>Program Feature</u> | <u>User able to delete a program with valid programId and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.362 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------|---|---|---|---|---|----------|
| 7 | <u>Program Feature</u> | <u>User able to delete a program with invalid programId and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.330 s |
| 8 | <u>Program Feature</u> | <u>User tries to update a program with invalid programID and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.468 s |
| 9 | <u>Program Feature</u> | <u>User tries to update a program with invalid programName and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.456 s |
| 10 | <u>Program Feature</u> | <u>User able to delete a program with invalid programName and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.301 s |
| 11 | <u>Program Feature</u> | <u>User create program with missing mandatory fields.</u> | 3 | 3 | 0 | 0 | 0.496 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------|--|---|---|---|---|----------|
| 12 | <u>Program Feature</u> | <u>User create program with missing All mandatory fields.</u> | 3 | 3 | 0 | 0 | 0.471 s |
| 13 | <u>Program Feature</u> | <u>User creates request for a new program two with the LMS API endpoint</u> | 3 | 3 | 0 | 0 | 0.520 s |
| 14 | <u>Program Feature</u> | <u>User tries to update a program with missing mandatory request body</u> | 3 | 2 | 1 | 0 | 0.434 s |
| 15 | <u>Program Feature</u> | <u>User tries to update a program with valid Program name and missing mandatory request body</u> | 3 | 2 | 1 | 0 | 0.383 s |
| 16 | <u>Program Feature</u> | <u>User able to delete a program with valid programName and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.313 s |
| 17 | <u>Program Feature</u> | <u>User tries to retrieve a program with invalid programID and LMS API</u> | 3 | 3 | 0 | 0 | 0.295 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------|--|---|---|---|---|----------|
| 18 | <u>Batch features</u> | <u>User creates request for a new program with the LMS API endpoint</u> | 3 | 3 | 0 | 0 | 0.482 s |
| 19 | <u>Batch features</u> | <u>User creates request for a new batch for existing program with the LMS API endpoint</u> | 3 | 3 | 0 | 0 | 0.734 s |
| 20 | <u>Batch features</u> | <u>User creates request for a new batch for existing program and batch with the LMS API endpoint</u> | 3 | 1 | 0 | 2 | 0.013 s |
| 21 | <u>Batch features</u> | <u>User creates request for a new batch for existing program with the LMS API endpoint</u> | 3 | 1 | 0 | 2 | 0.017 s |
| 22 | <u>Batch features</u> | <u>User creates request for a deleting batch for existing program with the LMS API endpoint</u> | 3 | 3 | 0 | 0 | 0.287 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------|--|---|---|---|---|----------|
| 23 | <u>Batch features</u> | <u>User able to delete a program with valid programId and mandatory request body</u> | 3 | 3 | 0 | 0 | 0.303 s |

Program Feature



| | | | | | |
|--------------------------------------|---------------------|--|---|--|---|
| FAILED | DURATION - 13.356 s | Scenarios Total - 17 Pass - 15 Fail - 2 Skip - 0 |  | Steps Total - 51 Pass - 49 Fail - 2 Skip - 0 |  |
| / 5:11:02.753 PM // 5:11:16.109 PM / | | | | | |
| | | | | | |

User creates request for a new program with the LMS API endpoint

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 6.099 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:02.759 PM // 5:11:08.858 PM /</div> | | | |
| <div>Program Feature</div> | | | |
| <div>@PostRequest_CreateProgram</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 1.307 s |
| 2 | When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields | PASSED | 4.228 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.337 s |

User create program with valid endpoint and existing Program name.

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 0.330 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 5:11:09.021 PM // 5:11:09.351 PM /</div> | | | |
| <div>Program Feature</div> | | | |
| <div>@PostRequest_existingValues</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS Request and request Body for Program with existing values in program name. | PASSED | 0.310 s |
| 3 | Then User receives 400 Bad Request Status with message for existing values in program name. | PASSED | 0.003 s |

Users are able to update a program with valid programID and mandatory request body

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| PASSED | DURATION - 0.538 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:11:09.371 PM // 5:11:09.909 PM / | | | | |
| Program Feature | | | | |
| @PutRequest_updateProgramByValidID | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields to update a Program with valid program ID | PASSED | 0.520 s |
| 3 | Then User receives 200 ok Status code with response body for update | PASSED | 0.004 s |

User able to update a program with valid programName and mandatory request body

| | | | | |
|---|--------------------|---|---|--|
| PASSED | DURATION - 0.741 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:11:09.933 PM // 5:11:10.674 PM / | | | | |
| Program Feature | | | | |
| @PutRequest_updateProgrambyValidProgramName | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.005 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields for Program with valid program name | PASSED | 0.720 s |
| 3 | Then User receives 200 ok Status code with response body for update | PASSED | 0.004 s |

User able to retrieve a program with valid programID and LMS API

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 0.325 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:10.694 PM // 5:11:11.019 PM /</div> | | | |
| <div>Program Feature</div> | | | |
| <div>@GetRequest_ValidProgramID</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request to view Program with valid program ID | PASSED | 0.310 s |
| 3 | Then User receives 200 OK Status with response body to view Program with valid program ID | PASSED | 0.003 s |

User able to delete a program with valid programId and mandatory request body

| | | | | |
|---|-------------------------------|--|---|--|
| <div>PASSED</div> | <div>DURATION - 0.362 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:11.038 PM // 5:11:11.400 PM /</div> | | | | |
| <div>Program Feature</div> | | | | |
| <div>@DeleteRequest_DeleteProgramWithValidProgramID</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request to delete a Program with valid program ID | PASSED | 0.342 s |
| 3 | Then User receive 200 Status with response body for delete a program with valid Id | PASSED | 0.008 s |

User able to delete a program with invalid programId and mandatory request body

| | | | | |
|---|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 0.330 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:11.421 PM // 5:11:11.751 PM /</div> | | | | |
| <div>Program Feature</div> | | | | |
| <div>@DeleteRequest_DeleteProgramWithInvalidProgramID</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request to delete Program with invalid program ID | PASSED | 0.315 s |
| 3 | Then User get 404 Status with response body for delete Program with invalid program ID | PASSED | 0.003 s |

User tries to update a program with invalid programID and mandatory request body

| | | | | |
|--|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 0.468 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:11.773 PM // 5:11:12.241 PM /</div> | | | | |
| <div>Program Feature</div> | | | | |
| <div>@PutRequest_updateProgramwithInvalidProgramID</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program ID | PASSED | 0.451 s |
| 3 | Then User receives 404 Status code with response body to update Program with invalid program ID | PASSED | 0.004 s |

User tries to update a program with invalid programName and mandatory request body





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program Name | PASSED | 0.443 s |
| 3 | Then User receives 404 Status code with response body to update Program with invalid program Name | PASSED | 0.003 s |

User able to delete a program with invalid programName and mandatory request body





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request to delete Program with invalid program name | PASSED | 0.287 s |
| 3 | Then User receives 404 Status code with response body to delete Program with invalid program name | PASSED | 0.003 s |

User create program with missing mandatory fields.

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| PASSED | DURATION - 0.496 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:11:13.048 PM // 5:11:13.544 PM / | | | | |
| Program Feature | | | | |
| @PostRequest_missingMandatoryFields | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS Request and request Body to create program with missing mandatory fields. | PASSED | 0.480 s |
| 3 | Then User receives 400 Bad Request Status with message to create Program with missing mandatory fields | PASSED | 0.004 s |

User create program with missing All mandatory fields.

| | | | | |
|--|--------------------|--|---|---|
| PASSED | DURATION - 0.471 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:11:13.569 PM // 5:11:14.040 PM / | | | | |
| Program Feature | | | | |
| @PostRequest_missingMandatoryALLFields | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request and request Body to create program with missing ALL mandatory fields. | PASSED | 0.456 s |
| 3 | Then User receives 400 Bad Request Status with message to create Program with missing ALL mandatory fields | PASSED | 0.005 s |

User creates request for a new program two with the LMS API endpoint

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 0.520 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:14.069 PM // 5:11:14.589 PM /</div> | | | |
| <div>Program Feature</div> | | | |
| <div>@PostRequest_CreateProgram_2</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields | PASSED | 0.495 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.011 s |



User tries to update a program with missing mandatory request body

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.434 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:11:14.604 PM // 5:11:15.038 PM /</div> | | | | |
| <div>Program Feature</div> | | | | |
| <div>@PutRequest_updateByProgrambyID_withMissingMandatoryFields</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request to update Program with missing mandatory fields | PASSED | 0.387 s |
| 3 | Then User receives 400 Bad Request Status with message to update Program with missing mandatory fields <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</pre> | FAILED | 0.036 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 400 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/Git%20Repo%20downlo ad%20Folder%20Aug%202023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:96) * Not displayable characters are replaced by '?'. </pre> | | |



User tries to update a program with valid Program name and missing mandatory request body

| | | | | | | | |
|---|--|--------------------|--|--|---|---|--|
| FAILED | | DURATION - 0.383 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> |  | |
| / 5:11:15.076 PM // 5:11:15.459 PM / | | | | | | | |
| Program Feature | | | | | | | |
| @PutRequest_updateProgramByProgramName_withMissingMandatoryFields | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request for Program with valid Program name and missing mandatory fields | PASSED | 0.372 s |
| 3 | Then User receives 404 Bad Request Status with message to update Program with missing mandatory fields <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 404 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/Git%20Repo%20downlo </pre> | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | ad%20Folder%20Aug%202023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:102) * Not displayable characters are replaced by '?'. | | |

User able to delete a program with valid programName and mandatory request body

| | | | | |
|--------------------------------------|--------------------|---|---|--|
| PASSED | DURATION - 0.313 s |  <p>A bar chart with a y-axis from 0 to 0.6 and an x-axis with labels 1, 2, and 3. A single black bar is present at x=2, reaching a height of approximately 0.31. The chart has a light gray background with dashed grid lines.</p> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  <p>A green donut chart representing 100% completion. The number '3' is displayed in the center of the donut.</p> |
| / 5:11:15.485 PM // 5:11:15.798 PM / | | | | |
| Program Feature | | | | |
| @DeleteProgramwithvalidProgramName | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request to delete Program with valid program name | PASSED | 0.305 s |
| 3 | Then User receive 200 Status with response body for delete Program with valid program name | PASSED | 0.001 s |

User tries to retrieve a program with invalid programID and LMS API



| | | | | |
|--------------------------------------|--------------------|--|---|--|
| PASSED | DURATION - 0.295 s | | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | |
| / 5:11:15.814 PM // 5:11:16.109 PM / | | | | |
| Program Feature | | | | |
| @GetRequest_GetwithinvalidProgramID | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request for Program with invalid program ID | PASSED | 0.283 s |
| 3 | Then User receives 404 Status code with response body for Program with invalid program ID | PASSED | 0.002 s |

Batch features



| | | | | | |
|--------------------------------------|--------------------|--|---|--|---|
| SKIPPED | DURATION - 1.991 s | Scenarios Total - 6 Pass - 4 Fail - 0 Skip - 2 |  | Steps Total - 18 Pass - 14 Fail - 0 Skip - 4 |  |
| / 5:11:16.129 PM // 5:11:18.120 PM / | | | | | |

User creates request for a new program with the LMS API endpoint

| | | | | |
|--------------------------------------|--------------------|--|-----------|---|
| PASSED | DURATION - 0.482 s |  | Steps |  |
| / 5:11:16.129 PM // 5:11:16.611 PM / | | | Total - 3 | |
| Batch features | | | Pass - 3 | |
| @PostRequest_CreateProgram | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields | PASSED | 0.455 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.009 s |



User creates request for a new batch for existing program with the LMS API endpoint

| | | | | |
|--------------------------------------|--------------------|--|-----------|---|
| PASSED | DURATION - 0.734 s |  | Steps |  |
| / 5:11:16.630 PM // 5:11:17.364 PM / | | | Total - 3 | |
| Batch features | | | Pass - 3 | |
| @PostRequest_CreateBatch | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields | PASSED | 0.523 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | Then User receives 201 Created Status with response body for newly created batch | PASSED | 0.203 s |

User creates request for a new batch for existing program and batch with the LMS API endpoint

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| SKIPPED | DURATION - 0.013 s |  | Steps Total - 3 Pass - 1 Fail - 0 Skip - 2 |  |
| / 5:11:17.443 PM // 5:11:17.456 PM / | | | | |
| Batch features | | | | |
| @PostRequest_CreateBatch_2 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields and previous batch id | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives 201 Created Status with response body for newly created batch with new batch id | SKIPPED | 0.002 s |
| | Step undefined | | |



User creates request for a new batch for existing program with the LMS API endpoint

| | | | | |
|--------------------------------------|--------------------|---|--|---|
| SKIPPED | DURATION - 0.017 s |  | Steps Total - 3 Pass - 1 Fail - 0 Skip - 2 |  |
| / 5:11:17.479 PM // 5:11:17.496 PM / | | | | |
| Batch features | | | | |
| @PostRequest_CreateExistingBatch | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request and request Body to create new Batch with existing batch name | SKIPPED | 0.001 s |
| | Step undefined | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | Then User receives 400 Status with response body for existing batch | SKIPPED | 0.001 s |
| | Step undefined | | |

User creates request for a deleting batch for existing program with the LMS API endpoint

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.287 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:11:17.512 PM // 5:11:17.799 PM / | | | | |
| Batch features | | | | |
| @DeleteRequest_DeleteBatch | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request to delete Batch by batchId | PASSED | 0.279 s |
| 3 | Then User receives 200 Status ok with response to delete batch by Id | PASSED | 0.002 s |

User able to delete a program with valid programId and mandatory request body

| | | | | |
|--|--------------------|---|--|--|
| PASSED | DURATION - 0.303 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:11:17.817 PM // 5:11:18.120 PM / | | | | |
| Batch features | | | | |
| @DeleteRequest_DeleteProgramWithValidProgramID | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request to delete a Program with valid program ID | PASSED | 0.281 s |
| 3 | Then User receive 200 Status with response body for delete a program with valid Id | PASSED | 0.002 s |