

Cucumber Report

Jul 26, 2023, 12:57:44 PM

Start : Jul 26, 12:57:28.833 PM

End : Jul 26, 12:57:42.812 PM

Duration : 13.979 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 2
SKIPPED - 0


PASSED - 49
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Program Feature</u>	13.979 s	17	15	2	0	51	49	2	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@01PostRequest_nonexistingValues	1	1	0	0	1	0	1	0
@02GetRequest_AllPrograms	1	1	0	0	1	0	1	0
@03PutRequest_updateProgrambyValidID	1	1	0	0	1	0	1	0
@04GetRequest_ValidProgramID	1	1	0	0	1	0	1	0
@05DeleteRequest_DeleteProgramwithvalidProgramID	1	1	0	0	1	0	1	0
@06DeleteRequest_DeleteProgramwithinvalidProgramID	1	1	0	0	1	0	1	0
@PostRequest_nonexistingValues	1	1	0	0	1	0	1	0
@08PostRequest_existingValues	1	1	0	0	1	0	1	0
@07PutRequest_updateProgrambyValidProgramName	1	1	0	0	1	0	1	0
@09PostRequest_missingMandatoryFields	1	0	1	0	1	0	1	0
@10PutRequest_updateProgrambyIDwithMissingMandatoryFields	1	1	0	0	1	0	1	0
@11PutRequest_updateProgrambyProgramNamewithMissingMandatoryFields	1	1	0	0	1	0	1	0
@15DeleteProgramwithvalidProgramName	1	0	1	0	1	0	1	0
@12GetRequest_GetwithinvalidProgramID	1	1	0	0	1	0	1	0
@13PutRequest_updateProgramwithinvalidProgramID	1	1	0	0	1	0	1	0
@14PutRequest_updateProgramwithinvalidProgramName	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@16DeleteProgramwithinvalidProgramName	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Program Feature</u>	17	15	2	0	13.979 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Feature</u>	<u>User creates request for the LMS API endpoint</u>	3	3	0	0	7.770 s
2	<u>Program Feature</u>	<u>User able to retrieve all programs with valid LMS API</u>	3	3	0	0	0.607 s
3	<u>Program Feature</u>	<u>User able to update a program with valid programID and mandatory request body</u>	3	3	0	0	1.430 s
4	<u>Program Feature</u>	<u>User able to retrieve a program with valid programID and LMS API</u>	3	3	0	0	0.213 s
5	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.207 s
6	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.192 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Program Feature</u>	<u>User creates request for the LMS API endpoint</u>	3	3	0	0	0.418 s
8	<u>Program Feature</u>	<u>User create program with valid endpoint and existing Program name.</u>	3	3	0	0	0.200 s
9	<u>Program Feature</u>	<u>User able to update a program with valid programName and mandatory request body</u>	3	3	0	0	0.318 s
10	<u>Program Feature</u>	<u>User create program with missing mandatory fields.</u>	3	2	1	0	0.392 s
11	<u>Program Feature</u>	<u>User tries to update a program with missing mandatory request body</u>	3	3	0	0	0.355 s
12	<u>Program Feature</u>	<u>User tries to update a program with valid Program name and missing mandatory request body</u>	3	3	0	0	0.293 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
13	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	2	1	0	0.188 s
14	<u>Program Feature</u>	<u>User tries to retrieve a program with invalid programID and LMS API</u>	3	3	0	0	0.287 s
15	<u>Program Feature</u>	<u>User tries to update a program with invalid programID and mandatory request body</u>	3	3	0	0	0.222 s
16	<u>Program Feature</u>	<u>User tries to update a program with invalid programName and mandatory request body</u>	3	3	0	0	0.269 s
17	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.216 s

Program Feature



<div>FAILED</div> <div>DURATION - 13.979 s</div>		<div>Scenarios</div> <div>Total - 17</div> <div>Pass - 15</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 51</div> <div>Pass - 49</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>	
/ 12:57:28.833 PM // 12:57:42.812 PM /									

User creates request for the LMS API endpoint

<div>PASSED</div> <div>DURATION - 7.770 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:57:28.841 PM // 12:57:36.611 PM /</div>				
<div>Program Feature</div>				
<div>@01PostRequest_nonexistingValues</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	1.608 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	5.230 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.680 s

User able to retrieve all programs with valid LMS API

<div>PASSED</div> <div>DURATION - 0.607 s</div>		Steps	
/ 12:57:36.806 PM // 12:57:37.413 PM /		Total - 3	
Program Feature		Pass - 3	
@02GetRequest_AllPrograms		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.005 s
2	When User sends HTTPS Request for Program to get all programs	PASSED	0.272 s
3	Then User receives 200 OK Status with response body	PASSED	0.308 s

User able to update a program with valid programID and mandatory request body

PASSED	DURATION - 1.430 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:57:37.432 PM // 12:57:38.862 PM /				
Program Feature				
@03PutRequest_updateProgrambyValidID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with valid program ID	PASSED	0.442 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.972 s

User able to retrieve a program with valid programID and LMS API

PASSED	DURATION - 0.213 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:57:38.874 PM // 12:57:39.087 PM /				
Program Feature				
@04GetRequest_ValidProgramID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request for Program with valid program ID	PASSED	0.198 s
3	Then User receives 200 OK Status with response body	PASSED	0.004 s

User able to delete a program with valid programName and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.207 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:57:39.095 PM // 12:57:39.302 PM /				
Program Feature				
@05DeleteRequest_DeleteProgramwithvalidProgramID				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Program with valid program ID	PASSED	0.191 s
3	Then User receive 200 Status with response body for delete request	PASSED	0.008 s

User able to delete a program with valid programName and mandatory request body

<div>PASSED</div> <div>DURATION - 0.192 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:57:39.315 PM // 12:57:39.507 PM /</div>			
<div>Program Feature</div>			
<div>@06DeleteRequest_DeleteProgramwithinvalidProgramID</div>			


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Program with invalid program ID	PASSED	0.177 s
3	Then User get 404 Status with response body for delete request	PASSED	0.006 s

User creates request for the LMS API endpoint





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	0.334 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.072 s

User create program with valid endpoint and existing Program name.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Program with existing values in program name.	PASSED	0.184 s
3	Then User receives 400 Bad Request Status with message and boolean success details	PASSED	0.005 s

User able to update a program with valid programName and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.318 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:57:40.176 PM // 12:57:40.494 PM /</div>				
<div>Program Feature</div>				
<div>@07PutRequest_updateProgrambyValidProgramName</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with valid program name	PASSED	0.253 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.055 s



User create program with missing mandatory fields.

<div>FAILED</div> <div>DURATION - 0.392 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:57:40.502 PM // 12:57:40.894 PM /</div>				
<div>Program Feature</div>				
<div>@09PostRequest_missingMandatoryFields</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for program with missing mandatory fields.	PASSED	0.349 s
3	Then User receives 400 Bad Request Status with message and boolean success details <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)</pre>	FAILED	0.034 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinition.ProgramSD.user_receives_Bad_Request_Status_with_message_and_boolean_success_details(ProgramSD.java:223) at ?.User receives 400 Bad Request Status with message and boolean success details(file:///Users/ilango/Desktop/Selenium/My%20Workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/program.feature:61) * Not displayable characters are replaced by '?'. </pre>		

User tries to update a program with missing mandatory request body

PASSED		<i>DURATION - 0.355 s</i>			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 12:57:40.926 PM // 12:57:41.281 PM /							
<i>Program Feature</i>							
@10PutRequest_updateProgrambyIDwithMissingMandatoryFields							



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request for Program with missing mandatory fields	PASSED	0.340 s
3	Then User receives 400 Bad Request Status with message and boolean success details	PASSED	0.004 s

User tries to update a program with valid Program name and missing mandatory request body

<div>PASSED</div>	<div>DURATION - 0.293 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:57:41.290 PM // 12:57:41.583 PM /</div>				
<div>Program Feature</div>				
<div>@11PutRequest_updateProgrambyProgramNamewith-MissingMandatoryFields</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with valid Program name and missing mandatory fields	PASSED	0.278 s
3	Then User receives 400 Bad Request Status with message and boolean success details	PASSED	0.004 s



User able to delete a program with valid programName and mandatory request body

<div>FAILED</div> <div>DURATION - 0.188 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:57:41.589 PM // 12:57:41.777 PM /</div>				
<div>Program Feature</div>				
<div>@15DeleteProgramwithvalidProgramName</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Program with valid program name	PASSED	0.177 s
3	Then User receive 200 Status with response body for delete request java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor84.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinition.ProgramSD.user_receive_Status_with_response_body_for_delete_request(ProgramSD.java:157) at ?.User receive 200 Status with response body for delete request(file:///Users/ilango/Desktop/Selenium/My%20Workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/program.feature:79) * Not displayable characters are replaced by '?'. </pre>		

User tries to retrieve a program with invalid programID and LMS API

<div>PASSED</div> <div>DURATION - 0.287 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:57:41.793 PM // 12:57:42.080 PM /				
Program Feature				
@12GetRequest_GetwithinvalidProgramID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with invalid program ID	PASSED	0.274 s
3	Then User receives 404 Status code with response body	PASSED	0.003 s

User tries to update a program with invalid programID and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.222 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:57:42.084 PM // 12:57:42.306 PM /				
Program Feature				
@13PutRequest_updateProgramwithinvalidProgramID				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with invalid program ID	PASSED	0.214 s
3	Then User receives 404 Status code with response body	PASSED	0.002 s

User tries to update a program with invalid programName and mandatory request body

PASSED	DURATION - 0.269 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:57:42.312 PM // 12:57:42.581 PM /				
Program Feature				
@14PutRequest_updateProgramwithinvalidProgramName				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with invalid program Name	PASSED	0.257 s
3	Then User receives 404 Status code with response body	PASSED	0.004 s

User able to delete a program with valid programName and mandatory request body


PASSED

DURATION - 0.216 s

/ 12:57:42.596 PM // 12:57:42.812 PM /

Program Feature

@16DeleteProgramwithinvalidProgramName




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request to delete Program with invalid program name	PASSED	0.205 s
3	Then User receives 404 Status code with response body	PASSED	0.003 s