

Cucumber Report

Jul 26, 2023, 10:40:37 AM

Start : Jul 26, 10:40:24.522 AM

End : Jul 26, 10:40:36.944 AM

Duration : 12.422 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 19
FAILED - 2
SKIPPED - 0


PASSED - 61
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	12.422 s	21	19	2	0	63	61	2	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	0	1	0	1	0	1	0
@PutRequestMandatoryMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	21	19	2	0	12.422 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Check if user able to retrieve a record with valid LMS API</u>	3	3	0	0	2.883 s
2	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	1.976 s
3	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.631 s
4	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.399 s
5	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.606 s
6	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.627 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	2	1	0	0.313 s
8	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.309 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	2	1	0	0.526 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	3	0	0	0.333 s
11	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.306 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.304 s
13	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.317 s
14	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.515 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.325 s
16	<u>Assignment Scenario</u>	<u>Delete User</u>	3	3	0	0	0.320 s
17	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	3	0	0	0.315 s
18	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	3	0	0	0.304 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	3	0	0	0.302 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.326 s
21	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.294 s

Assignment Scenario



FAILED	DURATION - 12.422 s	Scenarios Total - 21 Pass - 19 Fail - 2 Skip - 0		Steps Total - 63 Pass - 61 Fail - 2 Skip - 0	
/ 10:40:24.522 AM // 10:40:36.944 AM /					

Check if user able to retrieve a record with valid LMS API

<div>PASSED</div> <div>DURATION - 2.883 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:40:24.525 AM // 10:40:27.408 AM /</div>			
<div>Assignment Scenario</div>			
<div>@GetAllAssignments</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.723 s
2	When User sends HTTP request	PASSED	1.598 s
3	Then User receives 200 ok with response body	PASSED	0.456 s

Create a new Program

<div>PASSED</div> <div>DURATION - 1.976 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:40:27.474 AM // 10:40:29.450 AM /</div>			
<div>Assignment Scenario</div>			
<div>@CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.968 s
3	Then Validate response code 201	PASSED	0.004 s

Create a new Batch

PASSED	DURATION - 0.631 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:29.459 AM // 10:40:30.090 AM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.624 s
3	Then Validate response code 201	PASSED	0.002 s

Create a new User

PASSED	DURATION - 0.399 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:40:30.095 AM // 10:40:30.494 AM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.391 s
3	Then Validate response code 201	PASSED	0.002 s

Check if user is able to add a record missing mandatory field

<div>PASSED</div> <div>DURATION - 0.606 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:40:30.500 AM // 10:40:31.106 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignmentwithmissingmandatoryfield</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.599 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div>	<div>DURATION - 0.627 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:40:31.115 AM // 10:40:31.742 AM /</div>				
<div>Assignment Scenario</div>				
<div>@createAssignment1</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.621 s
3	Then Validate response code 201	PASSED	0.002 s



Check if user able to update a record with valid AssignmentID and mandatory request body

<div>FAILED</div> <div>DURATION - 0.313 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:40:31.750 AM // 10:40:32.063 AM /				
Assignment Scenario				
@PutByAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.306 s
3	Then User receives 200 ok with updated value in response body io.cucumber.core.exception.CucumberException: Step [User receives 200 ok with updated value in response body] is defined with 1 parameters at 'api.StepDefinitions.AssignmentStepDef.User_receives_OK_with_updated_value_in_response_body(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: User receives 200 ok with updated value in response body at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

Check if user able to update a record with missing field

PASSED	DURATION - 0.309 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:32.076 AM // 10:40:32.385 AM /				
Assignment Scenario				
@PutRequestMandatoryMissingfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.303 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(existing value)

FAILED	DURATION - 0.526 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:40:32.390 AM // 10:40:32.916 AM /				
Assignment Scenario				
@CreateAssignmentwithExistingValues				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.510 s
3	Then User receives 400 bad request with message and boolean success details	FAILED	0.013 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:197) at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve record with valid assignment ID

PASSED	DURATION - 0.333 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:32.925 AM // 10:40:33.258 AM /				
Assignment Scenario				
@GetByAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.328 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user able to retrieve record with valid Batch ID

PASSED	DURATION - 0.306 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:33.263 AM // 10:40:33.569 AM /				
Assignment Scenario				
@GetByBatchId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request with Batch ID	PASSED	0.301 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user is able to delete arecord with valid assignment ID

PASSED	DURATION - 0.304 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:33.574 AM // 10:40:33.878 AM /				
Assignment Scenario				
@DeleteAssignment				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.299 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user is able to delete arecord with invalid assignment ID

PASSED	DURATION - 0.317 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:33.882 AM // 10:40:34.199 AM /				
Assignment Scenario				
@DeleteAssignmentByInvalidId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.313 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div> <div>DURATION - 0.515 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:40:34.205 AM // 10:40:34.720 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignment2</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.510 s
3	Then Validate response code 201	PASSED	0.001 s

Check if user is able to delete arecord with valid assignment ID

<div>PASSED</div>	<div>DURATION - 0.325 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:40:34.724 AM // 10:40:35.049 AM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteAssignment</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.320 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Delete User

PASSED	DURATION - 0.320 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:35.055 AM // 10:40:35.375 AM /				
Assignment Scenario				
@DeleteUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for User	PASSED	0.311 s
3	Then Validate response code 200	PASSED	0.004 s

Delete Batch

PASSED	DURATION - 0.315 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:35.382 AM // 10:40:35.697 AM /				
Assignment Scenario				
@DeleteBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.308 s
3	Then Validate response code 200	PASSED	0.003 s

Delete Program

PASSED	DURATION - 0.304 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:35.703 AM // 10:40:36.007 AM /				
Assignment Scenario				
@DeleteProgram				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Program	PASSED	0.301 s
3	Then Validate response code 200	PASSED	0.001 s

Check if user able to retrieve record with invalid Batch ID

PASSED	DURATION - 0.302 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:40:36.011 AM // 10:40:36.313 AM /				
Assignment Scenario				
@GetRequestByInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTP Request with Batch ID	PASSED	0.297 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s

Check if user able to retrieve record with invalid assignment ID

<div>PASSED</div>	<div>DURATION - 0.326 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:40:36.318 AM // 10:40:36.644 AM /				
Assignment Scenario				
@GetByInvalidAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.322 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to retrieve record with valid Batch ID No Assignment

<div>PASSED</div>	<div>DURATION - 0.294 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:40:36.650 AM // 10:40:36.944 AM /				
Assignment Scenario				
@GetByBatchIdwithNoAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.289 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s