Cucumber Report

| Start : Jul 26, 9:21:50.519 AM	End : Jul 26, 9:22:03.841 AM	Duration : 13.322 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 7 SKIPPED - 0	PASSED - 56 FAILED - 7 SKIPPED - 0

Features: 1 — 0 %

Scenarios: 21 — 66 %

Steps: 63 — 88 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Assignment Scenario	*13.322 s*	*21*	*14*	*7*	*0*	*63*	*56*	*7*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	1	0	0	1	0	1	0
@PutRequestMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	0	1	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	1	1	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	0	1	0	1	0	1	0
@DeleteBatch	1	0	1	0	1	0	1	0
@DeleteProgram	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequestByInvalidBatchId	1	0	1	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Assignment Scenario	21	14	7	0	13.322 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Assignment Scenario	Check if user able to retrieve a record with valid LMS API	3	3	0	0	2.325 s
2	Assignment Scenario	Create a new Program	3	3	0	0	1.564 s
3	Assignment Scenario	Create a new Batch	3	3	0	0	0.550 s
4	Assignment Scenario	Create a new User	3	3	0	0	0.390 s
5	Assignment Scenario	Check if user is able to add a record missing mandatory field	3	3	0	0	0.551 s
6	Assignment Scenario	Check if user able to add a record with valid endpoint and request body(non existing values)	3	3	0	0	0.670 s
7	Assignment Scenario	Check if user able to update a record with valid AssignmentID and mandatory request body	3	3	0	0	0.324 s
8	Assignment Scenario	Check if user able to update a record with missing field	3	3	0	0	0.372 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
9	Assignment Scenario	Check if user able to add a record with valid endpoint and request body(existing value)	3	2	1	0	0.524 s
10	Assignment Scenario	Check if user able to retrieve record with valid assignment ID	3	2	1	0	0.315 s
11	Assignment Scenario	Check if user able to retrieve record with valid Batch ID	3	3	0	0	0.319 s
12	Assignment Scenario	Check if user is able to delete arecord with valid assignment ID	3	2	1	0	0.338 s
13	Assignment Scenario	Check if user is able to delete arecord with invalid assignment ID	3	3	0	0	0.331 s
14	Assignment Scenario	Check if user able to add a record with valid endpoint and request body(non existing values)	3	3	0	0	0.518 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
15	Assignment Scenario	Check if user is able to delete arecord with valid assignment ID	3	3	0	0	0.721 s
16	Assignment Scenario	Delete User	3	2	1	0	0.966 s
17	Assignment Scenario	Delete Batch	3	2	1	0	0.344 s
18	Assignment Scenario	Delete Program	3	2	1	0	0.352 s
19	Assignment Scenario	Check if user able to retrieve record with invalid Batch ID	3	2	1	0	0.626 s
20	Assignment Scenario	Check if user able to retrieve record with invalid assignment ID	3	3	0	0	0.341 s
21	Assignment Scenario	Check if user able to retrieve record with valid Batch ID No Assignment	3	3	0	0	0.459 s

Assignment Scenario

FAILED	DURATION - 13.322 s		Scenarios Total - 21 Pass - 14 Fail - 7 Skip - 0	21	Steps Total - 63 Pass - 56 Fail - 7 Skip - 0	63
/ 9:21:50.519 AM // 9:22:03.841 AM /						

Check if user able to retrieve a record with valid LMS API

PASSED	DURATION - 2.325 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 9:21:50.522 AM // 9:21:52.847 AM /				
Assignment Scenario				
@GetAllAssignments				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.636 s
2	When User sends HTTP request	PASSED	1.352 s
3	Then Validate response code 200 OK	PASSED	0.222 s

Create a new Program

PASSED	DURATION - 1.564 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 9:21:52.925 AM // 9:21:54.489 AM /				
Assignment Scenario				
@CreateProgram				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.555 s
3	Then Validate response code 201	PASSED	0.004 s

Create a new Batch

PASSED	DURATION - 0.550 s
/ 9:21:54.498 AM // 9:21:55.048 AM /	
Assignment Scenario	
@CreateBatch	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.538 s
3	Then Validate response code 201	PASSED	0.003 s

Create a new User

PASSED	DURATION - 0.390 s
/ 9:21:55.058 AM // 9:21:55.448 AM /	
Assignment Scenario	
@createUser	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.376 s
3	Then Validate response code 201	PASSED	0.006 s

Check if user is able to add a record missing mandatory field

PASSED	DURATION - 0.551 s
/ 9:21:55.463 AM // 9:21:56.014 AM /	
Assignment Scenario	
@createAssignmentwithmissingmandatoryfield	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.535 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.008 s

Check if user able to add a record with valid endpoint and request body(non existing values)

PASSED	DURATION - 0.670 s
/ 9:21:56.037 AM // 9:21:56.707 AM /	
Assignment Scenario	
@createAssignment1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.655 s
3	Then Validate response code 201	PASSED	0.003 s

Check if user able to update a record with valid AssignmentID and mandatory request body

PASSED	*DURATION - 0.324 s*
/ 9:21:56.723 AM // 9:21:57.047 AM /	
Assignment Scenario	
@PutByAssignmentId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.317 s
3	Then Validate response code 200	PASSED	0.001 s

Check if user able to update a record with missing field

PASSED	*DURATION - 0.372 s*
/ 9:21:57.054 AM // 9:21:57.426 AM /	
Assignment Scenario	
@PutRequestMissingfield	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.355 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.008 s

Check if user able to add a record with valid endpoint and request body(existing value)

FAILED	DURATION - 0.524 s
/ 9:21:57.443 AM // 9:21:57.967 AM /	
Assignment Scenario	
@CreateAssignmentwithExistingValues	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.474 s
3	Then User receives 400 bad request with message and boolean success details	FAILED	0.041 s

java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>.
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)

| #	Step / Hook Details	Status	Duration

	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:175)
	    at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57)
	* Not displayable characters are replaced by '?'.		

Check if user able to retrieve record with valid assignment ID

FAILED	DURATION - 0.315 s
/ 9:21:57.992 AM // 9:21:58.307 AM /	
Assignment Scenario	
@GetByAssignmentId	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.304 s
3	Then Validate response code 200	FAILED	0.006 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158) at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:65) * Not displayable characters are replaced by '?'.		

Check if user able to retrieve record with valid Batch ID

PASSED	DURATION - 0.319 s		Steps
/ 9:21:58.344 AM // 9:21:58.663 AM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Assignment Scenario			
@GetByBatchId			

| #	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.306 s
3	Then Validate response code 200	PASSED	0.006 s

Check if user is able to delete arecord with valid assignment ID

FAILED	DURATION - 0.338 s

/ 9:21:58.679 AM // 9:21:59.017 AM /

Assignment Scenario

@DeleteAssignment

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.318 s
3	Then Validate response code 200	FAILED	0.008 s

java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
 at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158)

#	Step / Hook Details	Status	Duration
	at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:76) * Not displayable characters are replaced by '?'.		

Check if user is able to delete arecord with invalid assignment ID

PASSED	DURATION - 0.331 s		Steps	
/ 9:21:59.041 AM // 9:21:59.372 AM /			Total - 3	
			Pass - 3	
Assignment Scenario			Fail - 0	
			Skip - 0	
@DeleteAssignmentByInvalidId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.319 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.005 s

Check if user able to add a record with valid endpoint and request body(non existing values)

PASSED	DURATION - 0.518 s		Steps	
/ 9:21:59.390 AM // 9:21:59.908 AM /			Total - 3	
			Pass - 3	
Assignment Scenario			Fail - 0	
			Skip - 0	
@createAssignment2				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.509 s
3	Then Validate response code 201	PASSED	0.002 s

Check if user is able to delete arecord with valid assignment ID

PASSED	DURATION - 0.721 s
/ 9:21:59.915 AM // 9:22:00.636 AM /	
Assignment Scenario	
@DeleteAssignment	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.711 s
3	Then Validate response code 200	PASSED	0.004 s

Delete User

FAILED	DURATION - 0.966 s
/ 9:22:00.655 AM // 9:22:01.621 AM /	
Assignment Scenario	
@DeleteUser	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS delete Request for User	PASSED	0.948 s
3	Then Validate response code 200	FAILED	0.008 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>.
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158)		
	at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:102)		
	* Not displayable characters are replaced by '?'.		

Delete Batch

FAILED	DURATION - 0.344 s
/ 9:22:01.649 AM // 9:22:01.993 AM /	
Assignment Scenario	
@DeleteBatch	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.336 s
3	Then Validate response code 200	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158)		
	at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:109)		
	* Not displayable characters are replaced by '?'.		

Delete Program

FAILED	DURATION - 0.352 s
/ 9:22:02.001 AM // 9:22:02.353 AM /	
Assignment Scenario	
@DeleteProgram	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Program	PASSED	0.342 s
3	Then Validate response code 200	FAILED	0.004 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>.
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	    at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	    at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	    at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158)
	    at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:115)
	* Not displayable characters are replaced by '?'.		

Check if user able to retrieve record with invalid Batch ID

FAILED	**DURATION - 0.626 s**	
/ 9:22:02.376 AM // 9:22:03.002 AM /		
Assignment Scenario		
@GetRequestByInvalidBatchId		

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTP Request with Batch ID	PASSED	0.612 s
3	Then User receives 404 not found with message and boolean success details	FAILED	0.004 s

java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
  at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
  at api.StepDefinitions.AssignmentStepDef.user_receives_not_found_with_message_and_boolean_success_details(AssignmentStepDef.java:258)

| #	Step / Hook Details	Status	Duration
	at ?.User receives 404 not found with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:121) * Not displayable characters are replaced by '?'.		

Check if user able to retrieve record with invalid assignment ID

PASSED	DURATION - 0.341 s		Steps
/ 9:22:03.025 AM // 9:22:03.366 AM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Assignment Scenario			
@GetByInvalidAssignmentId			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.329 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.005 s

Check if user able to retrieve record with valid Batch ID No Assignment

PASSED	DURATION - 0.459 s		Steps
/ 9:22:03.382 AM // 9:22:03.841 AM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Assignment Scenario			
@GetByBatchIdwithNoAssignment			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.453 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s