

# Cucumber Report

Jul 26, 2023, 11:47:04 AM

**Start : Jul 26, 11:46:51.485 AM**

**End : Jul 26, 11:47:04.045 AM**

**Duration : 12.560 s**

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 20  
FAILED - 2  
SKIPPED - 0


PASSED - 64  
FAILED - 2  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	12.560 s	22	20	2	0	66	64	2	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	0	1	0	1	0	1	0
@PutRequestMandatoryMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0
@PutByInvalidAssignmentId	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	22	20	2	0	12.560 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Check if user able to retrieve a record with valid LMS API</u>	3	3	0	0	2.616 s
2	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	1.845 s
3	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.546 s
4	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.352 s
5	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.623 s
6	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.570 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	2	1	0	0.492 s
8	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.308 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	2	1	0	0.513 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	3	0	0	0.304 s
11	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.306 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.322 s
13	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.311 s
14	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.557 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.310 s
16	<u>Assignment Scenario</u>	<u>Delete User</u>	3	3	0	0	0.324 s
17	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	3	0	0	0.313 s
18	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	3	0	0	0.350 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	3	0	0	0.303 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.292 s
21	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.297 s
22	<u>Assignment Scenario</u>	<u>Check if user able to update a record with invalid AssignmentID and mandatory request body</u>	3	3	0	0	0.418 s



## Assignment Scenario



FAILED	DURATION - 12.560 s	Scenarios		Steps	
/ 11:46:51.485 AM // 11:47:04.045 AM /		Total - 22		Total - 66	
		Pass - 20		Pass - 64	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

## Check if user able to retrieve a record with valid LMS API

<div>PASSED</div> <div>DURATION - 2.616 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:46:51.487 AM // 11:46:54.103 AM /</div>				
<div>Assignment Scenario</div>				
<div>@GetAllAssignments</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.695 s
2	When User sends HTTP request	PASSED	1.290 s
3	Then User receives 200 ok with response body	PASSED	0.465 s

## Create a new Program

<div>PASSED</div> <div>DURATION - 1.845 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:46:54.258 AM // 11:46:56.103 AM /</div>			
<div>Assignment Scenario</div>			
<div>@CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.833 s
3	Then Validate response code 201	PASSED	0.003 s

### Create a new Batch

PASSED	DURATION - 0.546 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:46:56.109 AM // 11:46:56.655 AM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.538 s
3	Then Validate response code 201	PASSED	0.002 s

### Create a new User

PASSED	DURATION - 0.352 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:46:56.662 AM // 11:46:57.014 AM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.342 s
3	Then Validate response code 201	PASSED	0.003 s

### Check if user is able to add a record missing mandatory field

<div>PASSED</div> <div>DURATION - 0.623 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:46:57.021 AM // 11:46:57.644 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignmentwithmissingmandatoryfield</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.616 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div> <div>DURATION - 0.570 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:46:57.649 AM // 11:46:58.219 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignment1</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.563 s
3	Then Validate response code 201	PASSED	0.002 s



### Check if user able to update a record with valid AssignmentID and mandatory request body

<div><div>FAILED</div><div>DURATION - 0.492 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 11:46:58.230 AM // 11:46:58.722 AM /				
Assignment Scenario				
@PutByAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.482 s
3	Then User receives 200 ok with updated value in response body io.cucumber.core.exception.CucumberException: Step [User receives 200 ok with updated value in response body] is defined with 1 parameters at 'api.StepDefinitions.AssignmentStepDef.User_receives_OK_with_updated_value_in_response_body(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: User receives 200 ok with updated value in response body at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

### Check if user able to update a record with missing field

<b>PASSED</b>	DURATION - 0.308 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:46:58.739 AM // 11:46:59.047 AM /				
Assignment Scenario				
@PutRequestMandatoryMissingfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.302 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

### Check if user able to add a record with valid endpoint and request body(existing value)

<b>FAILED</b>	DURATION - 0.513 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 11:46:59.052 AM // 11:46:59.565 AM /				
Assignment Scenario				
@CreateAssignmentwithExistingValues				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.493 s
3	Then User receives 400 bad request with message and boolean success details	FAILED	0.016 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;201&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:197)     at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57) * Not displayable characters are replaced by '?'. </pre>		

**Check if user able to retrieve record with valid assignment ID**

<b>PASSED</b>	DURATION - 0.304 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:46:59.572 AM // 11:46:59.876 AM /				
Assignment Scenario				
@GetByAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.298 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

### Check if user able to retrieve record with valid Batch ID

<b>PASSED</b>	DURATION - 0.306 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:46:59.882 AM // 11:47:00.188 AM /				
Assignment Scenario				
@GetByBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.301 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

### Check if user is able to delete arecord with valid assignment ID

<b>PASSED</b>	DURATION - 0.322 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:47:00.195 AM // 11:47:00.517 AM /				
Assignment Scenario				
@DeleteAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.316 s
3	Then User receives 200 ok with response body	PASSED	0.001 s



### Check if user is able to delete arecord with invalid assignment ID

<b>PASSED</b>	DURATION - 0.311 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:47:00.523 AM // 11:47:00.834 AM /				
Assignment Scenario				
@DeleteAssignmentByInvalidId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.306 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s



### Check if user able to add a record with valid endpoint and request body(non existing values)



<div>PASSED</div>	<div>DURATION - 0.557 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:47:00.839 AM // 11:47:01.396 AM /				
Assignment Scenario				
@createAssignment2				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.551 s
3	Then Validate response code 201	PASSED	0.002 s

### Check if user is able to delete arecord with valid assignment ID

<div>PASSED</div>	<div>DURATION - 0.310 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:47:01.402 AM // 11:47:01.712 AM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteAssignment</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.304 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

### Delete User

<b>PASSED</b>	DURATION - 0.324 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:47:01.716 AM // 11:47:02.040 AM /				
Assignment Scenario				
@DeleteUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for User	PASSED	0.316 s
3	Then Validate response code 200	PASSED	0.003 s

### Delete Batch

<b>PASSED</b>	DURATION - 0.313 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:47:02.049 AM // 11:47:02.362 AM /				
Assignment Scenario				
@DeleteBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.308 s
3	Then Validate response code 200	PASSED	0.002 s

### Delete Program

<div>PASSED</div>	<div>DURATION - 0.350 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:47:02.368 AM // 11:47:02.718 AM /				
Assignment Scenario				
@DeleteProgram				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for Program	PASSED	0.345 s
3	Then Validate response code 200	PASSED	0.002 s

### Check if user able to retrieve record with invalid Batch ID

<div>PASSED</div>	<div>DURATION - 0.303 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:47:02.722 AM // 11:47:03.025 AM /				
Assignment Scenario				
@GetRequestByInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.298 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

### Check if user able to retrieve record with invalid assignment ID

<div>PASSED</div>	<div>DURATION - 0.292 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:47:03.029 AM // 11:47:03.321 AM /</div>				
<div>Assignment Scenario</div>				
<div>@GetByInvalidAssignmentId</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.288 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

### Check if user able to retrieve record with valid Batch ID No Assignment

<b>PASSED</b>	DURATION - 0.297 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 11:47:03.326 AM // 11:47:03.623 AM /							
Assignment Scenario							
@GetByBatchIdwithNoAssignment							

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.294 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

### Check if user able to update a record with invalid AssignmentID and mandatory request body

<b>PASSED</b>	DURATION - 0.418 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:47:03.627 AM // 11:47:04.045 AM /				
Assignment Scenario				
@PutByInvalidAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.413 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s