

Cucumber Report

Jul 26, 2023, 12:27:35 PM

Start : Jul 26, 12:27:23.282 PM

End : Jul 26, 12:27:34.093 PM

Duration : 10.811 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 20
FAILED - 2
SKIPPED - 0


PASSED - 64
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	10.811 s	22	20	2	0	66	64	2	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	0	1	0	1	0	1	0
@PutRequestMandatoryMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0
@PutByInvalidAssignmentId	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Assignment Scenario	22	20	2	0	10.811 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Check if user able to retrieve a record with valid LMS API</u>	3	3	0	0	2.193 s
2	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	1.722 s
3	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.490 s
4	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.297 s
5	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.552 s
6	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.571 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	2	1	0	0.416 s
8	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.261 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	2	1	0	0.443 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	3	0	0	0.248 s
11	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.250 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.253 s
13	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.256 s
14	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.413 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.255 s
16	<u>Assignment Scenario</u>	<u>Delete User</u>	3	3	0	0	0.359 s
17	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	3	0	0	0.252 s
18	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	3	0	0	0.254 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	3	0	0	0.251 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.249 s
21	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.243 s
22	<u>Assignment Scenario</u>	<u>Check if user able to update a record with invalid AssignmentID and mandatory request body</u>	3	3	0	0	0.387 s

Assignment Scenario



FAILED	DURATION - 10.811 s	Scenarios Total - 22 Pass - 20 Fail - 2 Skip - 0		Steps Total - 66 Pass - 64 Fail - 2 Skip - 0	
/ 12:27:23.282 PM // 12:27:34.093 PM /					

Check if user able to retrieve a record with valid LMS API

<div>PASSED</div> <div>DURATION - 2.193 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:23.285 PM // 12:27:25.478 PM /</div>			
<div>Assignment Scenario</div>			
<div>@GetAllAssignments</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.693 s
2	When User sends HTTP request	PASSED	1.085 s
3	Then User receives 200 ok with response body	PASSED	0.284 s

Create a new Program

<div>PASSED</div> <div>DURATION - 1.722 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:25.548 PM // 12:27:27.270 PM /</div>			
<div>Assignment Scenario</div>			
<div>@CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.711 s
3	Then Validate response code 201	PASSED	0.003 s

Create a new Batch

PASSED	DURATION - 0.490 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:27.280 PM // 12:27:27.770 PM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.483 s
3	Then Validate response code 201	PASSED	0.001 s

Create a new User

PASSED	DURATION - 0.297 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:27.776 PM // 12:27:28.073 PM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.292 s
3	Then Validate response code 201	PASSED	0.001 s

Check if user is able to add a record missing mandatory field

<div><div>PASSED</div><div>DURATION - 0.552 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 12:27:28.080 PM // 12:27:28.632 PM /				
Assignment Scenario				
@createAssignmentwithmissingmandatoryfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.546 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div> <div>DURATION - 0.571 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:28.638 PM // 12:27:29.209 PM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignment1</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.565 s
3	Then Validate response code 201	PASSED	0.001 s



Check if user able to update a record with valid AssignmentID and mandatory request body

<div><div>FAILED</div><div>DURATION - 0.416 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:27:29.216 PM // 12:27:29.632 PM /				
Assignment Scenario				
@PutByAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.409 s
3	Then User receives 200 ok with updated value in response body io.cucumber.core.exception.CucumberException: Step [User receives 200 ok with updated value in response body] is defined with 1 parameters at 'api.StepDefinitions.AssignmentStepDef.User_receives_OK_with_updated_value_in_response_body(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: User receives 200 ok with updated value in response body at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

Check if user able to update a record with missing field

PASSED	DURATION - 0.261 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:29.645 PM // 12:27:29.906 PM /				
Assignment Scenario				
@PutRequestMandatoryMissingfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.254 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(existing value)

FAILED	DURATION - 0.443 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:27:29.913 PM // 12:27:30.356 PM /				
Assignment Scenario				
@CreateAssignmentwithExistingValues				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.426 s
3	Then User receives 400 bad request with message and boolean success details	FAILED	0.013 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:197) at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve record with valid assignment ID

PASSED	DURATION - 0.248 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:30.365 PM // 12:27:30.613 PM /				
Assignment Scenario				
@GetByAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.242 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

Check if user able to retrieve record with valid Batch ID

PASSED	DURATION - 0.250 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:30.617 PM // 12:27:30.867 PM /				
Assignment Scenario				
@GetByBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.244 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

Check if user is able to delete arecord with valid assignment ID

<div>PASSED</div>	<div>DURATION - 0.253 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:30.871 PM // 12:27:31.124 PM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteAssignment</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.249 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

Check if user is able to delete arecord with invalid assignment ID

<div>PASSED</div>	<div>DURATION - 0.256 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:31.129 PM // 12:27:31.385 PM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteAssignmentByInvalidId</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.252 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div>	<div>DURATION - 0.413 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:31.390 PM // 12:27:31.803 PM /</div>				
<div>Assignment Scenario</div>				
<div>@createAssignment2</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.409 s
3	Then Validate response code 201	PASSED	0.002 s

Check if user is able to delete arecord with valid assignment ID

<div>PASSED</div>	<div>DURATION - 0.255 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:31.808 PM // 12:27:32.063 PM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteAssignment</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.250 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Delete User

PASSED	DURATION - 0.359 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:32.069 PM // 12:27:32.428 PM /				
Assignment Scenario				
@DeleteUser				


#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for User	PASSED	0.352 s
3	Then Validate response code 200	PASSED	0.003 s

Delete Batch

PASSED	DURATION - 0.252 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:32.436 PM // 12:27:32.688 PM /				
Assignment Scenario				
@DeleteBatch				


#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.247 s
3	Then Validate response code 200	PASSED	0.002 s

Delete Program





#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Program	PASSED	0.250 s
3	Then Validate response code 200	PASSED	0.001 s

Check if user able to retrieve record with invalid Batch ID





#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.247 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to retrieve record with invalid assignment ID

<div>PASSED</div>	<div>DURATION - 0.249 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:27:33.205 PM // 12:27:33.454 PM /				
Assignment Scenario				
@GetByInvalidAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.246 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to retrieve record with valid Batch ID No Assignment

<div>PASSED</div>	<div>DURATION - 0.243 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:27:33.458 PM // 12:27:33.701 PM /				
Assignment Scenario				
@GetByBatchIdwithNoAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.238 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to update a record with invalid AssignmentID and mandatory request body


PASSED

DURATION - 0.387 s

/ 12:27:33.706 PM // 12:27:34.093 PM /

Assignment Scenario

@PutByInvalidAssignmentId




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.383 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s