


| Feature | | | Scer | nario | rio | | Step | | |
|--------------------|---------|----|------|-------|-----|----|------|---|----|
| Name Durat | | T | P | F | S | T | P | F | S |
| <u>User Module</u> | 1.117 s | 30 | 0 | 0 | 30 | 90 | 0 | 0 | 90 |

| Tag | | Scei | nario | | | | | |
|--|---|------|-------|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @GETRequest_AllUsers | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @GETRequest_Userby_Role | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @GETRequest_GetAllStaff | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @POSTRequest_UserWith_MissingMandatoryFields | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @POSTRequest_UserWith_AdminRole | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| @POSTRequest_UserWith_StaffRole | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @POSTRequest_UserWith_StudentRole | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @GETRequest_Userby_UserID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @PUTRequest_UpdateUserByMissingFields | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @PUTRequest_UpdateUserById | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @07PUTRequest_UpdateUserRoleStatusById_MissingFields | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @PUTRequest_UpdateUserRoleStatusById | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @POSTRequest_UserWith_ExistingPhoneNumber | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @DeleteRequest_DeleteAdminUser_ByID | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 1 |
| @GETRequest_Userby_InvalidUserID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @PUTRequest_UpdateUserByInvalidId | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| @PUTRequest_UpdateUserRoleStatusById_invalidid | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |


| Tag | | Scenario | | | | Feature | | | | |
|---|---|----------|---|---|---|---------|---|---|--|--|
| Name | T | P | F | S | T | P | F | S | | |
| @DeleteRequest_DeleteUser_ByInvalidID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @DeleteRequest_DeleteStaffUser_ByID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @DeleteRequest_DeleteStudentUser_ByID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @PostProgram | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @PostBatch | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @PUTRequest_UpdateUserRoleStatusByDiffRoleID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @PUTRequest_AssignUserToProgBatchByMissingfield | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @PUTRequest_AssignUserToProgBatchById | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @PUTRequest_AssignUserToProgBatchByInvalidID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @DeleteRequest_DeleteBatch_ByID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |
| @DeleteRequest_DeleteProgram_ByID | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | | |

FEATURES SUMMARY -- 5 --




| # | Feature Name | T | P | F | S | Duration |
|---|--------------------|----|---|---|----|----------|
| 1 | <u>User Module</u> | 30 | 0 | 0 | 30 | 1.117 s |

SCENARIOS SUMMARY -- 6 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------|--|---|---|---|---|----------|
| 1 | <u>User Module</u> | Check if user able to retrieve all user with valid LMS API | 3 | 0 | 0 | 3 | 0.236 s |
| 2 | <u>User Module</u> | Check if user able to retrieve all user with valid LMS API | 3 | 0 | 0 | 3 | 0.019 s |
| 3 | <u>User Module</u> | Check if user able to retrieve a user with valid LMS API | 3 | 0 | 0 | 3 | 0.020 s |
| 4 | <u>User Module</u> | Check if user able to create a User with valid endpoint and MissingMandatoryFields (non existing values) | 3 | 0 | 0 | 3 | 0.019 s |
| 5 | <u>User Module</u> | Check if user able to create a User with valid endpoint and request body (non existing values) | 3 | 0 | 0 | 3 | 0.016 s |

SCENARIOS SUMMARY -- 7 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------|--|---|---|---|---|----------|
| 6 | <u>User Module</u> | Check if user able to create a User with valid endpoint and request body (non existing values) | 3 | 0 | 0 | 3 | 0.019 s |
| 7 | <u>User Module</u> | Check if user able to create a User with valid endpoint and request body (non existing values) | 3 | 0 | 0 | 3 | 0.014 s |
| 8 | <u>User Module</u> | Check if user able to retrieve a user with valid User ID | 3 | 0 | 0 | 3 | 0.013 s |
| 9 | <u>User Module</u> | Check if user able to update a user with missingFields and valid User ID | 3 | 0 | 0 | 3 | 0.014 s |
| 10 | <u>User Module</u> | Check if user able to update a user with valid User ID and request body | 3 | 0 | 0 | 3 | 0.012 s |
| 11 | <u>User Module</u> | Check if user able to update a user with valid User Id and request body | 3 | 0 | 0 | 3 | 0.013 s |

SCENARIOS SUMMARY -- 8 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------|--|---|---|---|---|----------|
| 12 | <u>User Module</u> | Check if user able to update a user with valid User Id and request body | 3 | 0 | 0 | 3 | 0.014 s |
| 13 | <u>User Module</u> | Check if user able to create a User with valid endpoint and ExistingPhoneNumber(non existing values) | 3 | 0 | 0 | 3 | 0.013 s |
| 14 | <u>User Module</u> | Check if user able to delete a user with valid User Id | 3 | 0 | 0 | 3 | 0.013 s |
| 15 | <u>User Module</u> | Check if user is not able to retrieve user info with Invalid User ID | 3 | 0 | 0 | 3 | 0.009 s |
| 16 | <u>User Module</u> | Check if user able to update a user with Invalid User ID and request body | 3 | 0 | 0 | 3 | 0.011 s |
| 17 | <u>User Module</u> | Check if user able to update a user with valid User Id and request body | 3 | 0 | 0 | 3 | 0.012 s |

SCENARIOS SUMMARY -- 9 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------|---|---|---|---|---|----------|
| 18 | <u>User Module</u> | Check if user able to delete a user with Invalid User Id | 3 | 0 | 0 | 3 | 0.011 s |
| 19 | <u>User Module</u> | Check if user able to delete a user with valid User Id | 3 | 0 | 0 | 3 | 0.011 s |
| 20 | <u>User Module</u> | Check if user able to delete a user with valid User Id | 3 | 0 | 0 | 3 | 0.009 s |
| 21 | <u>User Module</u> | Check if user able to create a program with valid endpoint and request body (non existing values) | 3 | 0 | 0 | 3 | 0.010 s |
| 22 | <u>User Module</u> | Check if user able to create a Batch with valid endpoint and request body (non existing values) | 3 | 0 | 0 | 3 | 0.011 s |
| 23 | <u>User Module</u> | Check if user able to create a User with valid endpoint and request body (non existing values) | 3 | 0 | 0 | 3 | 0.014 s |

SCENARIOS SUMMARY -- 10 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------|--|---|---|---|---|----------|
| 24 | <u>User Module</u> | Check if user able to update a user with valid User Id and request body | 3 | 0 | 0 | 3 | 0.012 s |
| 25 | <u>User Module</u> | Check if user able to assign a user with program and batch with invalid UserId | 3 | 0 | 0 | 3 | 0.010 s |
| 26 | <u>User Module</u> | Check if user able to update a user with valid User Id and request body | 3 | 0 | 0 | 3 | 0.010 s |
| 27 | <u>User Module</u> | Check if user able to update a user with valid User Id and request body | 3 | 0 | 0 | 3 | 0.011 s |
| 28 | <u>User Module</u> | Check if user able to delete a user with valid User Id | 3 | 0 | 0 | 3 | 0.010 s |
| 29 | <u>User Module</u> | Check if user able to delete a user with valid Batch Id | 3 | 0 | 0 | 3 | 0.011 s |
| 30 | <u>User Module</u> | Check if user able to delete a user with valid Program Id | 3 | 0 | 0 | 3 | 0.011 s |

DETAILED SECTION -- 11 --

User Module


| SKIPPED | DURATION - 1.117 s | Scenarios | | Steps | |
|------------------|---------------------|------------|----|------------|----|
| | | Total - 30 | | Total - 90 | |
| / 2:56:18.316 AM | // 2:56:19.433 AM / | Pass - 0 | 30 | Pass - 0 | 90 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 30 | | Skip - 90 | |
| | | | | | |

Check if user able to retrieve all user with valid LMS API



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.013 s |
| | Step undefined | | |
| 2 | When User sends HTTPS Request GetAllUser | SKIPPED | 0.005 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for viewing all Users | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to retrieve all user with valid LMS API



-- 12 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.003 s |
| | Step undefined | | |
| 2 | When User sends HTTPS GET Request to view user by Roles | SKIPPED | 0.003 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for viewing an User by Role | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to retrieve a user with valid LMS API

| SKIPPED | DURATION - 0.020 s | 0.15 | | Steps | |
|---------------------|-----------------------|-------|-------|----------------------|---|
| / 2:56:18 740 AI | M // 2:56:18.760 AM / | 0.1 - | | Total - 3 | |
| , 2.00.2017 10 7 11 | | | | Pass - 0 Fail - 0 | 3 |
| User Module | | .05 - | | Skip - 3 | |
| @GETRequest_ | GetAllStaff | 0 - | | Jp | |
| | _ | | 1 2 3 | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | | 0.003 s |
| | Step undefined | | |
| 2 | When User sends HTTPS GET Request to view all Staff | SKIPPED | 0.003 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body to view all Staff | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to create a User with valid endpoint and MissingMandatoryFields (non existing values)



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.003 s |
| | Step undefined | | |
| 2 | When User sends HTTPS POST Request for new User with Missing Mandatory Fields | | 0.004 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for User with Missing Mandatory Fields | | 0.003 s |
| | Step undefined | | |


Check if user able to create a User with valid endpoint and request body (non existing values)



| # | Step / Hook Details | Status | Duration | |
|---|---|---------|----------|--|
| 1 | Given User creates Request for the LMS API endpoint | | 0.002 s | |
| | Step undefined | | | |
| 2 | When User sends HTTPS POST Request for new User for Admin role | SKIPPED | 0.002 s | |
| | Step undefined | | | |
| 3 | Then User receives status code 201 with response body for creating an User for Admin role | SKIPPED | 0.002 s | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | Step undefined | | |

Check if user able to create a User with valid endpoint and request body (non existing values)



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS POST Request for new User for Staff role | | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 201 with response body for creating an User for Staff role | SKIPPED | 0.003 s |
| | Step undefined | | |

Check if user able to create a User with valid endpoint and request body (non existing values)

| SKIPPED DURATION - 0.014 s | .15 Ste | teps |
|--------------------------------------|--|-----------|
| / 2:56:18.892 AM // 2:56:18.906 AM / | 4 | otal - 3 |
| User Module | os - | nil - 0 3 |
| @POSTRequest_UserWith_StudentRole | J. J | kip - 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates Request for the LMS API endpoint | | 0.002 s |
| | Step undefined | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When User sends HTTPS POST Request for new User for Student role | SKIPPED | 0.003 s |
| | Step undefined | | |
| 3 | Then User receives status code 201 with response body for creating an User for Student role | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to retrieve a user with valid User ID

| SKIPPED | DURATION - 0.013 s | 0.15 | | Steps | |
|------------------|-----------------------|------|-------|-----------|---|
| / 2.F6:10 022 A | M // 2:56:10 025 AM / | | | Total - 3 | |
| / 2.50.18.922 AI | M // 2:56:18.935 AM / | 0.1 | | Pass - 0 | |
| User Module | | .05 | | Fail - 0 | 3 |
| | | | | Skip - 3 | |
| @GETRequest_ | _Userby_UserID | 0 | | | |
| | | | 1 2 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS GET Request to view user by userID | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for viewing an User by ID | SKIPPED | 0.001 s |
| | Step undefined | | |


Check if user able to update a user with missingFields and valid User ID

| SKIPPED | DURATION - 0.014 s | 0.15 | | | | Steps | |
|-----------------|-----------------------------|------|----------|---|----------|-----------|---|
| / 2:56:18.948 A | AM // 2:56:18.962 AM / | 0.1 | | | | Total - 3 | |
| | | | | | | Pass - 0 | 3 |
| User Module | | .05 | | | | Skip - 3 | |
| @PUTReques | t_UpdateUserByMissingFields | 0 -1 | <u> </u> | 1 | <u> </u> | | |

DETAILED SECTION -- 16 --


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.003 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to update User by UserId with missingFields | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for updating User with missingFields | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to update a user with valid User ID and request body



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to update User by UserId | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for updating User by ID | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to update a user with valid User Id and request body




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to update User role status by User ID for missing fields | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for updating UserRoleStaus | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to update a user with valid User Id and request body

| SKIPPED DURATION - 0.014 s | 0.15 | Steps |
|---------------------------------------|-------|-----------|
| / 2:56:19.023 AM // 2:56:19.037 AM / | 0.1 | Total - 3 |
| 7 2.30.19.023 AW // 2.30.19.037 AW / | | Pass - 0 |
| User Module | .05 - | Fail - 0 |
| ©DUTDegreet UndetellegrDeleCtetreDuld | | Skip - 3 |
| @PUTRequest_UpdateUserRoleStatusById | 1 2 | 3 |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to update User role status by User ID | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for updating UserRoleStaus | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to create a User with valid endpoint and ExistingPhoneNumber(non existing values)



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS POST Request for new User with Existing PhoneNumber | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for User with ExistingPhoneNumber | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to delete a user with valid User Id



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | | 0.003 s |
| | Step undefined | | |
| 2 | When User sends HTTPS DELETE Request to delete a user | | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body to delete User by ID | SKIPPED | 0.002 s |

| # | Step / Hook Details | | Duration |
|---|---------------------|--|----------|
| | Step undefined | | |

Check if user is not able to retrieve user info with Invalid User ID

| SKIPPED | DURATION - 0.009 s | 0.15 | | 1 | | Steps | | |
|------------------|-----------------------|------|---|---|---|-----------|---|---|
| / 2:56:10 100 A | M // 2:56:19.109 AM / | 0.4 | | | | Total - 3 | | |
| 7 2.50.19.100 AI | W // 2.50.19.109 AW / | 0.1 | | | | Pass - 0 | | |
| User Module | | .05 | | | | Fail - 0 | 3 | |
| | | | | | | Skip - 3 | | / |
| @GETRequest_ | _Userby_InvalidUserID | 0 | | 1 | 1 | | | |
| | | | 1 | Z | 3 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS GET Request to view user by invalid userID | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 404 Bad Request with response body with Invalid UserID | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to update a user with Invalid User ID and request body


| SKIPPED | DURATION - 0.011 s | 0.15 | | Steps |
|------------------|------------------------|-------|-------|--------------------|
| / 2:56:19.119 Al | M // 2:56:19.130 AM / | 0.1 - | | Total - 3 Pass - 0 |
| User Module | | .05 | | Fail - 0 |
| @PLITRequest | _UpdateUserByInvalidId | 0 - | | Skip - 3 |
| @1 OTTCquest_ | _opuacoscrbymvanaia | | 1 2 3 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates Request for the LMS API endpoint | | 0.001 s |
| | Step undefined | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 2 | When User sends HTTPS PUT Request to update User by Invalid userId | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 404 with response body for updating User by InvalidID | SKIPPED | 0.002 s |
| | Step undefined | | |


-- 20 --

Check if user able to update a user with valid User Id and request body



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to update User role status by User ID for missing fields | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for updating UserRoleStaus | SKIPPED | 0.001 s |
| | Step undefined | | |


Check if user able to delete a user with Invalid User Id



DETAILED SECTION -- 21 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS DELETE Request to delete a user with Invalid User Id | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 404 with response body to delete User by Invalid User Id | SKIPPED | 0.001 s |
| | Step undefined | | |


Check if user able to delete a user with valid User Id



| # | Step / Hook Details | Status | Duration | |
|---|--|---------|----------|--|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.001 s | |
| | Step undefined | | | |
| 2 | When User sends HTTPS DELETE Request to delete a Staff user | SKIPPED | 0.001 s | |
| | Step undefined | | | |
| 3 | Then User receives status code 200 with response body to delete User by ID | SKIPPED | 0.002 s | |
| | Step undefined | | | |

Check if user able to delete a user with valid User Id

DETAILED SECTION -- 22 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.001 s |
| | Step undefined | | |
| 2 | When User sends HTTPS DELETE Request to delete a Student user | SKIPPED | 0.003 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body to delete User by ID | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to create a program with valid endpoint and request body (non existing values)

| SKIPPED | DURATION - 0.010 s | 0.15 | 7 | 1 | | Steps | |
|------------------|-------------------------|-------|---|------------|---|-----------|---|
| /2:56:10 227 AM | M // 2:56:19.237 AM / | 0.1 - | | , J | L | Total - 3 | |
| 7 2.50.19.227 AM | VI // 2.30.19.237 AWI / | 0.1 | | | | Pass - 0 | |
| User Module | | .05 | | | | Fail - 0 | 3 |
| | | | | | | Skip - 3 | |
| @PostProgram | | 0 - | | | 1 | | |
| | | | 1 | Z | 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS POST Request to create new Program | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 201 with response body for creating a Program | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to create a Batch with valid endpoint and request body (non existing values)

| SKIPPED DURATION - 0.011 s | 0.15 Steps | |
|--------------------------------------|-----------------|---|
| / 2:56:19.248 AM // 2:56:19.259 AM / | 0.1 - Total - 3 | |
| / 2.30.19.246 AW // 2.30.19.239 AW / | Pass - 0 | |
| User Module | .05 Fail - 0 | 3 |
| | Skip - 3 | |
| @PostBatch | 0 1 | |
| | 1 2 3 | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS POST Request to create new Batch | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 201 with response body for creating a Batch | SKIPPED | 0.001 s |
| | Step undefined | | |


Check if user able to create a User with valid endpoint and request body (non existing values)

| SKIPPED | DURATION - 0.014 s | 0.15 | 7 | - | 1 | Steps | |
|-----------------|-----------------------|------|---|---|---|-----------------------|---|
| / 2:56:19.269 A | M // 2:56:19.283 AM / | 0.1 | | | | Total - 3 Pass - 0 | |
| User Module | | .05 | | | | Fail - 0 | 3 |
| | | | | | | Skip - 3 | |
| @POSTReques | st_UserWith_AdminRole | 0 - | 1 | 2 | 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS POST Request for new User for Admin role | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 201 with response body for creating an User for Admin role | SKIPPED | 0.002 s |

| # | Step / Hook Details | | Duration |
|---|---------------------|--|----------|
| | Step undefined | | |

Check if user able to update a user with valid User Id and request body



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to update User role status by different Role ID | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for updating UserRoleStaus | SKIPPED | 0.001 s |
| | Step undefined | | |


Check if user able to assign a user with program and batch with invalid Userld

| SKIPPED | DURATION - 0.010 s | 0.15 | | | | Steps | |
|---|--------------------------------------|-------|----------|---|---|----------------------|---|
| / 2:56:19.319 Al | M // 2:56:19.329 AM / | 0.1 - | | | | Total - 3 | |
| , _,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | Pass - 0 Fail - 0 | 3 |
| User Module | | .05 | | | | Skip - 3 | |
| @PUTRequest_ | _AssignUserToProgBatchByMissingfield | 0 - | <u> </u> | | | | |
| | | | 1 | 2 | 3 | | |

| : | # | Step / Hook Details | Status | Duration |
|---|---|---|---------|----------|
| 1 | L | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | | Step undefined | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When User sends HTTPS PUT Request to assign User to given program and Batch for invalid UserId | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 400 with response body for assigning Program and Batch with invalid User | SKIPPED | 0.002 s |
| | Step undefined | | |

Check if user able to update a user with valid User Id and request body



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.001 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to assign User to given program and Batch | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for assigning Program and Batch to User | SKIPPED | 0.001 s |
| | Step undefined | | |


Check if user able to update a user with valid User Id and request body



DETAILED SECTION -- 26 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.002 s |
| | Step undefined | | |
| 2 | When User sends HTTPS PUT Request to assign User to given program and Batch by InvalidID | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body for assigning Program and Batch to User | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to delete a user with valid User Id



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.001 s |
| | Step undefined | | |
| 2 | When User sends HTTPS DELETE Request to delete a user | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body to delete User by ID | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to delete a user with valid Batch Id



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.001 s |
| | Step undefined | | |
| 2 | When User sends HTTPS DELETE Request to delete a Batch | SKIPPED | 0.001 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body to delete Batch by ID | SKIPPED | 0.001 s |
| | Step undefined | | |

Check if user able to delete a user with valid Program Id

| 0.15 Steps | |
|------------|--------------------|
| Total - 3 | |
| Pass - 0 | |
| | 3 |
| Skip - 3 | |
| 1 2 3 | |
| | Total - 3 Pass - 0 |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User creates Request for the LMS API endpoint | SKIPPED | 0.003 s |
| | Step undefined | | |
| 2 | When User sends HTTPS DELETE Request to delete a Program | SKIPPED | 0.002 s |
| | Step undefined | | |
| 3 | Then User receives status code 200 with response body to delete Program by ID | SKIPPED | 0.001 s |
| | Step undefined | | |