

Cucumber Report

Jul 26, 2023, 11:33:42 AM

Start : Jul 26, 11:33:30.915 AM

End : Jul 26, 11:33:42.605 AM

Duration : 11.690 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 20



FAILED - 2

SKIPPED - 0

PASSED - 64

FAILED - 2


SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	11.690 s	22	20	2	0	66	64	2	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	0	1	0	1	0	1	0
@PutRequestMandatoryMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0
@PutByInvalidAssignmentId	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	22	20	2	0	11.690 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Check if user able to retrieve a record with valid LMS API</u>	3	3	0	0	2.387 s
2	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	1.641 s
3	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.505 s
4	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.345 s
5	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.566 s
6	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.535 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	2	1	0	0.431 s
8	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.305 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	2	1	0	0.496 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	3	0	0	0.306 s
11	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.321 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.304 s
13	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.302 s
14	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.469 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.299 s
16	<u>Assignment Scenario</u>	<u>Delete User</u>	3	3	0	0	0.320 s
17	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	3	0	0	0.307 s
18	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	3	0	0	0.321 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	3	0	0	0.303 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.310 s
21	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.292 s
22	<u>Assignment Scenario</u>	<u>Check if user able to update a record with invalid AssignmentID and mandatory request body</u>	3	3	0	0	0.450 s

Assignment Scenario



FAILED	DURATION - 11.690 s	Scenarios Total - 22 Pass - 20 Fail - 2 Skip - 0		Steps Total - 66 Pass - 64 Fail - 2 Skip - 0	
/ 11:33:30.915 AM // 11:33:42.605 AM /					

Check if user able to retrieve a record with valid LMS API

<div>PASSED</div> <div>DURATION - 2.387 s</div>		Steps	
/ 11:33:30.918 AM // 11:33:33.305 AM /		Total - 3	
Assignment Scenario		Pass - 3	
@GetAllAssignments		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.650 s
2	When User sends HTTP request	PASSED	1.275 s
3	Then User receives 200 ok with response body	PASSED	0.329 s

Create a new Program

<div>PASSED</div> <div>DURATION - 1.641 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:33.365 AM // 11:33:35.006 AM /</div>			
<div>Assignment Scenario</div>			
<div>@CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.632 s
3	Then Validate response code 201	PASSED	0.004 s

Create a new Batch

PASSED	DURATION - 0.505 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:35.013 AM // 11:33:35.518 AM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.498 s
3	Then Validate response code 201	PASSED	0.002 s

Create a new User

PASSED	DURATION - 0.345 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:35.524 AM // 11:33:35.869 AM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.339 s
3	Then Validate response code 201	PASSED	0.002 s

Check if user is able to add a record missing mandatory field

<div><div>PASSED</div><div>DURATION - 0.566 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 11:33:35.875 AM // 11:33:36.441 AM /				
Assignment Scenario				
@createAssignmentwithmissingmandatoryfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.560 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div> <div>DURATION - 0.535 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:36.447 AM // 11:33:36.982 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignment1</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.528 s
3	Then Validate response code 201	PASSED	0.001 s



Check if user able to update a record with valid AssignmentID and mandatory request body

<div>FAILED</div> <div>DURATION - 0.431 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:36.989 AM // 11:33:37.420 AM /</div>				
<div>Assignment Scenario</div>				
<div>@PutByAssignmentId</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.424 s
3	Then User receives 200 ok with updated value in response body io.cucumber.core.exception.CucumberException: Step [User receives 200 ok with updated value in response body] is defined with 1 parameters at 'api.StepDefinitions.AssignmentStepDef.User_receives_OK_with_updated_value_in_response_body(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: User receives 200 ok with updated value in response body at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre>		

Check if user able to update a record with missing field

<div>PASSED</div>	<div>DURATION - 0.305 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:37.433 AM // 11:33:37.738 AM /</div>				
<div>Assignment Scenario</div>				
<div>@PutRequestMandatoryMissingfield</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.300 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.001 s

Check if user able to add a record with valid endpoint and request body(existing value)

<div>FAILED</div> <div>DURATION - 0.496 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:37.742 AM // 11:33:38.238 AM /</div>				
<div>Assignment Scenario</div>				
<div>@CreateAssignmentwithExistingValues</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.478 s
3	Then User receives 400 bad request with message and boolean success details	FAILED	0.014 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:197) at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve record with valid assignment ID

PASSED	DURATION - 0.306 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:38.247 AM // 11:33:38.553 AM /				
Assignment Scenario				
@GetByAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.301 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user able to retrieve record with valid Batch ID

PASSED	DURATION - 0.321 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:38.558 AM // 11:33:38.879 AM /				
Assignment Scenario				
@GetByBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.317 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user is able to delete arecord with valid assignment ID

PASSED	DURATION - 0.304 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:38.883 AM // 11:33:39.187 AM /				
Assignment Scenario				
@DeleteAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.299 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

Check if user is able to delete arecord with invalid assignment ID

PASSED	DURATION - 0.302 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:39.191 AM // 11:33:39.493 AM /				
Assignment Scenario				
@DeleteAssignmentByInvalidId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.298 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(non existing values)

PASSED	DURATION - 0.469 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:39.497 AM // 11:33:39.966 AM /				
Assignment Scenario				
@createAssignment2				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.464 s
3	Then Validate response code 201	PASSED	0.001 s

Check if user is able to delete arecord with valid assignment ID

PASSED	DURATION - 0.299 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:39.970 AM // 11:33:40.269 AM /				
Assignment Scenario				
@DeleteAssignment				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.295 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Delete User

<div>PASSED</div>	<div>DURATION - 0.320 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:40.273 AM // 11:33:40.593 AM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteUser</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for User	PASSED	0.313 s
3	Then Validate response code 200	PASSED	0.003 s

Delete Batch

<div>PASSED</div>	<div>DURATION - 0.307 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:40.599 AM // 11:33:40.906 AM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteBatch</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.302 s
3	Then Validate response code 200	PASSED	0.002 s

Delete Program

PASSED	DURATION - 0.321 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:40.910 AM // 11:33:41.231 AM /				
Assignment Scenario				
@DeleteProgram				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for Program	PASSED	0.316 s
3	Then Validate response code 200	PASSED	0.001 s

Check if user able to retrieve record with invalid Batch ID

PASSED	DURATION - 0.303 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:33:41.235 AM // 11:33:41.538 AM /				
Assignment Scenario				
@GetRequestByInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.298 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s

Check if user able to retrieve record with invalid assignment ID

<div>PASSED</div>	<div>DURATION - 0.310 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:41.543 AM // 11:33:41.853 AM /</div>				
<div>Assignment Scenario</div>				
<div>@GetByInvalidAssignmentId</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.304 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to retrieve record with valid Batch ID No Assignment

<div>PASSED</div>	<div>DURATION - 0.292 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:33:41.858 AM // 11:33:42.150 AM /</div>				
<div>Assignment Scenario</div>				
<div>@GetByBatchIdwithNoAssignment</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.289 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to update a record with invalid AssignmentID and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.450 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:33:42.155 AM // 11:33:42.605 AM /				
Assignment Scenario				
@PutByInvalidAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.447 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s