

# Cucumber Report

Jul 26, 2023, 9:04:55 AM

**Start : Jul 26, 9:04:39.925 AM**

**End : Jul 26, 9:04:55.537 AM**

**Duration : 15.612 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 14**



**FAILED - 7**

**SKIPPED - 0**

**PASSED - 56**

**FAILED - 7**


**SKIPPED - 0**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	15.612 s	21	14	7	0	63	56	7	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	1	0	0	1	0	1	0
@PutRequestMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	0	1	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	1	1	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	0	1	0	1	0	1	0
@DeleteBatch	1	0	1	0	1	0	1	0
@DeleteProgram	1	0	1	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@GetRequestByInvalidBatchId	1	0	1	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	21	14	7	0	15.612 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Check if user able to retrieve a record with valid LMS API</u>	3	3	0	0	4.365 s
2	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	2.081 s
3	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.922 s
4	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.711 s
5	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.833 s
6	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.588 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	3	0	0	0.329 s
8	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.359 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	2	1	0	0.553 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	2	1	0	0.331 s
11	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.350 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	2	1	0	0.382 s
13	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.359 s
14	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.534 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.332 s
16	<u>Assignment Scenario</u>	<u>Delete User</u>	3	2	1	0	0.467 s
17	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	2	1	0	0.356 s
18	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	2	1	0	0.346 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	2	1	0	0.345 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.372 s
21	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.336 s



## Assignment Scenario



<b>FAILED</b>	DURATION - 15.612 s	Scenarios Total - 21 Pass - 14 Fail - 7 Skip - 0		Steps Total - 63 Pass - 56 Fail - 7 Skip - 0	
/ 9:04:39.925 AM // 9:04:55.537 AM /					

### Check if user able to retrieve a record with valid LMS API

<div>PASSED</div> <div>DURATION - 4.365 s</div>	<div></div>	Steps	<div></div>
/ 9:04:39.928 AM // 9:04:44.293 AM /		Total - 3	
Assignment Scenario		Pass - 3	
@GetAllAssignments		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.645 s
2	When User sends HTTP request	PASSED	2.718 s
3	Then Validate response code 200 OK	PASSED	0.874 s

### Create a new Program

<div>PASSED</div>	<div>DURATION - 2.081 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:44.356 AM // 9:04:46.437 AM /</div>				
<div>Assignment Scenario</div>				
<div>@CreateProgram</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	2.072 s
3	Then Validate response code 201	PASSED	0.003 s

### Create a new Batch

PASSED	DURATION - 0.922 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:04:46.445 AM // 9:04:47.367 AM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.911 s
3	Then Validate response code 201	PASSED	0.003 s

### Create a new User

PASSED	DURATION - 0.711 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:04:47.375 AM // 9:04:48.086 AM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.701 s
3	Then Validate response code 201	PASSED	0.003 s

### Check if user is able to add a record missing mandatory field

<div>PASSED</div>	<div>DURATION - 0.833 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:48.097 AM // 9:04:48.930 AM /</div>				
<div>Assignment Scenario</div>				
<div>@createAssignmentwithmissingmandatoryfield</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.821 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.003 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div> <div>DURATION - 0.588 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:48.943 AM // 9:04:49.531 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignment1</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.575 s
3	Then Validate response code 201	PASSED	0.002 s

### Check if user able to update a record with valid AssignmentID and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.329 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:04:49.544 AM // 9:04:49.873 AM /				
Assignment Scenario				
@PutByAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.321 s
3	Then Validate response code 200	PASSED	0.002 s

### Check if user able to update a record with missing field

<div>PASSED</div>	<div>DURATION - 0.359 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:04:49.877 AM // 9:04:50.236 AM /				
Assignment Scenario				
@PutRequestMissingfield				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.348 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.006 s



### Check if user able to add a record with valid endpoint and request body(existing value)

<div>FAILED</div> <div>DURATION - 0.553 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:50.249 AM // 9:04:50.802 AM /</div>				
<div>Assignment Scenario</div>				
<div>@CreateAssignmentwithExistingValues</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.499 s
3	Then User receives 400 bad request with message and boolean success details <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;201&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) </pre>	FAILED	0.043 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:175) at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57) * Not displayable characters are replaced by '?'.		



### Check if user able to retrieve record with valid assignment ID

<div>FAILED</div> <div>DURATION - 0.331 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:04:50.818 AM // 9:04:51.149 AM /				
Assignment Scenario				
@GetByAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.319 s
3	Then Validate response code 200  java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)	FAILED	0.007 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158) at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:65) * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to retrieve record with valid Batch ID

<div>PASSED</div> <div>DURATION - 0.350 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:51.174 AM // 9:04:51.524 AM /</div>			
<div>Assignment Scenario</div>			
<div>@GetByBatchId</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.337 s
3	Then Validate response code 200	PASSED	0.007 s

### Check if user is able to delete arecord with valid assignment ID



<div>FAILED</div> <div>DURATION - 0.382 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:51.538 AM // 9:04:51.920 AM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteAssignment</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.367 s
3	Then Validate response code 200  <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;404&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158)</pre>	FAILED	0.005 s





#	Step / Hook Details	Status	Duration
	at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:76) * Not displayable characters are replaced by '?'.		

### Check if user is able to delete arecord with invalid assignment ID

<div>PASSED</div> <div>DURATION - 0.359 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:51.944 AM // 9:04:52.303 AM /</div>			
<div>Assignment Scenario</div>			
<div>@DeleteAssignmentByInvalidId</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.344 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.004 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div>	<div>DURATION - 0.534 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:52.325 AM // 9:04:52.859 AM /</div>				
<div>Assignment Scenario</div>				
<div>@createAssignment2</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.519 s
3	Then Validate response code 201	PASSED	0.003 s

### Check if user is able to delete arecord with valid assignment ID

<div>PASSED</div> <div>DURATION - 0.332 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:52.869 AM // 9:04:53.201 AM /</div>			
<div>Assignment Scenario</div>			
<div>@DeleteAssignment</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.320 s
3	Then Validate response code 200	PASSED	0.004 s



## Delete User

<div>FAILED</div> <div>DURATION - 0.467 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:53.219 AM // 9:04:53.686 AM /</div>				
<div>Assignment Scenario</div>				
<div>@DeleteUser</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS delete Request for User	PASSED	0.447 s
3	Then Validate response code 200  java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158) at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:102) * Not displayable characters are replaced by '?'. </pre>		



## Delete Batch

<div>FAILED</div> <div>DURATION - 0.356 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:04:53.709 AM // 9:04:54.065 AM /				
Assignment Scenario				
@DeleteBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.332 s
3	Then Validate response code 200	FAILED	0.016 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;500&gt;. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158) at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:109) * Not displayable characters are replaced by '?'. </pre>		

## Delete Program

<div>FAILED</div> <div>DURATION - 0.346 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:04:54.086 AM // 9:04:54.432 AM /				
Assignment Scenario				
@DeleteProgram				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Program	PASSED	0.336 s
3	Then Validate response code 200	FAILED	0.004 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;500&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at api.StepDefinitions.AssignmentStepDef.validate_response_code(AssignmentStepDef.java:158)     at ?.Validate response code 200(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:115) * Not displayable characters are replaced by '?'. </pre>		



**Check if user able to retrieve record with invalid Batch ID**

<div>FAILED</div> <div>DURATION - 0.345 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:04:54.456 AM // 9:04:54.801 AM /				
Assignment Scenario				
@GetRequestByInvalidBatchId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request with Batch ID	PASSED	0.329 s
3	Then User receives 404 not found with message and boolean success details  <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;404&gt; but was &lt;200&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at api.StepDefinitions.AssignmentStepDef.user_receives_not_found_with_message_and_boolean_success_details(AssignmentStepDef.java:258)</pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at ?.User receives 404 not found with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:121) * Not displayable characters are replaced by '?'.		

### Check if user able to retrieve record with invalid assignment ID

<div>PASSED</div> <div>DURATION - 0.372 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:04:54.825 AM // 9:04:55.197 AM /</div>			
<div>Assignment Scenario</div>			
<div>@GetByInvalidAssignmentId</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.361 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.002 s

### Check if user able to retrieve record with valid Batch ID No Assignment

<div>PASSED</div>	<div>DURATION - 0.336 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:04:55.201 AM // 9:04:55.537 AM /</div>				
<div>Assignment Scenario</div>				
<div>@GetByBatchIdwithNoAssignment</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.331 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s