Cucumber Report

| Start : Jul 26, 11:26:07.695 AM	End : Jul 26, 11:26:19.504 AM	Duration : 11.809 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 2 SKIPPED - 0	PASSED - 64 FAILED - 2 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Assignment Scenario	*11.809 s*	*22*	*20*	*2*	*0*	*66*	*64*	*2*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	0	1	0	1	0	1	0
@PutRequestMandatoryMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0
@PutByInvalidAssignmentId	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Assignment Scenario	22	20	2	0	11.809 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Assignment Scenario	Check if user able to retrieve a record with valid LMS API	3	3	0	0	2.448 s
2	Assignment Scenario	Create a new Program	3	3	0	0	1.637 s
3	Assignment Scenario	Create a new Batch	3	3	0	0	0.515 s
4	Assignment Scenario	Create a new User	3	3	0	0	0.372 s
5	Assignment Scenario	Check if user is able to add a record missing mandatory field	3	3	0	0	0.569 s
6	Assignment Scenario	Check if user able to add a record with valid endpoint and request body(non existing values)	3	3	0	0	0.559 s
7	Assignment Scenario	Check if user able to update a record with valid AssignmentID and mandatory request body	3	2	1	0	0.331 s
8	Assignment Scenario	Check if user able to update a record with missing field	3	3	0	0	0.350 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
9	Assignment Scenario	Check if user able to add a record with valid endpoint and request body(existing value)	3	2	1	0	0.546 s
10	Assignment Scenario	Check if user able to retrieve record with valid assignment ID	3	3	0	0	0.299 s
11	Assignment Scenario	Check if user able to retrieve record with valid Batch ID	3	3	0	0	0.301 s
12	Assignment Scenario	Check if user is able to delete arecord with valid assignment ID	3	3	0	0	0.328 s
13	Assignment Scenario	Check if user is able to delete arecord with invalid assignment ID	3	3	0	0	0.318 s
14	Assignment Scenario	Check if user able to add a record with valid endpoint and request body(non existing values)	3	3	0	0	0.466 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
15	Assignment Scenario	Check if user is able to delete arecord with valid assignment ID	3	3	0	0	0.319 s
16	Assignment Scenario	Delete User	3	3	0	0	0.323 s
17	Assignment Scenario	Delete Batch	3	3	0	0	0.323 s
18	Assignment Scenario	Delete Program	3	3	0	0	0.330 s
19	Assignment Scenario	Check if user able to retrieve record with invalid Batch ID	3	3	0	0	0.311 s
20	Assignment Scenario	Check if user able to retrieve record with invalid assignment ID	3	3	0	0	0.326 s
21	Assignment Scenario	Check if user able to retrieve record with valid Batch ID No Assignment	3	3	0	0	0.325 s
22	Assignment Scenario	Check if user able to update a record with valid AssignmentID and mandatory request body	3	3	0	0	0.321 s

Assignment Scenario

FAILED	DURATION - 11.809 s	Scenarios Total - 22 Pass - 20 Fail - 2 Skip - 0	22	Steps Total - 66 Pass - 64 Fail - 2 Skip - 0	66
/ 11:26:07.695 AM // 11:26:19.504 AM /					

Check if user able to retrieve a record with valid LMS API

PASSED	DURATION - 2.448 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:26:07.698 AM // 11:26:10.146 AM /				
Assignment Scenario				
@GetAllAssignments				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.654 s
2	When User sends HTTP request	PASSED	1.370 s
3	Then User receives 200 ok with response body	PASSED	0.306 s

Create a new Program

PASSED	DURATION - 1.637 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:26:10.219 AM // 11:26:11.856 AM /				
Assignment Scenario				
@CreateProgram				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.627 s
3	Then Validate response code 201	PASSED	0.004 s

Create a new Batch

PASSED	DURATION - 0.515 s
/ 11:26:11.863 AM // 11:26:12.378 AM /	
Assignment Scenario	
@CreateBatch	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.509 s
3	Then Validate response code 201	PASSED	0.001 s

Create a new User

PASSED	DURATION - 0.372 s
/ 11:26:12.384 AM // 11:26:12.756 AM /	
Assignment Scenario	
@createUser	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.362 s
3	Then Validate response code 201	PASSED	0.003 s

Check if user is able to add a record missing mandatory field

PASSED	DURATION - 0.569 s

/ 11:26:12.761 AM // 11:26:13.330 AM /

Assignment Scenario

@createAssignmentwithmissingmandatoryfield

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.562 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(non existing values)

PASSED	DURATION - 0.559 s

/ 11:26:13.335 AM // 11:26:13.894 AM /

Assignment Scenario

@createAssignment1

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.551 s
3	Then Validate response code 201	PASSED	0.002 s

Check if user able to update a record with valid AssignmentID and mandatory request body

FAILED	DURATION - 0.331 s
/ 11:26:13.900 AM // 11:26:14.231 AM /	
Assignment Scenario	
@PutByAssignmentId	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.324 s
3	Then User receives 200 ok with updated value in response body	FAILED	0.003 s

io.cucumber.core.exception.CucumberException: Step [User receives 200 ok with updated value in response body] is defined with 1 parameters at 'api.StepDefinitions.AssignmentStepDef.User_receives_OK_with_updated_value_in_response_body(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: User receives 200 ok with updated value in response body
  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135)
  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
  at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
  at io.cucumber.core.runner.TestCase.run(TestCase.java:51)
  at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)
  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)
  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)
  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)
  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)
  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)
  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
 at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

Check if user able to update a record with missing field

PASSED	DURATION - 0.350 s
/ 11:26:14.242 AM // 11:26:14.592 AM /	
Assignment Scenario	
@PutRequestMandatoryMissingfield	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.344 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

Check if user able to add a record with valid endpoint and request body(existing value)

FAILED	DURATION - 0.546 s
/ 11:26:14.597 AM // 11:26:15.143 AM /	
Assignment Scenario	
@CreateAssignmentwithExistingValues	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.530 s
3	Then User receives 400 bad request with message and boolean success details	FAILED	0.013 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>.
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	  at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	  at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	  at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)
	  at io.restassured.internal.ResponseSpecificationImpl.this2validateResponseIfRequired(ResponseSpecificationImpl.groovy)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)
	  at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)
	  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)
	  at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)
	  at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)
	  at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)
	  at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:197)
	  at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57)
	* Not displayable characters are replaced by '?'.		

Check if user able to retrieve record with valid assignment ID

PASSED	DURATION - 0.299 s
/ 11:26:15.150 AM // 11:26:15.449 AM /	
Assignment Scenario	
@GetByAssignmentId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.294 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

Check if user able to retrieve record with valid Batch ID

PASSED	DURATION - 0.301 s
/ 11:26:15.455 AM // 11:26:15.756 AM /	
Assignment Scenario	
@GetByBatchId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.296 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user is able to delete arecord with valid assignment ID

PASSED	*DURATION - 0.328 s*
/ 11:26:15.768 AM // 11:26:16.096 AM /	
Assignment Scenario	
@DeleteAssignment	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.323 s
3	Then User receives 200 ok with response body	PASSED	0.001 s

Check if user is able to delete arecord with invalid assignment ID

PASSED	*DURATION - 0.318 s*
/ 11:26:16.101 AM // 11:26:16.419 AM /	
Assignment Scenario	
@DeleteAssignmentByInvalidId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.313 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to add a record with valid endpoint and request body(non existing values)

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.463 s
3	Then Validate response code 201	PASSED	0.001 s

Check if user is able to delete arecord with valid assignment ID

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.314 s
3	Then User receives 200 ok with response body	PASSED	0.002 s

Delete User

PASSED	*DURATION - 0.323 s*
/ 11:26:17.218 AM // 11:26:17.541 AM /	
Assignment Scenario	
@DeleteUser	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for User	PASSED	0.317 s
3	Then Validate response code 200	PASSED	0.003 s

Delete Batch

PASSED	*DURATION - 0.323 s*
/ 11:26:17.548 AM // 11:26:17.871 AM /	
Assignment Scenario	
@DeleteBatch	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.318 s
3	Then Validate response code 200	PASSED	0.002 s

Delete Program

PASSED	*DURATION - 0.330 s*
/ 11:26:17.875 AM // 11:26:18.205 AM /	
Assignment Scenario	
@DeleteProgram	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS delete Request for Program	PASSED	0.325 s
3	Then Validate response code 200	PASSED	0.002 s

Check if user able to retrieve record with invalid Batch ID

PASSED	*DURATION - 0.311 s*
/ 11:26:18.209 AM // 11:26:18.520 AM /	
Assignment Scenario	
@GetRequestByInvalidBatchId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.307 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to retrieve record with invalid assignment ID

PASSED	DURATION - 0.326 s
/ 11:26:18.524 AM // 11:26:18.850 AM /	
Assignment Scenario	
@GetByInvalidAssignmentId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.321 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to retrieve record with valid Batch ID No Assignment

PASSED	DURATION - 0.325 s
/ 11:26:18.854 AM // 11:26:19.179 AM /	
Assignment Scenario	
@GetByBatchIdwithNoAssignment	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.321 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

Check if user able to update a record with valid AssignmentID and mandatory request body

PASSED	DURATION - 0.321 s
/ 11:26:19.183 AM // 11:26:19.504 AM /	
Assignment Scenario	
@PutByInvalidAssignmentId	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.317 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s