

Cucumber Report

Jul 26, 2023, 1:26:46 PM

Start : Jul 26, 1:26:19.606 PM

End : Jul 26, 1:26:45.241 PM

Duration : 25.635 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 21
FAILED - 9
SKIPPED - 0


PASSED - 80
FAILED - 9
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Module</u>	25.635 s	30	21	9	0	90	80	9	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GETRequest_AllUsers	1	1	0	0	1	0	1	0
@GETRequest_Userby_Role	1	1	0	0	1	0	1	0
@GETRequest_GetAllStaff	1	0	1	0	1	0	1	0
@POSTRequest_UserWith_MissingMandatoryFields	1	1	0	0	1	0	1	0
@POSTRequest_UserWith_AdminRole	2	2	0	0	1	0	1	0
@POSTRequest_UserWith_StaffRole	1	0	1	0	1	0	1	0
@POSTRequest_UserWith_StudentRole	1	1	0	0	1	0	1	0
@GETRequest_Userby_UserID	1	0	1	0	1	0	1	0
@PUTRequest_UpdateUserByMissingFields	1	1	0	0	1	0	1	0
@PUTRequest_UpdateUserById	1	0	1	0	1	0	1	0
@PUTRequest_UpdateUserRoleStatusById_MissingFields	1	1	0	0	1	0	1	0
@PUTRequest_UpdateUserRoleStatusById	1	0	1	0	1	0	1	0
@POSTRequest_UserWith_ExistingPhoneNumber	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteStudentUser_ByID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteStaffUser_ByID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteAdminUser_ByID	2	1	1	0	1	0	1	0
@GETRequest_Userby_InvalidUserID	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PUTRequest_UpdateUserByInvalidId	1	1	0	0	1	0	1	0
@PUTRequest_UpdateUserRoleStatusById_invalidid	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteUser_ByInvalidID	1	1	0	0	1	0	1	0
@PostProgram	1	1	0	0	1	0	1	0
@PostBatch	1	0	1	0	1	0	1	0
@PUTRequest_UpdateUserRoleStatusByDiffRoleId	1	1	0	0	1	0	1	0
@PUTRequest_AssignUserToProgBatchByMissingfield	1	1	0	0	1	0	1	0
@PUTRequest_AssignUserToProgBatchById	1	1	0	0	1	0	1	0
@PUTRequest_AssignUserToProgBatchByInvalidID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteBatch_ByID	1	0	1	0	1	0	1	0
@DeleteRequest_DeleteProgram_ByID	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	User Module	30	21	9	0	25.635 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Module</u>	<u>Check if user able to retrieve all user with valid LMS API</u>	3	3	0	0	4.574 s
2	<u>User Module</u>	<u>Check if user able to retrieve all user by role with valid LMS API</u>	3	3	0	0	2.701 s
3	<u>User Module</u>	<u>Check if user able to retrieve a all Staff with valid LMS API</u>	3	2	1	0	0.424 s
4	<u>User Module</u>	<u>Check if user able to create a User with valid endpoint and MissingMandatoryFields (non existing values)</u>	3	3	0	0	3.324 s
5	<u>User Module</u>	<u>Check if user able to create a Admin User with valid endpoint and request body (non existing values)</u>	3	3	0	0	1.667 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
6	<u>User Module</u>	<u>Check if user able to create a Staff User with valid endpoint and request body (non existing values)</u>	3	2	1	0	1.055 s
7	<u>User Module</u>	<u>Check if user able to create a Student User with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.990 s
8	<u>User Module</u>	<u>Check if user able to retrieve a user with valid User ID</u>	3	2	1	0	0.384 s
9	<u>User Module</u>	<u>Check if user able to update a user with missingFields and valid User ID</u>	3	3	0	0	0.751 s
10	<u>User Module</u>	<u>Check if user able to update a user with valid User ID and request body</u>	3	2	1	0	0.653 s
11	<u>User Module</u>	<u>Check if user able to update a user role status with valid User Id and request body</u>	3	3	0	0	0.363 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>User Module</u>	<u>Check if user able to update a user role status with valid User Id and request body</u>	3	2	1	0	0.421 s
13	<u>User Module</u>	<u>Check if user able to create a User with valid endpoint and ExistingPhoneNumber(non existing values)</u>	3	3	0	0	0.633 s
14	<u>User Module</u>	<u>Check if user able to delete a Student user with valid User Id</u>	3	3	0	0	0.306 s
15	<u>User Module</u>	<u>Check if user able to delete a Staff user with valid User Id</u>	3	3	0	0	0.323 s
16	<u>User Module</u>	<u>Check if user able to delete a Admin user with valid User Id</u>	3	3	0	0	0.292 s
17	<u>User Module</u>	<u>Check if user is not able to retrieve user info with Invalid User ID</u>	3	3	0	0	0.307 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>User Module</u>	<u>Check if user able to update a user with Invalid User ID and request body</u>	3	3	0	0	0.631 s
19	<u>User Module</u>	<u>Check if user able to update a user role status with valid User Id and request body</u>	3	3	0	0	0.408 s
20	<u>User Module</u>	<u>Check if user able to delete a user with Invalid User Id</u>	3	3	0	0	0.306 s
21	<u>User Module</u>	<u>Check if user able to create a program with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.517 s
22	<u>User Module</u>	<u>Check if user able to create a Batch with valid endpoint and request body (non existing values)</u>	3	1	1	1	0.480 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>User Module</u>	<u>Check if user able to create a Admin User with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.925 s
24	<u>User Module</u>	<u>Check if user able to update a user role status with diff role ID and with valid User Id and request body</u>	3	3	0	0	0.364 s
25	<u>User Module</u>	<u>Check if user able to assign a user with program and batch with invalid UserId</u>	3	3	0	0	0.400 s
26	<u>User Module</u>	<u>Check if user able to update a user with program and batch and valid User Id and request body</u>	3	3	0	0	0.381 s
27	<u>User Module</u>	<u>Check if user able to update a user with with program and batch invalid User Id and request body</u>	3	3	0	0	0.363 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>User Module</u>	<u>Check if user able to delete a admin user with valid User Id</u>	3	2	1	0	0.324 s
29	<u>User Module</u>	<u>Check if user able to delete a batch with valid Batch Id</u>	3	2	1	0	0.320 s
30	<u>User Module</u>	<u>Check if user able to delete a program with valid Program Id</u>	3	2	1	0	0.335 s

User Module



<div>FAILED</div> <div>DURATION - 25.635 s</div>		<div>Scenarios</div> <div>Total - 30</div> <div>Pass - 21</div> <div>Fail - 9</div> <div>Skip - 0</div>		<div><div></div></div>	<div>Steps</div> <div>Total - 90</div> <div>Pass - 80</div> <div>Fail - 9</div> <div>Skip - 1</div>		<div><div></div></div>
<div>/ 1:26:19.606 PM // 1:26:45.241 PM /</div>							

Check if user able to retrieve all user with valid LMS API

<div><div>PASSED</div><div>DURATION - 4.574 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:26:19.610 PM // 1:26:24.184 PM /				
User Module				
@GETRequest_AllUsers				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	1.353 s
2	When User sends HTTPS Request GetAllUser	PASSED	2.190 s
3	Then User receives status code 200 with response body for viewing all Users	PASSED	0.810 s

Check if user able to retrieve all user by role with valid LMS API

<div>PASSED</div> <div>DURATION - 2.701 s</div>		Steps	
/ 1:26:24.311 PM // 1:26:27.012 PM /		Total - 3	
User Module		Pass - 3	
@GETRequest_Userby_Role		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS GET Request to view user by Roles	PASSED	0.350 s
3	Then User receives status code 200 with response body for viewing an User by Role	PASSED	2.337 s



Check if user able to retrieve a all Staff with valid LMS API

<div>FAILED</div> <div>DURATION - 0.424 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:26:27.040 PM // 1:26:27.464 PM /				
User Module				
@GETRequest_GetAllStaff				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS GET Request to view all Staff	PASSED	0.373 s
3	Then User receives status code 200 with response body to view all Staff	FAILED	0.038 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_to_view_all_staff(UserSD.java:112) at ?.User receives status code 200 with response body to view all Staff(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/ resources/features/userModule.feature:23) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to create a User with valid endpoint and MissingMandatoryFields (non existing values)

PASSED	DURATION - 3.324 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:27.497 PM // 1:26:30.821 PM /				
User Module				
@POSTRequest_UserWith_MissingMandatoryFields				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS POST Request for new User with Missing Mandatory Fields	PASSED	3.309 s
3	Then User receives status code 400 with response body for User with Missing Mandatory Fields	PASSED	0.005 s

Check if user able to create a Admin User with valid endpoint and request body (non existing values)

PASSED	DURATION - 1.667 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:30.842 PM // 1:26:32.509 PM /				
User Module				
@POSTRequest_UserWith_AdminRole				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.005 s
2	When User sends HTTPS POST Request for new User for Admin role	PASSED	0.918 s
3	Then User receives status code 201 with response body for creating an User for Admin role	PASSED	0.737 s

Check if user able to create a Staff User with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 1.055 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:26:32.526 PM // 1:26:33.581 PM /				
User Module				
@POSTRequest_UserWith_StaffRole				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS POST Request for new User for Staff role	PASSED	0.831 s
3	Then User receives status code 201 with response body for creating an User for Staff role	FAILED	0.214 s
	java.lang.AssertionError: expected:<null> but was:<U10593> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_for_creating_an_User_for_Staff_role(UserSD.java:245) at ?.User receives status code 201 with response body for creating an User for Staff role(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:48) * Not displayable characters are replaced by '?'.		

Check if user able to create a Student User with valid endpoint and request body (non existing values)

<div>PASSED</div> <div>DURATION - 0.990 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:33.600 PM // 1:26:34.590 PM /</div>			
<div>User Module</div>			
<div>@POSTRequest_UserWith_StudentRole</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS POST Request for new User for Student role	PASSED	0.790 s
3	Then User receives status code 201 with response body for creating an User for Student role	PASSED	0.190 s

Check if user able to retrieve a user with valid User ID

<div>FAILED</div> <div>DURATION - 0.384 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:26:34.608 PM // 1:26:34.992 PM /				
User Module				
@GETRequest_Userby_UserID				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS GET Request to view user by userID	PASSED	0.323 s
3	Then User receives status code 200 with response body for viewing an User by ID org.junit.ComparisonFailure: expected:<[New user for Student role]> but was:<[[null]]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_for_viewing_an_user_by_id(UserSD.java:326) at ?.User receives status code 200 with response body for viewing an User by ID(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:66) * Not displayable characters are replaced by '?'.	FAILED	0.051 s

Check if user able to update a user with missingFields and valid User ID

<div>PASSED</div> <div>DURATION - 0.751 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:35.011 PM // 1:26:35.762 PM /</div>			
<div>User Module</div>			
<div>@PUTRequest_UpdateUserByMissingFields</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS PUT Request to update User by UserId with missingFields	PASSED	0.740 s
3	Then User receives status code 400 with response body for updating User with missingFields	PASSED	0.003 s

Check if user able to update a user with valid User ID and request body

<div>FAILED</div> <div>DURATION - 0.653 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:35.778 PM // 1:26:36.431 PM /</div>				
<div>User Module</div>				
<div>@PUTRequest_UpdateUserById</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS PUT Request to update User by UserId	PASSED	0.611 s
3	Then User receives status code 200 with response body for updating User by ID org.junit.ComparisonFailure: expected:<[New user for Student] role> but was:<[Update User Location for Admin] role> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_for_updating_user_by_id(UserSD.java:387) at ?.User receives status code 200 with response body for updating User by ID(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:82) * Not displayable characters are replaced by '?'.	FAILED	0.034 s

Check if user able to update a user role status with valid User Id and request body

<div>PASSED</div>	<div>DURATION - 0.363 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:36.448 PM // 1:26:36.811 PM /</div>				
<div>User Module</div>				
<div>@PUTRequest_UpdateUserRoleStatusById_MissingFields</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS PUT Request to update User role status by User ID for missing fields	PASSED	0.352 s
3	Then User receives status code 400 with response body for updating UserRoleStaus	PASSED	0.003 s

Check if user able to update a user role status with valid User Id and request body



<div>FAILED</div> <div>DURATION - 0.421 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:36.829 PM // 1:26:37.250 PM /</div>				
<div>User Module</div>				
<div>@PUTRequest_UpdateUserRoleStatusById</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS PUT Request to update User role status by User ID	PASSED	0.393 s
3	Then User receives status code 200 with response body for updating UserRoleStaus io.restassured.module.jsv.JsonSchemaValidationException: com.fasterxml.jackson.core.JsonParseException: input has trailing data after first JSON Text at [Source: (FileInputStream); line: 15, column: 3] at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:286) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_for_updating_user_role_staus(UserSD.java:430) at ?.User receives status code 200 with response body for updating UserRoleStaus(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:97)	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<p>Caused by: com.fasterxml.jackson.core.JsonParseException: input has trailing data after first JSON Text at [Source: (FileInputStream); line: 15, column: 3]</p> <p>at com.github.fge.jackson.JsonNodeReader\$JsonParseExceptionBuilder.build(JsonNodeReader.java:198) at com.github.fge.jackson.JsonNodeReader.readNode(JsonNodeReader.java:161) at com.github.fge.jackson.JsonNodeReader.fromInputStream(JsonNodeReader.java:101) at com.github.fge.jackson.JsonLoader.fromFile(JsonLoader.java:166) at io.restassured.module.jsv.JsonSchemaValidator\$3.createSchemaInstance(JsonSchemaValidator.java:155) at io.restassured.module.jsv.JsonSchemaValidator\$3.createSchemaInstance(JsonSchemaValidator.java:152) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:284) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_for_updating_user_role_staus(UserSD.java:430) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

Check if user able to create a User with valid endpoint and ExistingPhoneNumber(non existing values)

PASSED	DURATION - 0.633 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:37.289 PM // 1:26:37.922 PM /				
<i>User Module</i>				
@POSTRequest_UserWith_ExistingPhoneNumber				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS POST Request for new User with Existing PhoneNumber	PASSED	0.614 s
3	Then User receives status code 400 with response body for User with ExistingPhoneNumber	PASSED	0.007 s



Check if user able to delete a Student user with valid User Id

PASSED	DURATION - 0.306 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:37.941 PM // 1:26:38.247 PM /				
<i>User Module</i>				
@DeleteRequest_DeleteStudentUser_ByID				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When User sends HTTPS DELETE Request to delete a Student user	PASSED	0.292 s
3	Then User receives status code 200 with response body to delete User by ID	PASSED	0.004 s

Check if user able to delete a Staff user with valid User Id

PASSED	DURATION - 0.323 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:26:38.265 PM // 1:26:38.588 PM /				
User Module				
@DeleteRequest_DeleteStaffUser_ByID				


#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS DELETE Request to delete a Staff user	PASSED	0.307 s
3	Then User receives status code 200 with response body to delete User by ID	PASSED	0.004 s

Check if user able to delete a Admin user with valid User Id

PASSED	DURATION - 0.292 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:38.607 PM // 1:26:38.899 PM /				
User Module				
@DeleteRequest_DeleteAdminUser_ByID				


#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS DELETE Request to delete a user	PASSED	0.276 s
3	Then User receives status code 200 with response body to delete User by ID	PASSED	0.006 s

Check if user is not able to retrieve user info with Invalid User ID



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS GET Request to view user by invalid userID	PASSED	0.288 s
3	Then User receives status code 404 Bad Request with response body with Invalid UserID	PASSED	0.009 s

Check if user able to update a user with Invalid User ID and request body



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS PUT Request to update User by Invalid userId	PASSED	0.618 s
3	Then User receives status code 404 with response body for updating User by InvalidID	PASSED	0.002 s

Check if user able to update a user role status with valid User Id and request body

PASSED	DURATION - 0.408 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:39.896 PM // 1:26:40.304 PM /				
User Module				
@PUTRequest_UpdateUserRoleStatusById_invalidid				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS PUT Request to update User role status by User ID for missing fields	PASSED	0.396 s
3	Then User receives status code 400 with response body for updating UserRoleStaus	PASSED	0.004 s

Check if user able to delete a user with Invalid User Id

PASSED	DURATION - 0.306 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:40.325 PM // 1:26:40.631 PM /				
User Module				
@DeleteRequest_DeleteUser_ByInvalidID				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS DELETE Request to delete a user with Invalid User Id	PASSED	0.292 s
3	Then User receives status code 404 with response body to delete User by Invalid User Id	PASSED	0.006 s

Check if user able to create a program with valid endpoint and request body (non existing values)

<div>PASSED</div>	<div>DURATION - 0.517 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:40.657 PM // 1:26:41.174 PM /</div>				
<div>User Module</div>				
<div>@PostProgram</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS POST Request to create new Program	PASSED	0.453 s
3	Then User receives status code 201 with response body for creating a Program	PASSED	0.053 s

Check if user able to create a Batch with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 0.480 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:26:41.189 PM // 1:26:41.669 PM /</div>				
<div>User Module</div>				
<div>@PostBatch</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS POST Request to create new Batch <pre>java.lang.NullPointerException: Cannot invoke "Object.toString()" because the return value of "io.restassured.response.Response.path(String, String[])" is null at api.Stepdefinition.UserSD.user_sends_https_post_request_to_create_new_batch(UserSD.java:755) at ?.User sends HTTPS POST Request to create new Batch(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:173) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.466 s
3	Then User receives status code 201 with response body for creating a Batch	SKIPPED	0.005 s

Check if user able to create a Admin User with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.925 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:41.687 PM // 1:26:42.612 PM /				
<i>User Module</i>				
@POSTRequest_UserWith_AdminRole				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS POST Request for new User for Admin role	PASSED	0.687 s
3	Then User receives status code 201 with response body for creating an User for Admin role	PASSED	0.227 s

Check if user able to update a user role status with diff role ID and with valid User Id and request body

PASSED	DURATION - 0.364 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:26:42.627 PM // 1:26:42.991 PM /				
<i>User Module</i>				
@PUTRequest_UpdateUserRoleStatusByDiffRoleID				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS PUT Request to update User role status by different Role ID	PASSED	0.349 s
3	Then User receives status code 400 with response body for updating UserRoleStaus	PASSED	0.005 s

Check if user able to assign a user with program and batch with invalid UserId

<div>PASSED</div>	<div>DURATION - 0.400 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:26:43.017 PM // 1:26:43.417 PM /</div>				
<div>User Module</div>				
<div>@PUTRequest_AssignUserToProgBatchByMissingfield</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS PUT Request to assign User to given program and Batch for invalid UserId	PASSED	0.384 s
3	Then User receives status code 400 with response body for assigning Program and Batch with invalid User	PASSED	0.004 s

Check if user able to update a user with program and batch and valid User Id and request body

<div>PASSED</div>	<div>DURATION - 0.381 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:43.436 PM // 1:26:43.817 PM /</div>				
<div>User Module</div>				
<div>@PUTRequest_AssignUserToProgBatchById</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS PUT Request to assign User to given program and Batch	PASSED	0.367 s
3	Then User receives status code 200 with response body for assigning Program and Batch to User	PASSED	0.004 s

Check if user able to update a user with with program and batch invalid User Id and request body

<div>PASSED</div>	<div>DURATION - 0.363 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:43.838 PM // 1:26:44.201 PM /</div>				
<div>User Module</div>				
<div>@PUTRequest_AssignUserToProgBatchByInvalidID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS PUT Request to assign User to given program and Batch by InvalidID	PASSED	0.350 s
3	Then User receives status code 200 with response body for assigning Program and Batch to User	PASSED	0.003 s



Check if user able to delete a admin user with valid User Id

FAILED	DURATION - 0.324 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:26:44.218 PM // 1:26:44.542 PM /				
User Module				
@DeleteRequest_DeleteAdminUser_ByID				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS DELETE Request to delete a user	PASSED	0.308 s
3	Then User receives status code 200 with response body to delete User by ID <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_to_delete_user_by_id(UserSD.java:511) at ?.User receives status code 200 with response body to delete User by ID(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:217) * Not displayable characters are replaced by '?'. </pre>		



Check if user able to delete a batch with valid Batch Id

<div>FAILED</div> <div>DURATION - 0.320 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:26:44.564 PM // 1:26:44.884 PM /				
User Module				
@DeleteRequest_DeleteBatch_ByID				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.006 s
2	When User sends HTTPS DELETE Request to delete a Batch	PASSED	0.301 s
3	Then User receives status code 200 with response body to delete Batch by ID <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_to_delete_batch_by_id(UserSD.java:538) at ?.User receives status code 200 with response body to delete Batch by ID(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:224) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to delete a program with valid Program Id

<div>FAILED</div> <div>DURATION - 0.335 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:26:44.906 PM // 1:26:45.241 PM /</div>				
<div>User Module</div>				
<div>@DeleteRequest_DeleteProgram_ByID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS DELETE Request to delete a Program	PASSED	0.321 s
3	Then User receives status code 200 with response body to delete Program by ID	FAILED	0.005 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Stepdefinition.UserSD.user_receives_status_code_with_response_body_to_delete_program_by_id(UserSD.java:564) at ?.User receives status code 200 with response body to delete Program by ID(file:///D:/Team09_APIValidators_RestAssured-phase2/src/test/resources/features/userModule.feature:231) * Not displayable characters are replaced by '?'. </pre>		