Cucumber Report

| Start : Nov 21, 3:35:57.267 AM	End : Nov 21, 3:36:15.013 AM	Duration : 17.746 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 11 SKIPPED - 0	PASSED - 67 FAILED - 11 SKIPPED - 0

Features: 1

Scenarios: 26

Steps: 78

Features Pass %: 0 %

Scenarios Pass %: 57 %

Steps Pass %: 85 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User as a Dietician and Patient End to End Flow Feature	*17.746 s*	26	15	11	0	78	67	11	0

Tag	Scenario				Feature			
Name	*T*	*P*	*F*	*S*	*T*	*P*	*F*	*S*
@PostRequest_CreateTokenForValidDietician	2	2	0	0	1	0	1	0
@PostRequest_CreateNewPatient	1	0	1	0	1	0	1	0
@GetRequest_GetAllPatient	2	1	1	0	1	0	1	0
@GetRequest_GETAllMorbidity	2	1	1	0	1	0	1	0
@GetRequest_GETMorbidity_ByTestName	2	1	1	0	1	0	1	0
@GetRequest_GETPatient_MorbidityDetails_ByPatientID	2	1	1	0	1	0	1	0
@GetRequest_GETPatient_Details_ByFileID	2	1	1	0	1	0	1	0
@PutRequest_UpdatePatient	2	1	1	0	1	0	1	0
@DeleteRequest_DeletePatientBypatienID	2	2	0	0	1	0	1	0
@PostRequest_CreateNewPatient2	1	0	1	0	1	0	1	0
@GetRequest_GETLogoutDietician	1	1	0	0	1	0	1	0
@PostRequest_CreateTokenForValidPatient	1	0	1	0	1	0	1	0
@GetRequest_GETPatient_MorbidityDetails_ByPatientID_PatientRole	1	1	0	0	1	0	1	0
@GetRequest_GETPatient_Details_ByFileID_PatientRole	1	1	0	0	1	0	1	0
@GetRequest_GetAllPatient_PatientRole	1	1	0	0	1	0	1	0
@GetRequest_GETAllMorbidity_PatientRole	1	0	1	0	1	0	1	0
@GetRequest_GETMorbidity_ByTestName_PatientRole	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@GetRequest_GETLogoutPatient	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	User as a Dietician and Patient End to End Flow Feature	26	15	11	0	17.746 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	User as a Dietician and Patient End to End Flow Feature	A token is generated for Dietician with valid credentials	3	3	0	0	5.709 s
2	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	2	1	0	1.060 s
3	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	3	0	0	0.335 s
4	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to view all patient morbidity details	3	3	0	0	0.346 s
5	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to view all patient morbidity by testname	3	3	0	0	0.363 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
6	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to view all patient test reports by patientID	3	3	0	0	0.431 s
7	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to view all patient test reports by patientID	3	3	0	0	0.568 s
8	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	3	0	0	0.639 s
9	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	3	0	0	0.377 s
10	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	2	1	0	0.795 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
11	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to Logout	3	3	0	0	0.298 s
12	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view patients	3	2	1	0	0.353 s
13	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to update new patients	3	2	1	0	0.657 s
14	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details	3	2	1	0	0.302 s
15	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname	3	2	1	0	0.371 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
16	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID	3	2	1	0	0.330 s
17	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID	3	2	1	0	0.540 s
18	User as a Dietician and Patient End to End Flow Feature	A token is generated for Dietician with valid credentials	3	2	1	0	0.522 s
19	User as a Dietician and Patient End to End Flow Feature	User with Patient role and valid credentials is able to view all patient test reports by patientID	3	3	0	0	0.283 s
20	User as a Dietician and Patient End to End Flow Feature	User with Patient role and valid credentials is able to view patient test reports by patientID	3	3	0	0	0.584 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
21	User as a Dietician and Patient End to End Flow Feature	User with Patient role and valid credentials should not be able to view all patients records	3	3	0	0	0.331 s
22	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details	3	2	1	0	0.306 s
23	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname	3	2	1	0	0.389 s
24	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to Logout	3	3	0	0	0.333 s
25	User as a Dietician and Patient End to End Flow Feature	A token is generated for Dietician with valid credentials	3	3	0	0	0.492 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
26	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	3	0	0	0.370 s

User as a Dietician and Patient End to End Flow Feature

FAILED	DURATION - 17.746 s	Scenarios Total - 26 Pass - 15 Fail - 11 Skip - 0	26	Steps Total - 78 Pass - 67 Fail - 11 Skip - 0	78
/ 3:35:57.267 AM // 3:36:15.013 AM /					

A token is generated for Dietician with valid credentials

PASSED	DURATION - 5.709 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 3:35:57.271 AM // 3:36:02.980 AM /				
User as a Dietician and Patient End to End Flow Feature				
@PostRequest_CreateTokenForValidDietician				

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	1.037 s
2	When User sends HTTPS Post Request and request Body to generate access token for valid Dietician	PASSED	4.032 s
3	Then User receives 200 success status with response body and token is generated	PASSED	0.469 s

User with Dietician role and valid credentials is able to create new patients

FAILED	DURATION - 1.060 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	3
/ 3:36:03.093 AM // 3:36:04.153 AM /				
User as a Dietician and Patient End to End Flow Feature				
@PostRequest_CreateNewPatient				

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.003 s
2	When User sends HTTPS Post Request and request Body to create a new Patient	PASSED	1.036 s
3	Then User receives 201 created status with response body and patient is created	FAILED	0.013 s

io.restassured.module.jsv.JsonSchemaValidationException: java.io.FileNotFoundException:
.\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
  at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:286)
  at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
  at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
  at ?.User receives 201 created status with response body and patient is created(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:16)
Caused by: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file
specified)
  at java.base/java.io.FileInputStream.open0(Native Method)
  at java.base/java.io.FileInputStream.open(FileInputStream.java:219)
  at java.base/java.io.FileInputStream.<init>(FileInputStream.java:158)
  at com.github.fge.jackson.JsonLoader.fromFile(JsonLoader.java:165)
  at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:155)
  at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:152)
  at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:284)
  at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
  at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
  at java.base/java.lang.reflect.Method.invoke(Method.java:578)
  at io.cucumber.java.Invoker.invoke(Invoker.java:27)
  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
  at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
  at io.cucumber.core.runner.TestCase.run(TestCase.java:51)
  at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)
  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)
  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)
  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)
  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
 at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials is able to create new patients

| PASSED	DURATION - 0.335 s
/ 3:36:04.191 AM // 3:36:04.526 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GetAllPatient	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient	PASSED	0.323 s
3	Then User receives 200 success status with response body	PASSED	0.004 s

User with Dietician role and valid credentials is able to view all patient morbidity details

PASSED	DURATION - 0.346 s		Steps
/ 3:36:04.553 AM // 3:36:04.899 AM /			Total - 3
			Pass - 3
User as a Dietician and Patient End to End Flow Feature			Fail - 0
			Skip - 0
@GetRequest_GETAllMorbidity			

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.004 s
2	When User sends HTTPS Get Request to view all patient morbidity details	PASSED	0.331 s
3	Then User receives 200 success status with response body	PASSED	0.004 s

User with Dietician role and valid credentials is able to view all patient morbidity by testname

PASSED	DURATION - 0.363 s		Steps
/ 3:36:04.919 AM // 3:36:05.282 AM /			Total - 3
			Pass - 3
User as a Dietician and Patient End to End Flow Feature			Fail - 0
			Skip - 0
@GetRequest_GETMorbidity_ByTestName			

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient morbidity by testname	PASSED	0.352 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Dietician role and valid credentials is able to view all patient test reports by patientID

PASSED	DURATION - 0.431 s

/ 3:36:05.305 AM // 3:36:05.736 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_MorbidityDetails_ByPatientID

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by patientID	PASSED	0.419 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Dietician role and valid credentials is able to view all patient test reports by patientID

PASSED	DURATION - 0.568 s

/ 3:36:05.759 AM // 3:36:06.327 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_Details_ByFileID

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.004 s
2	When User sends HTTPS Get Request to view patient test reports by FileID	PASSED	0.548 s
3	Then User receives 200 success status with response body	PASSED	0.012 s

## User with Dietician role and valid credentials is able to create new patients

PASSED	*DURATION - 0.639 s*

/ 3:36:06.350 AM // 3:36:06.989 AM /

User as a Dietician and Patient End to End Flow Feature

@PutRequest_UpdatePatient

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Put Request and request Body to update patient details	PASSED	0.628 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

User with Dietician role and valid credentials is able to create new patients

PASSED	*DURATION - 0.377 s*

/ 3:36:07.007 AM // 3:36:07.384 AM /

User as a Dietician and Patient End to End Flow Feature

@DeleteRequest_DeletePatientBypatienID

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.003 s
2	When User sends HTTPS delete Request to patient by Id	PASSED	0.367 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Dietician role and valid credentials is able to create new patients

FAILED	DURATION - 0.795 s

/ 3:36:07.403 AM // 3:36:08.198 AM /

User as a Dietician and Patient End to End Flow Feature

@PostRequest_CreateNewPatient2

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Post Request and request Body to create a new Patient	PASSED	0.785 s
3	Then User receives 201 created status with response body and patient is created	FAILED	0.004 s

	io.restassured.module.jsv.JsonSchemaValidationException: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
	   at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:286)
	   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
	   at ?.User receives 201 created status with response body and patient is created(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:73)
	Caused by: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
	   at java.base/java.io.FileInputStream.open0(Native Method)
	   at java.base/java.io.FileInputStream.open(FileInputStream.java:219)
	   at java.base/java.io.FileInputStream.<init>(FileInputStream.java:158)
	   at com.github.fge.jackson.JsonLoader.fromFile(JsonLoader.java:165)
	   at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:155)
	   at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:152)
	   at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:284)
	   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:27)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials is able to Logout

PASSED	DURATION - 0.298 s

/ 3:36:08.228 AM // 3:36:08.526 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETLogoutDietician

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to logout as Dietician	PASSED	0.290 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Dietician role and valid credentials after logout should not be able to view patients

FAILED	DURATION - 0.353 s

/ 3:36:08.547 AM // 3:36:08.900 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GetAllPatient

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient	PASSED	0.325 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.020 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		

| #	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157) at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/ eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow. feature:87) * Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to update new patients

FAILED	DURATION - 0.657 s
/ 3:36:08.922 AM // 3:36:09.579 AM /	
User as a Dietician and Patient End to End Flow Feature	
@PutRequest_UpdatePatient	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Put Request and request Body to update patient details	PASSED	0.649 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.001 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
	 user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)		

#	Step / Hook Details	Status	Duration
	at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:94) * Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details

FAILED	DURATION - 0.302 s
/ 3:36:09.600 AM // 3:36:09.902 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETAllMorbidity	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.003 s
2	When User sends HTTPS Get Request to view all patient morbidity details	PASSED	0.293 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.003 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
	    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
	    at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:101)
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname

FAILED	DURATION - 0.371 s

/ 3:36:09.928 AM // 3:36:10.299 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETMorbidity_ByTestName

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient morbidity by testname	PASSED	0.361 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.003 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
	user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
	   at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
	eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
	feature:108)
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID

FAILED	DURATION - 0.330 s

/ 3:36:10.322 AM // 3:36:10.652 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_MorbidityDetails_ByPatientID

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view patient test reports by patientID	PASSED	0.321 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.003 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
	user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
	   at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
	eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
	feature:115)
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID

FAILED	DURATION - 0.540 s

/ 3:36:10.672 AM // 3:36:11.212 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_Details_ByFileID

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by FileID	PASSED	0.531 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.004 s

java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
   at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:122)
* Not displayable characters are replaced by '?'.

A token is generated for Dietician with valid credentials

FAILED	*DURATION - 0.522 s*

/ 3:36:11.233 AM // 3:36:11.755 AM /

User as a Dietician and Patient End to End Flow Feature

@PostRequest_CreateTokenForValidPatient

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Post Request and request Body to generate access token for valid Patient	PASSED	0.484 s
3	Then User receives 200 success status with response body and token is generated	FAILED	0.033 s

	org.junit.ComparisonFailure: expected:<...UzUxMiJ9.eyJzdWIiOiJ[wcmljaGFzZW9mY0BnbWFpbC5jb20iLCJpYXQiOjE3MDA1NTkzNjIsImV4cC I6MTcwMDU4ODE2Mn0.OpYlD5gjtsdCNxh5NnjtnD_AtgySPb2K9ivEA98XbrMx-HD6l0XKUopjWUAwhMRJKaP9q6DQZvAGHnK9iF6cpA]> but was:<...UzUxMiJ9.eyJzdWIiOiJ[Ccm9va2VAZ21haWwuY29tIiwiaWF0IjoxNzAwNTU5MzcyLCJleHAiOjE3MDA1ODgxNzJ9.x2DKlC-cp8xfbJkQc62AAPojAV1p9SKytJdkARonGWbHkmUmwWs1fY7UgXsEa-NqbtX794ECu-_uiV_eRbVzjw]>
	   at org.junit.Assert.assertEquals(Assert.java:117)
	   at org.junit.Assert.assertEquals(Assert.java:146)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_success_status_with_response_body_and_token_is_generated(UserAsDieticianAndPatientRole_E2E_SD.java:46)
	   at ?.User receives 200 success status with response body and token is generated(file:///C:/Users/tusha/eclipse-workspace/ eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow. feature:129)
	* Not displayable characters are replaced by '?'.		

User with Patient role and valid credentials is able to view all patient test reports by patientID

PASSED	*DURATION - 0.283 s*

/ 3:36:11.780 AM // 3:36:12.063 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_MorbidityDetails_ByPatientI-D_PatientRole

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view patient test reports by patientID as Patient role	PASSED	0.276 s
3	Then User receives 200 success status with response body	PASSED	0.001 s

User with Patient role and valid credentials is able to view patient test reports by patientID

| PASSED	DURATION - 0.584 s
/ 3:36:12.084 AM // 3:36:12.668 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETPatient_Details_ByFileID_PatientRole	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by FileID as Patient role	PASSED	0.574 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Patient role and valid credentials should not be able to view all patients records

| PASSED	DURATION - 0.331 s
/ 3:36:12.688 AM // 3:36:13.019 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GetAllPatient_PatientRole	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient as Patient role	PASSED	0.326 s
3	Then User receives 403 Unauthorized status with response body	PASSED	0.001 s

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details

FAILED	DURATION - 0.306 s
/ 3:36:13.039 AM // 3:36:13.345 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETAllMorbidity_PatientRole	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.003 s
2	When User sends HTTPS Get Request to view all patient morbidity details as a Patient role	PASSED	0.297 s
3	Then User receives 403 Unauthorized status with response body	FAILED	0.003 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
	   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
	   at ?.User receives 403 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:157)
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname

FAILED	DURATION - 0.389 s

/ 3:36:13.367 AM // 3:36:13.756 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETMorbidity_ByTestName_PatientRole

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient morbidity by testname as a Patient role	PASSED	0.379 s
3	Then User receives 403 Unauthorized status with response body	FAILED	0.002 s

java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
   at ?.User receives 403 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:164)
* Not displayable characters are replaced by '?'.

User with Dietician role and valid credentials is able to Logout

PASSED	*DURATION - 0.333 s*
/ 3:36:13.777 AM // 3:36:14.110 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETLogoutPatient	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to logout as Patient	PASSED	0.324 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

A token is generated for Dietician with valid credentials

PASSED	*DURATION - 0.492 s*
/ 3:36:14.128 AM // 3:36:14.620 AM /	
User as a Dietician and Patient End to End Flow Feature	
@PostRequest_CreateTokenForValidDietician	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Post Request and request Body to generate access token for valid Dietician	PASSED	0.451 s
3	Then User receives 200 success status with response body and token is generated	PASSED	0.036 s

### User with Dietician role and valid credentials is able to create new patients

PASSED	DURATION - 0.370 s

/ 3:36:14.643 AM // 3:36:15.013 AM /

User as a Dietician and Patient End to End Flow Feature

@DeleteRequest_DeletePatientBypatienID

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request to patient by Id	PASSED	0.360 s
3	Then User receives 200 success status with response body	PASSED	0.002 s