Cucumber Report

| Start : Nov 21, 3:38:51.520 AM	End : Nov 21, 3:39:10.159 AM	Duration : 18.639 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 11 SKIPPED - 0	PASSED - 67 FAILED - 11 SKIPPED - 0

Features: 1

Scenarios: 26

Steps: 78

Features Pass %: 0 %

Scenarios Pass %: 57 %

Steps Pass %: 85 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
User as a Dietician and Patient End to End Flow Feature	*18.639 s*	*26*	*15*	*11*	*0*	*78*	*67*	*11*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PostRequest_CreateTokenForValidDietician	2	2	0	0	1	0	1	0
@PostRequest_CreateNewPatient	1	0	1	0	1	0	1	0
@GetRequest_GetAllPatient	2	1	1	0	1	0	1	0
@GetRequest_GETAllMorbidity	2	1	1	0	1	0	1	0
@GetRequest_GETMorbidity_ByTestName	2	1	1	0	1	0	1	0
@GetRequest_GETPatient_MorbidityDetails_ByPatientID	2	1	1	0	1	0	1	0
@GetRequest_GETPatient_Details_ByFileID	2	1	1	0	1	0	1	0
@PutRequest_UpdatePatient	2	1	1	0	1	0	1	0
@DeleteRequest_DeletePatientBypatienID	2	2	0	0	1	0	1	0
@PostRequest_CreateNewPatient2	1	0	1	0	1	0	1	0
@GetRequest_GETLogoutDietician	1	1	0	0	1	0	1	0
@PostRequest_CreateTokenForValidPatient	1	0	1	0	1	0	1	0
@GetRequest_GETPatient_MorbidityDetails_ByPatientID_PatientRole	1	1	0	0	1	0	1	0
@GetRequest_GETPatient_Details_ByFileID_PatientRole	1	1	0	0	1	0	1	0
@GetRequest_GetAllPatient_PatientRole	1	1	0	0	1	0	1	0
@GetRequest_GETAllMorbidity_PatientRole	1	0	1	0	1	0	1	0
@GetRequest_GETMorbidity_ByTestName_PatientRole	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@GetRequest_GETLogoutPatient	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	User as a Dietician and Patient End to End Flow Feature	26	15	11	0	18.639 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	User as a Dietician and Patient End to End Flow Feature	A token is generated for Dietician with valid credentials	3	3	0	0	6.276 s
2	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	2	1	0	1.044 s
3	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	3	0	0	0.618 s
4	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to view all patient morbidity details	3	3	0	0	0.306 s
5	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to view all patient morbidity by testname	3	3	0	0	0.387 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
6	*User as a Dietician and Patient End to End Flow Feature*	*User with Dietician role and valid credentials is able to view all patient test reports by patientID*	3	3	0	0	0.388 s
7	*User as a Dietician and Patient End to End Flow Feature*	*User with Dietician role and valid credentials is able to view all patient test reports by patientID*	3	3	0	0	0.583 s
8	*User as a Dietician and Patient End to End Flow Feature*	*User with Dietician role and valid credentials is able to create new patients*	3	3	0	0	0.674 s
9	*User as a Dietician and Patient End to End Flow Feature*	*User with Dietician role and valid credentials is able to create new patients*	3	3	0	0	0.331 s
10	*User as a Dietician and Patient End to End Flow Feature*	*User with Dietician role and valid credentials is able to create new patients*	3	2	1	0	0.809 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to Logout	3	3	0	0	0.291 s
12	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view patients	3	2	1	0	0.379 s
13	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to update new patients	3	2	1	0	0.659 s
14	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details	3	2	1	0	0.325 s
15	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname	3	2	1	0	0.341 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
16	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID	3	2	1	0	0.310 s
17	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID	3	2	1	0	0.531 s
18	User as a Dietician and Patient End to End Flow Feature	A token is generated for Dietician with valid credentials	3	2	1	0	0.497 s
19	User as a Dietician and Patient End to End Flow Feature	User with Patient role and valid credentials is able to view all patient test reports by patientID	3	3	0	0	0.283 s
20	User as a Dietician and Patient End to End Flow Feature	User with Patient role and valid credentials is able to view patient test reports by patientID	3	3	0	0	0.616 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
21	User as a Dietician and Patient End to End Flow Feature	User with Patient role and valid credentials should not be able to view all patients records	3	3	0	0	0.356 s
22	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details	3	2	1	0	0.354 s
23	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname	3	2	1	0	0.397 s
24	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to Logout	3	3	0	0	0.400 s
25	User as a Dietician and Patient End to End Flow Feature	A token is generated for Dietician with valid credentials	3	3	0	0	0.486 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
26	User as a Dietician and Patient End to End Flow Feature	User with Dietician role and valid credentials is able to create new patients	3	3	0	0	0.349 s

User as a Dietician and Patient End to End Flow Feature

FAILED	DURATION - 18.639 s		Scenarios		Steps	
			Total - 26		Total - 78	
/ 3:38:51.520 AM // 3:39:10.159 AM /			Pass - 15	26	Pass - 67	78
			Fail - 11		Fail - 11	
			Skip - 0		Skip - 0	

A token is generated for Dietician with valid credentials

PASSED	DURATION - 6.276 s		Steps	
			Total - 3	
/ 3:38:51.525 AM // 3:38:57.801 AM /			Pass - 3	3
User as a Dietician and Patient End to End Flow Feature			Fail - 0	
			Skip - 0	
@PostRequest_CreateTokenForValidDietician				

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	1.425 s
2	When User sends HTTPS Post Request and request Body to generate access token for valid Dietician	PASSED	4.014 s
3	Then User receives 200 success status with response body and token is generated	PASSED	0.611 s

User with Dietician role and valid credentials is able to create new patients

FAILED	DURATION - 1.044 s		Steps	
			Total - 3	
/ 3:38:57.912 AM // 3:38:58.956 AM /			Pass - 2	3
User as a Dietician and Patient End to End Flow Feature			Fail - 1	
			Skip - 0	
@PostRequest_CreateNewPatient				

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Post Request and request Body to create a new Patient	PASSED	1.014 s
3	Then User receives 201 created status with response body and patient is created	FAILED	0.017 s

	io.restassured.module.jsv.JsonSchemaValidationException: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
	    at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:286)
	    at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
	    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
	    at ?.User receives 201 created status with response body and patient is created(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:16)
	 Caused by: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
	    at java.base/java.io.FileInputStream.open0(Native Method)
	    at java.base/java.io.FileInputStream.open(FileInputStream.java:219)
	    at java.base/java.io.FileInputStream.<init>(FileInputStream.java:158)
	    at com.github.fge.jackson.JsonLoader.fromFile(JsonLoader.java:165)
	    at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:155)
	    at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:152)
	    at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:284)
	    at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
	    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:27)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:51)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)
	    at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	    at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials is able to create new patients

PASSED	DURATION - 0.618 s
/ 3:38:58.996 AM // 3:38:59.614 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GetAllPatient	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient	PASSED	0.608 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Dietician role and valid credentials is able to view all patient morbidity details

PASSED	*DURATION - 0.306 s*

/ 3:38:59.632 AM // 3:38:59.938 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETAllMorbidity

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient morbidity details	PASSED	0.297 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

### User with Dietician role and valid credentials is able to view all patient morbidity by testname

PASSED	*DURATION - 0.387 s*

/ 3:38:59.960 AM // 3:39:00.347 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETMorbidity_ByTestName

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient morbidity by testname	PASSED	0.377 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

User with Dietician role and valid credentials is able to view all patient test reports by patientID

			Steps
PASSED	*DURATION - 0.388 s*		Total - 3
/ 3:39:00.366 AM // 3:39:00.754 AM /			Pass - 3
User as a Dietician and Patient End to End Flow Feature			Fail - 0
@GetRequest_GETPatient_MorbidityDetails_ByPatientID			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by patientID	PASSED	0.375 s
3	Then User receives 200 success status with response body	PASSED	0.004 s

User with Dietician role and valid credentials is able to view all patient test reports by patientID

			Steps
PASSED	*DURATION - 0.583 s*		Total - 3
/ 3:39:00.783 AM // 3:39:01.366 AM /			Pass - 3
User as a Dietician and Patient End to End Flow Feature			Fail - 0
			Skip - 0
@GetRequest_GETPatient_Details_ByFileID			

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.003 s
2	When User sends HTTPS Get Request to view patient test reports by FileID	PASSED	0.562 s
3	Then User receives 200 success status with response body	PASSED	0.012 s

## User with Dietician role and valid credentials is able to create new patients

PASSED	*DURATION - 0.674 s*

/ 3:39:01.386 AM // 3:39:02.060 AM /

User as a Dietician and Patient End to End Flow Feature

@PutRequest_UpdatePatient

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Put Request and request Body to update patient details	PASSED	0.666 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

User with Dietician role and valid credentials is able to create new patients

PASSED	*DURATION - 0.331 s*

/ 3:39:02.081 AM // 3:39:02.412 AM /

User as a Dietician and Patient End to End Flow Feature

@DeleteRequest_DeletePatientBypatienID

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.003 s
2	When User sends HTTPS delete Request to patient by Id	PASSED	0.320 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Dietician role and valid credentials is able to create new patients

FAILED	DURATION - 0.809 s

/ 3:39:02.431 AM // 3:39:03.240 AM /

User as a Dietician and Patient End to End Flow Feature

@PostRequest_CreateNewPatient2

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Post Request and request Body to create a new Patient	PASSED	0.797 s
3	Then User receives 201 created status with response body and patient is created	FAILED	0.003 s

	io.restassured.module.jsv.JsonSchemaValidationException: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
	   at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:286)
	   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
	   at ?.User receives 201 created status with response body and patient is created(file:///C:/Users/tusha/eclipse-workspace/ eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow. feature:73)
	Caused by: java.io.FileNotFoundException: .\src\test\resources\Schema\PostPatient\PostUserLogin.json (The system cannot find the file specified)
	   at java.base/java.io.FileInputStream.open0(Native Method)
	   at java.base/java.io.FileInputStream.open(FileInputStream.java:219)
	   at java.base/java.io.FileInputStream.<init>(FileInputStream.java:158)
	   at com.github.fge.jackson.JsonLoader.fromFile(JsonLoader.java:165)
	   at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:155)
	   at io.restassured.module.jsv.JsonSchemaValidator$3.createSchemaInstance(JsonSchemaValidator.java:152)
	   at io.restassured.module.jsv.JsonSchemaValidator$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:284)
	   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:157)
	   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_created_status_with_response_body_and_patient_is_created(UserAsDieticianAndPatientRole_E2E_SD.java:90)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:27)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:49)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:51)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials is able to Logout

PASSED	*DURATION - 0.291 s*	Steps
/ 3:39:03.269 AM // 3:39:03.560 AM /		Total - 3 Pass - 3 Fail - 0
User as a Dietician and Patient End to End Flow Feature		Skip - 0
@GetRequest_GETLogoutDietician		

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to logout as Dietician	PASSED	0.280 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

User with Dietician role and valid credentials after logout should not be able to view patients

FAILED	*DURATION - 0.379 s*	Steps
/ 3:39:03.579 AM // 3:39:03.958 AM /		Total - 3 Pass - 2 Fail - 1
User as a Dietician and Patient End to End Flow Feature		Skip - 0
@GetRequest_GetAllPatient		

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient	PASSED	0.353 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.021 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)		
	at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)		
	at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/ eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow. feature:87)		
	* Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to update new patients

FAILED	DURATION - 0.659 s
/ 3:39:03.981 AM // 3:39:04.640 AM /	
User as a Dietician and Patient End to End Flow Feature	
@PutRequest_UpdatePatient	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Put Request and request Body to update patient details	PASSED	0.651 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.004 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)		
	at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)		

| #	Step / Hook Details	Status	Duration
	at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:94) * Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details

FAILED	DURATION - 0.325 s
/ 3:39:04.661 AM // 3:39:04.986 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETAllMorbidity	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient morbidity details	PASSED	0.318 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.002 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157) at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.feature:101) * Not displayable characters are replaced by '?'.		

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname

| FAILED	DURATION - 0.341 s
/ 3:39:05.008 AM // 3:39:05.349 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETMorbidity_ByTestName	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient morbidity by testname	PASSED	0.331 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.003 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.		

java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
   at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:108)
* Not displayable characters are replaced by '?'.

User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID

FAILED	DURATION - 0.310 s

/ 3:39:05.368 AM // 3:39:05.678 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_MorbidityDetails_ByPatientI-D

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by patientID	PASSED	0.303 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.002 s

java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
    at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
    at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:115)
* Not displayable characters are replaced by '?'.

User with Dietician role and valid credentials after logout should not be able to view all patient test reports by patientID

| FAILED	DURATION - 0.531 s
/ 3:39:05.698 AM // 3:39:06.229 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETPatient_Details_ByFileID	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.000 s
2	When User sends HTTPS Get Request to view patient test reports by FileID	PASSED	0.522 s
3	Then User receives 401 Unauthorized status with response body	FAILED	0.003 s

	java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
	    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
	    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
	    at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
	    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
	user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
	    at ?.User receives 401 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
	eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
	feature:122)
	* Not displayable characters are replaced by '?'.		

A token is generated for Dietician with valid credentials

FAILED	DURATION - 0.497 s

/ 3:39:06.252 AM // 3:39:06.749 AM /

User as a Dietician and Patient End to End Flow Feature

@PostRequest_CreateTokenForValidPatient

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Post Request and request Body to generate access token for valid Patient	PASSED	0.460 s
3	Then User receives 200 success status with response body and token is generated	FAILED	0.032 s

	org.junit.ComparisonFailure: expected:<...UzUxMiJ9.eyJzdWIiOiJ[wcmljaGFzZW9mY0BnbWFpbC5jb20iLCJpYXQiOjE3MDA1NTk1MzcsImV4cCI6MTcwMDU4ODMzN30.DSyvVCKUoOnQiaSUQDTJ-Sn6QEJr8IbVlwmQkHdIGJxg-A1fxmG8Q5Bv48zvRATjstca39-o95Ds0w0W_HCxHA]> but was:<...UzUxMiJ9.eyJzdWIiOiJ[Ccm9va2VAZ21haWwuY29tIiwiaWF0IjoxNzAwNTU5NTQ3LCJleHAiOjE3MDA1ODgzNDd9.bClbTLmVi6R-QM9fLqks7PlLevt8gA67Rz9-LVjJZBEKQ2MKq-60N0S09_JRczSR1z4QPB7UELX6IrfgZijaZQ]>
	    at org.junit.Assert.assertEquals(Assert.java:117)
	    at org.junit.Assert.assertEquals(Assert.java:146)
	    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD. user_receives_success_status_with_response_body_and_token_is_generated(UserAsDieticianAndPatientRole_E2E_SD.java:46)
	    at ?.User receives 200 success status with response body and token is generated(file:///C:/Users/tusha/eclipse-workspace/ eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow. feature:129)
	 * Not displayable characters are replaced by '?'.		

User with Patient role and valid credentials is able to view all patient test reports by patientID

PASSED	DURATION - 0.283 s

/ 3:39:06.772 AM // 3:39:07.055 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETPatient_MorbidityDetails_ByPatientI-D_PatientRole

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by patientID as Patient role	PASSED	0.275 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

User with Patient role and valid credentials is able to view patient test reports by patientID

| PASSED	DURATION - 0.616 s
/ 3:39:07.071 AM // 3:39:07.687 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETPatient_Details_ByFileID_PatientR-ole	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view patient test reports by FileID as Patient role	PASSED	0.607 s
3	Then User receives 200 success status with response body	PASSED	0.003 s

User with Patient role and valid credentials should not be able to view all patients records

PASSED	DURATION - 0.356 s
/ 3:39:07.706 AM // 3:39:08.062 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GetAllPatient_PatientRole	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient as Patient role	PASSED	0.348 s
3	Then User receives 403 Unauthorized status with response body	PASSED	0.002 s

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity details

FAILED	DURATION - 0.354 s

/ 3:39:08.079 AM // 3:39:08.433 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETAllMorbidity_PatientRole

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.002 s
2	When User sends HTTPS Get Request to view all patient morbidity details as a Patient role	PASSED	0.346 s
3	Then User receives 403 Unauthorized status with response body	FAILED	0.003 s

java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
    at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
    at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
    at ?.User receives 403 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:157)
* Not displayable characters are replaced by '?'.

User with Dietician role and valid credentials after logout should not be able to view all patient morbidity by testname

FAILED	DURATION - 0.397 s

/ 3:39:08.460 AM // 3:39:08.857 AM /

User as a Dietician and Patient End to End Flow Feature

@GetRequest_GETMorbidity_ByTestName_PatientRole

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to view all patient morbidity by testname as a Patient role	PASSED	0.388 s
3	Then User receives 403 Unauthorized status with response body	FAILED	0.002 s

java.lang.AssertionError: 1 expectation failed. Expected status code <403> but was <200>.
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)
   at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)
   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)
   at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
   at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101)
   at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)
   at api.StepDefinitions.UserAsDieticianAndPatientRole_E2E_SD.
user_receives_Unauthorized_status_with_response_body(UserAsDieticianAndPatientRole_E2E_SD.java:157)
   at ?.User receives 403 Unauthorized status with response body(file:///C:/Users/tusha/eclipse-workspace/
eclipseworkspace5/Team15_API_Analysers_RestAssured_BDD/src/test/resources/Features/02UserAsDieticianAndPatientRole_E2EFlow.
feature:164)
* Not displayable characters are replaced by '?'.

**User with Dietician role and valid credentials is able to Logout**

PASSED	*DURATION - 0.400 s*
/ 3:39:08.881 AM // 3:39:09.281 AM /	
User as a Dietician and Patient End to End Flow Feature	
@GetRequest_GETLogoutPatient	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Get Request to logout as Patient	PASSED	0.392 s
3	Then User receives 200 success status with response body	PASSED	0.002 s

A token is generated for Dietician with valid credentials

PASSED	*DURATION - 0.486 s*
/ 3:39:09.300 AM // 3:39:09.786 AM /	
User as a Dietician and Patient End to End Flow Feature	
@PostRequest_CreateTokenForValidDietician	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS Post Request and request Body to generate access token for valid Dietician	PASSED	0.445 s
3	Then User receives 200 success status with response body and token is generated	PASSED	0.035 s

User with Dietician role and valid credentials is able to create new patients

PASSED	DURATION - 0.349 s

/ 3:39:09.810 AM // 3:39:10.159 AM /

User as a Dietician and Patient End to End Flow Feature

@DeleteRequest_DeletePatientBypatienID

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User create request for Dietician API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request to patient by Id	PASSED	0.342 s
3	Then User receives 200 success status with response body	PASSED	0.001 s