PRODUCT REQUIREMENTS DOCUMENT

Uber Ride Booking & Revenue Analytics Dashboard

A structured requirements document for the interactive ride-booking, revenue, vehicle and customer analytics experience shown in the supplied dashboard references.





Figure 1. Uber dashboard landing / navigation screen



Figure 2. Overview page – headline KPIs, booking status, monthly trends and vehicle summary



Vehicle Type	Revenue	Total Distance	Average Distance	Customer Count	Lost Bookings	Completed Bookings
Uber XL	1528032	74,306.81	24.40	4447	1666	
Premier Sedan	6275332	302,936.14	24.60	16827	6859	
Go Sedan	9369719	450,793.61	24.61	23330	10465	
Go Mini	10338496	501,200.60	24.61	28358	11257	
Bike	11456182	558,122.50	24.76	29138	12489	
Auto	12878422	625,615.53	24.62	32948	14264	
Total	**51846183**	**2,512,975.19**	**24.64**	**104114**	**57000**	

Figure 3. Detailed analysis page – completed bookings, vehicle revenue, locations and customer ratings

Contents

- 1. Executive Summary
- 2. Product Overview and Objectives
- 3. Users and Use Cases
- 4. Scope
- 5. Dashboard Structure and Functional Requirements
- 6. Filters and Interactions
- 7. Data Requirements and KPI Definitions
- 8. Non-Functional Requirements

1. Executive Summary

The Uber Ride Booking & Revenue Analytics Dashboard is a business intelligence solution designed to provide a consolidated view of ride-booking performance, revenue generation, vehicle-category performance, trip distance, booking outcomes and customer ratings. The dashboard contains a landing page and two analytical views: an overview page and a detailed analysis page.

The overview page presents headline performance indicators, booking-status distribution, monthly performance trends and a vehicle-type summary. The detailed analysis page provides a closer view of completed bookings, revenue by vehicle type, frequently used pickup and drop locations, cancelled rides, monthly revenue distribution and customer ratings by vehicle type.

This PRD documents the requirements visible in the supplied screenshots. The screenshots do not confirm the underlying source schema, calculation rules, refresh frequency, security model or all interaction settings. Those items are therefore described as proposed requirements or decisions to be confirmed, rather than treated as established facts.

2. Product Overview and Objectives

2.1 Product vision

Provide an easy-to-use analytical dashboard that helps business users monitor ride-booking operations, understand revenue and vehicle performance, and identify patterns in booking outcomes and customer experience.

2.2 Business objectives

- Monitor key business indicators such as revenue, total distance, completed bookings, average distance and lost bookings.
- Understand the distribution of bookings across completed, cancelled, unavailable-driver and incomplete statuses.
- Track monthly revenue and booking trends to identify changes in business performance.
- Compare revenue, distance, customer count and booking outcomes across vehicle categories.
- Identify frequently used pickup and drop locations.
- Review customer rating patterns across vehicle categories.
- Allow users to move between an overall performance view and a more detailed analytical view.

2.3 Product areas

Area	Purpose
Landing screen	Introduce the Uber dashboard and provide navigation to the Overview and Revenue sections.
Overview page	Present headline KPIs, booking-status mix, monthly business trends and a vehicle-level performance table.
Detailed analysis page	Provide vehicle-level and monthly analysis, frequent locations, cancelled ride volume, revenue distribution and customer ratings.

3. Users and Use Cases

User group	Primary requirement	Typical use
Operations manager	Understand booking volume and booking outcomes.	Review completed, cancelled and incomplete bookings.
Business / revenue analyst	Monitor revenue and identify performance patterns.	Review monthly revenue and revenue by vehicle type.
Fleet / vehicle manager	Compare performance across vehicle categories.	Analyse distance, customer count, completed bookings and lost bookings.
City / operations team	Understand pickup and drop location patterns.	Review frequent pickup and drop locations.
Customer experience team	Review customer rating trends.	Compare ratings across vehicle categories.
Senior management	Obtain a high-level view of business performance.	Review KPI cards and overall dashboard trends.

3.1 Core user journeys

1. Open the landing screen and select Overview to review the current business performance.
2. Review headline KPIs and booking status to understand the overall booking position.
3. Use the vehicle selector or available report filters to focus on a particular vehicle category.
4. Review monthly revenue and booking trends to identify stronger and weaker periods.
5. Open the Revenue / detailed analysis view to compare vehicle categories and investigate locations and customer ratings.

4. Scope

4.1 In scope

- A landing page with Uber branding and navigation to Overview and Revenue views.
- An Overview page with KPI cards, booking-status donut chart, monthly trend chart and vehicle-type summary table.
- A detailed analysis page with completed-booking trend, revenue by vehicle type, frequent pickup/drop location cards, cancelled rides indicator, monthly revenue treemap and customer rating visual.
- A vehicle-category selector covering the categories visible in the reference: Auto, Bike, Go Sedan, Go Mini, Premier Sedan and Uber XL.
- Interactive filtering and visual cross-highlighting where supported by the data model.
- Consistent formatting, readable chart labels, tooltips and clear navigation.

4.2 Out of scope

- Creating, assigning or dispatching ride bookings.
- Processing payments, refunds or driver payouts.
- Live vehicle tracking, GPS navigation or route optimisation.
- Driver or customer account management.
- Predictive demand modelling or automated revenue forecasting.
- Customer-level personal information or direct access to individual customer records.
- Operational alerts, email subscriptions or workflow approvals unless separately requested.

5. Dashboard Structure and Functional Requirements

5.1 Landing screen

ID	Requirement	Priority
LAND-01	Display Uber branding and the Auto / ride-service visual identity shown in the reference design.	Must
LAND-02	Provide an Overview navigation control that opens the overview dashboard.	Must
LAND-03	Provide a Revenue navigation control that opens the detailed revenue analysis view.	Must
LAND-04	Maintain a clean, uncluttered layout with clear text and accessible navigation controls.	Should

5.2 Overview page – KPI cards

ID	KPI	Requirement / proposed definition	Priority
OV-KPI-01	Revenue	Display total eligible revenue for the current filter context. Format as a currency value using a consistent compact display (for example, 52M).	Must
OV-KPI-02	Total Distance	Display the total trip distance for the current filter context. The unit (km or miles) must be confirmed and shown consistently.	Must
OV-KPI-03	Completed Bookings	Display the number of bookings with the approved completed status.	Must
OV-KPI-04	Average Distance	Display average trip distance using the approved calculation and distance unit.	Must
OV-KPI-05	Lost Bookings	Display the count of bookings classified as lost under the agreed booking-status rules.	Must

5.3 Overview page – analytical visuals

ID	Visual	Functional requirement	Priority
OV-VIS-01	Booking Status	Display booking count and percentage by status. Visible categories include Completed, Cancelled by Driver, Cancelled by Customer, No Driver Found and Incomplete. Show total bookings in the chart centre if supported.	Must
OV-VIS-02	Monthly Performance	Display a month-by-month trend for the measures shown in the reference: Revenue, Total Distance, Lost Bookings, Customer Count and Average Distance. Provide a readable legend and tooltips.	Must

OV-VIS-03	Vehicle Summary Table	Display rows for Uber XL, Premier Sedan, Go Sedan, Go Mini, Bike and Auto, with Revenue, Total Distance, Average Distance, Customer Count, Lost Bookings and Completed Bookings.	Must
OV-VIS-04	Vehicle selector	Display selectable vehicle-category icons. Selecting a category should filter the page if the interaction is enabled in the final design.	Must

5.4 Detailed analysis page – analytical visuals

ID	Visual / component	Functional requirement	Priority
DT-VIS-01	Completed Bookings	Show monthly completed-booking counts with month labels and data labels or tooltips.	Must
DT-VIS-02	Revenue by Vehicle Type	Compare revenue across Auto, Bike, Go Mini, Go Sedan, Premier Sedan and Uber XL. Use a consistent currency scale and readable category labels.	Must
DT-VIS-03	Frequent Pickup Location	Display the most frequent pickup location for the active filter context. The reference shows Khandsa; the displayed value must be data-driven.	Must
DT-VIS-04	Frequent Drop Location	Display the most frequent drop location for the active filter context. The reference shows Ashram; the displayed value must be data-driven.	Must
DT-VIS-05	Completed Bookings by Location	Display the completed-booking values associated with the location summary cards, if these are intended as separate measures. Confirm their exact meaning before implementation.	Should
DT-VIS-06	Cancelled Rides	Display the cancelled ride count in a prominent circular KPI visual. The definition of cancelled rides must align with the booking-status rules.	Must
DT-VIS-07	Revenue by Month	Display monthly revenue distribution in a treemap. Each tile must represent a month and use revenue as its area measure, if confirmed by the business owner.	Must
DT-VIS-08	Customer Rating	Compare customer rating volume or score across vehicle categories. The reference appears to show rating-related values by vehicle type; the exact metric and scale must be confirmed.	Must
DT-VIS-09	Vehicle selector	Allow users to focus the detailed view on a vehicle category using the available vehicle icons or equivalent filter control.	Must

5.5 General visual behaviour

- All charts must display meaningful titles, category labels and units where applicable.
- Tooltips should provide the exact underlying value and relevant category or time period.
- Currency values must use one consistent currency and number format across all visuals.
- Distance values must use one consistent unit across KPI cards, tables and charts.
- The same vehicle category should use a consistent label throughout the dashboard.
- Visuals should update when a supported filter or selection changes.
- The dashboard should not hard-code the example values visible in the screenshots; all displayed measures must be calculated from the connected dataset.

6. Filters and Interactions

6.1 Navigation

Control	Expected behaviour
Overview button	Navigate to the overview dashboard page.
Revenue button	Navigate to the detailed analysis / revenue page.
Navigation menu	Provide access to the available report pages or sections, consistent with the final report design.
Back control	Return to the previous or designated landing page, according to the implemented navigation structure.

6.2 Vehicle category filtering

- The vehicle category control should support the six categories visible in the reference dashboard: Auto, Bike, Go Sedan, Go Mini, Premier Sedan and Uber XL.
- When a vehicle category is selected, all visuals configured to respond to the vehicle filter should update to reflect that category.
- The selected vehicle category must be visually distinguishable from unselected categories.
- Users should be able to clear the vehicle selection and return to the all-vehicle view.
- If multiple vehicle categories can be selected, the interface must clearly indicate that multi-selection is active.

6.3 Cross-filtering and interaction rules

- Selecting a vehicle in a chart or table should filter or highlight other vehicle-sensitive visuals where the data model supports the relationship.
- Selecting a month in a monthly visual should update other time-sensitive visuals where this interaction is enabled.
- Selecting a booking status should update related booking measures only where the status filter is intended to apply.
- Location visuals should respond to location selections only if the relevant location fields are available and correctly related.
- Users must be able to clear individual visual selections without unintentionally resetting other active filters.

6.4 Empty and missing-data states

- If no records match the current filters, show a clear no-data message instead of an unexplained blank visual.
- If pickup or drop location is missing, handle it using a documented Unknown / Not Available category or exclude it transparently from the ranking calculation.
- If customer ratings are missing, do not treat missing ratings as zero-star ratings.
- If a vehicle category has no data in the selected period, display a clear zero or no-data state according to the agreed reporting convention.

7. Data Requirements and KPI Definitions

The source dataset and data dictionary were not included with the screenshots. The fields and calculations below are proposed requirements for the data model and must be validated against the actual dataset before development.

7.1 Proposed source data fields

Field	Purpose	Validation / business rule
Booking ID	Unique identifier for each ride booking.	Required; confirm uniqueness and duplicate handling.
Booking Date / Time	Assign bookings to reporting months and periods.	Required; confirm timezone and reporting calendar.
Booking Status	Classify completed, cancelled and incomplete bookings.	Required; map raw statuses to approved reporting categories.
Revenue / Booking Amount	Calculate revenue measures.	Required; define gross/net revenue, discounts, refunds and currency.
Vehicle Type	Group bookings by service / vehicle category.	Required; standardise to the approved category list.
Trip Distance	Calculate total and average distance.	Required; confirm km or miles and treatment of zero/invalid trips.
Customer ID	Support customer count measures.	Required if customer count is to be reported; define distinct-count grain.
Pickup Location	Identify frequent pickup locations.	Required for pickup ranking; standardise location names.
Drop Location	Identify frequent drop locations.	Required for drop ranking; standardise location names.
Customer Rating	Analyse customer rating patterns.	Optional if ratings are not captured for every booking; confirm rating scale and grain.

7.2 Proposed KPI calculations

Metric	Proposed calculation	Definition to confirm
Revenue	SUM of eligible booking revenue.	Gross or net revenue; treatment of cancellations, refunds, incentives and discounts.
Total Distance	SUM of eligible completed-trip distance.	Whether distance includes only completed rides and the measurement unit.
Completed Bookings	Count of bookings mapped to Completed status.	Unique booking key and final status mapping.
Average Distance	Total eligible trip distance ÷ number of eligible trips.	Whether average is per completed booking, all bookings or another denominator.
Lost Bookings	Count of bookings mapped to the approved lost-booking definition.	Whether this includes driver cancellations, customer cancellations, no-driver-found and incomplete bookings.
Customer Count	Distinct count of Customer ID in the selected context.	Whether this means all customers or customers with completed rides.
Booking Status %	Bookings in a status ÷ total bookings in the selected context × 100.	Treatment of unknown or unmapped statuses.
Revenue by Vehicle Type	SUM of eligible revenue grouped by vehicle type.	Revenue attribution where a booking contains multiple charges or adjustments.
Completed Bookings by Month	Count of completed bookings grouped by calendar month.	Calendar month vs financial month and partial-period handling.
Frequent Pickup / Drop	Location with the highest count of eligible bookings for pickup or drop.	Whether ranking uses all bookings or completed bookings only.
Cancelled Rides	Count of bookings mapped to the approved cancelled statuses.	Whether customer and driver cancellations are combined.
Customer Rating	Approved rating aggregation grouped by vehicle	Whether the chart displays average rating, rating count or

	type.	another score.

7.3 Data quality and modelling requirements

- Booking IDs must be non-null and follow the agreed uniqueness rule.
- Booking status values must map to a controlled list of reporting categories.
- Vehicle type labels must be standardised so that the same category is not split across spelling variations.
- Revenue and distance fields must be numeric and use consistent units.
- Cancelled bookings should not contribute to completed-trip distance unless explicitly approved.
- Customer counts should use a distinct customer identifier rather than a raw row count.
- Pickup and drop location values should be standardised to avoid duplicate location names caused by spelling differences.
- Customer rating values must be validated against the approved scale, and missing ratings must be handled separately.
- The data model must avoid duplicate booking counts when joining booking, customer, location or rating tables.

8. Non-Functional Requirements

ID	Category	Requirement	Priority
NFR-01	Performance	The dashboard should load and respond to common filter interactions within performance targets agreed for the final dataset and BI environment.	Should
NFR-02	Accuracy	All KPI cards, charts and tables must reconcile to the approved source data and documented metric definitions.	Must
NFR-03	Usability	The dashboard must use clear labels, readable values and consistent navigation so that non-technical users can interpret it.	Must
NFR-04	Visual consistency	Use consistent number formats, currency symbols, distance units, vehicle names and chart styling across all pages.	Must
NFR-05	Security	Report access must follow the organisation's access permissions and data governance policies.	Must
NFR-06	Privacy	Do not display personally identifiable customer or driver information unless explicitly authorised and required.	Must
NFR-07	Accessibility	Use readable font sizes and sufficient contrast. Do not rely on colour alone to communicate status or category.	Should
NFR-08	Maintainability	Use clearly named measures, documented transformations and a maintainable data model.	Should
NFR-09	Refresh	The refresh schedule, data freshness requirement and failure-handling process must be defined for the production environment.	Must
NFR-10	Compatibility	The report should be tested at the agreed desktop screen sizes and in the supported BI viewing environment.	Should