Task
copy rename primebook.tar to primebook0NUMBERofTilesUniqueID
test messing with indexfile to repair errors
gitupload IndexFile
restart gear app
reBegin iNinifteWalk
set to open write close tileIndex txt file as int128 if command is a zero, then recreate indextxtfile
What Variables are needed for Menue.
copy import file to primebook.tar and read from this file solely
test compile in Linux
create index HTML that Rebuild Index Posts and is also updated with every git_status update
querry available memory
create primebooksize querry randomcache folder
querry primebook currently used memory footprint
calculate primebook uncompressed size on disk
assign begginging infinitewalk for conductor at : usually the highest primefound in the last primebook
nextConductorInfiniteWalk = infintewalk+(singers*grid) +1
maxPrimeBooksNeeded= (where within the primeBookIndex is nextConductorInfiniteWalk found.
load into memory all maxPrimeBooksNeeded until maxMemoryAllocatedThreshold is reached. Assign each primebook of the index it's appropriate location as MEM 00 all further primebooks not loaded can be assigned as SSD 01
__int128 roof = 18,446,744,073,709,551,615, calculate distance from infiniteWalk.
add author, version and date and name to top line of code

load only needed books +1 then upon new book creation then load next incrementalminimumprimebook

create memoryLoadedNotLoadedArrayOfTTotalAvailablePrimeBooksArray as MEM,SSD,LAN,WEB 00 01 10 11
primeBookLocatorIndex MEM,SSD,RING,WEB 00 01 10 11
primeBookDifferenceLocatorFunction
    checks locator index
    if 00 mem read from pre-loaded memory
    if 01 SSD read from disk from primebookcache at primebookreadlocation00
    if 10 RING read ask host for primebook00.zip file unzip it then load it into memory or ssd
    if 11 WEB read ask www.primebook.one for the primebook00.zip file then load it into memory or ssd
provide primeDifference

Conductor add new primebook to primebook then delete from memory

variable primeBookRoof= highest needed primebook for the equation. TotalPrimeBooks/3 +1 ;
   (highestWorkedNumberofChoir+1) /3 = highest possible divisor
   align highest possible divisor on PrimeBookIndex and this is total

PrimeBooksNeeded
   does the Memory Available hold all the PrimeBooksNeeded
    if not then create a primebookCache and assign those books to the SSD location

rebuild macros to point to new default directory
"C:\Users\Shark\Desktop\PB1\PrimeBook.CPP\PrimeOne"

Load only needed primebooks

I AM NOW PRIME BOOK, MOSTLY ALL YOU SHALL BE FOR GYRO OR LIBRARIAN
TODO:

startup countdown "We are set to Automatically Load & Go, press key to change option"
if input cancel then ask for input
 if load n go
querry existing book for tile count
delete primebookimport
copy primebook to primebookimport
rename primebook to primebook"tilecount"
continue load ngo
PATENT
clean up load index files

setup command line input to take host IP Port or Guest Host IP Port
send instruction to guest to connect to Host @ IP
send instruction to guest to connect to Host @ Port
send instruction to host to Host @ Port
create batch file to run gear @ host PORT #
create batch file to run gear guest connect to Host Port
create batch file to run gear guest connect to Host PORT IP

Assign Icon for App

send list of peers @ ring to each peer
host fail fail-over connect to next designated peer that will become host

conductor marriage to weaver
is it 65536 or multiples of to assign for for each peer

command line function to connect to primebook.one for current Host IP & Port

GitPut current HostIP Port to website possibly hostindex.html file

Offline Mode to schedule future work
always on gear to validate the future work reservation of same account
how many days ahead can be reserved and held by always-on gear
always on gear holds the fininished reserved work until requested by current host

make CMD changes for codeBlocks and Program Name
Initiate Shared Memory Array
Mark Handles of Array Presence
Incorporate into PRIMEGYROGEAR to find these handles
Incorporate into PRIMEGYROGEAR to Read Array
Incorporate into PRIMEGYROGEAR to Write to Array

Querry to Read Book or Create New
Read Book As IS Char by Char
Read Book Line by Line
NET Querry to Network Connect
NET Create IPV6 Token Ring of Network communication
NET Local Array Max Read Window eg 3 to infinite or 4billion to 5.4billion
NET Receive from Network primeBook while reading some then uploading that in balance
Once minimum 1/3 local primeBook file is read or downloaded, full window downloaded,
or everything every created to that point is achieved send note to primeLibrarian
that can then initiate full time or part time GPU CPU work or not
Ability to Store Array Class on GPU Memory and pass it back and fourth as needed

GyroCore as Browser Extension

4/25/2023 goals
incorporate temperature module nvidia
incorporate temperature module windows
incorporate temperature module intel
incorporate temperature module amd
move thread arrays from global to inside mother thread
create interface thread that listens for input while computing
incoroprate gpt recommendatinos for gpu
Main Thread Assign before read previous batch of thread data
create primebook chapters ~100megs
incorporate speedRead using primeLine file
build compiler bench in hypervisor with all cuda amd n intel gpu

3/25/2023 goals
review gpt resommendations

user select default local array size
set or default deafult local array size
vorward copy to arrays
create mutex thread lock check wait and lock

create primecompass quick number find array
user select distance per prime every somethingeth prime lined up to primearray

utilize ai socket connects over network.gpu/cpu

Interface:
p pause
space pause
t threads
s slices
r Pbsize in MB window
d Pbwindow from drive
n Pbwindow from network
g grow local primebook y/n
dd pbcache preread drive
nn pbcahce for network
h temp roof system n gpu

GYROCORE

Create All Function Containers

Compression prioritize and list functions necessity to twist and fold functionality

mow the whole lawn of sphere in one pass returning to start with single, double, or quad vehicles

INFINITE VOLUME = (4pi*prime^prime)/prime

SURFACE AREA = 4pi*prime

FILE SIZE: split into primes, Begin read @ Next Prime #, grow read by prime w/padding, compare and log

Data Holding Function(dataname, data)

INTERFACE CREATE

WINDOW CREATE () Log Text Print Windows Title Window Header Text() WindowText() userinputarray()
Querry for Available Graphics Libraries
Create Window With Available GL
Paint Text Into Window Hello World
compile Codeblocks and emscripten

Use POINTER initilally to transfer variable then make copy of pointer

Interfface change all COUT as variable to function to print to interface

how do crystals w/different facets grow

PARALLEIZATION : start early | finish late

swift xcode mac

codebase c++ java all

dot net visual studio win

|0|1|2|3|4|5|6|7|

student azure VMS use

Tiger Power Initiate!!!! Code in CPP!!!
i need a pre deterrminable double hexadecimal array that is globally shared. the array size will be deterined upon the windows or linux command line along with how many threads to execute. This array to have a lockable mutex that is accessable by each thread through the locking mechanism of mutex. The main function being just to count infinitely and each thread to request access to a predetermined size through the command line input. Can You do this for me in cpp. I can also put it into parts to reinforce what i really need assistance with:
1) create a global array double hexadecimal with size of command line input
2) initiate threads that will each count from a shared bin of possible numbers to count to as distributed by the main function each time each thread places its conted number into the globalal array safely usin mutex locks.
3) create defaults for variables : totalThreadDistributedCountPerSession=3000,

totalThreads=8, totalDoubleHexArraySize=30000000;
lets go tiger power! Wite me this code simply using only one main function and classes please.

numeric 3456768094
count# prime# 1234567 1 =
1 1 1
3 3 43
4 5 1
5 7 1
36 501 2
1234567 3456760001

3456760001
1
0
4
7
1002
3456761015

****now

Build Network Connection

Querry all Details for p2p communication

research how torrent p2p comm is handled

network broadcaster listener via ssid hotspot names

Fix Variables back to how they were
make separate check variable for size functoin
open file

read data into proper variable sizetype
create file
append to file
write found primes and count into file
runs as Terminal App with Terminal Text Updates
compile to WASM
runs as node.js terminal WASM

load as browser extension
run updating browser with Terminal Text Updates

identify what environment the app is running
excel output all files as needed for browser extension

Build Macro to Create and or Point to Tabs

Convert all variables to local variables not global

Script: create worksheet by cell text : found online to use as framework

VB SCRIPT create worksheets by defaults type and link

Script: verify worksheet is not already created

Script: create link to worksheet cell text

Script: Create Defaults Empty Function With Correct Name

Script: Verify all Selected Cells are Less than 30 characters

include XINT and Boost Libraries and Integers

thread asks if limited on primebooks
do I need to unload a prime book page from memory to complete all choir tasks
unload prime book page
load prime book page
group calculate
read bits be loaded directly from file to equation
set primebookpage variable load style (memory) (disk)(cache)
primebookMemoryBasket
primebookpageDiskReadLocationMapper
memoryLoadedNotLoadedArrayOfTTotalAvailablePrimeBooks
primebook001LocationIdentifier is location Within Memory, PrimeBook.zip Compendium, Local Network, Web
upon load next difference
conductor load all needed primebooks into memory
ifmemory limits then create cache of unziped primebooks beyond memory limits so that each thread can read them at will
primebookcachesizelimits