MORIN BUILDING
8570 EXECUTIVE PARK AVENUE
FAIRFAX, VIRGINIA 22031

October 27, 2022

To: All Prospective Offerors

Issued by: Elizabeth B. Dooley, CPPO, CPPB, Procurement Lead Buyer

Subject: Addendum 1, RFP 22-041, Customer Service Modernization

The purpose of this addendum is to adjust the schedule to the subject RFP.

Section I: RFP Revisions & Additions

- A correction was made to the cover page of the Attachment G - Pricing Workbook. The title was changed from "Attachment H" to "Attachment G". The revised document has been loaded to the site.
- RFP 22-041 – Addendum 1 – Attachment M – Fairfax Water's SAP Landscape

Section II: Questions and Answers

1. How many Front Office Processes (FOP) are currently configured in CIC0? If possible, please provide the list with a brief description of each FOP.
   Response:
   a. *SAP shows 112 processes configured for 3 FW CIC profiles:*
      i. *FCWA CIC profile – used by Customer Service and most of the company*
      ii. *Mobile CIC profile – used by Field Service Workers*
      iii. *SD CIC profile – used by Accounts Receivable*
   b. *Refer to Attachment C and see list below*

CIC Profile	Transaction description	Description in FOP Menu
FCWA	Display partner	Display Partner
FCWA	Customer overview	Customer overview
FCWA	Customer environment	Customer environment
FCWA	Hydrant Deposit Overview	Hydrant Deposit Ovrw
FCWA	Change partner	Change Partner
FCWA	Multi-Account Balance Display	Multi-Acct Balance
FCWA	Display Premise	Display Premise

FCWA	Change Premise	Change Premise
FCWA	Premise environment	Premise Environment
FCWA	Display Connection Object	Display Connect. Obj
FCWA	Change Connection Object	Change Connect. Obj
FCWA	Display Device Location	Display Device Locat
FCWA	Change Device Location	Change Device Locat.
FCWA	Display account	Display Account
FCWA	Account overview	Account overview
FCWA	Change bank data	Change bank data
FCWA	Create Installment Plan	Create Install. Plan
FCWA	Post Deferral	Post Deferral
FCWA	Post payment	Post payment
FCWA	Reverse Document	Reverse Document
FCWA	Account Balance Display	Acct Balance Display
FCWA	Change Installment Plan	Change Install. Plan
FCWA	Display Installment Plan	Display Instal. Plan
FCWA	Create Owner Allocation	Create Owner Allocat
FCWA	Change Owner Allocation	Change Owner Alloc.
FCWA	Display Owner Allocation	Display Owner Alloc.
FCWA	Reverse Owner Allocation	Reverse Owner Alloc.
FCWA	Display Dunning History	Dunning History
FCWA	Installment Plan History	Install Plan History
FCWA	Change Account	Change Account
FCWA	Letter of Credit	Letter of Credit
FCWA	Print Single Account Statement	Print Sngl Acct Stmt
FCWA	Display Fact Sheet	Display Fact Sheet
FCWA	Display contract	Display Contract
FCWA	Change contract	Change Contract
FCWA	Individual billing	Individual billing
FCWA	Create Security Deposit	Create Security Dep.
FCWA	Change Move-In Document	Change Move-In Doc.
FCWA	Display Move-In Document	Display Move-In Doc
FCWA	Reverse Move-In Document	Reverse Move-In Doc
FCWA	Change Move-Out Document	Change Move-Out Doc.
FCWA	Display Move-Out Document	Display Move-Out Doc
FCWA	Reverse Move-Out Document	Reverse Move-Out Doc
FCWA	Hydrant Meter Return	Hydrant Meter Return
FCWA	Print Owner M/I Letter	Print Owner M/I Ltr
FCWA	Print Owner M/O Letter	Print Owner M/O Ltr
FCWA	Print Hydrant Permit	Print Hydrant Permit
FCWA	Transfer Service	Transfer Service
FCWA	Create Move-Out	Create Move-Out
FCWA	Complete Read/Leave Order	Complete Read/Leave
FCWA	Implausible MR Results	Review MR Results
FCWA	Change Meter Reading Results	Change MR Results
FCWA	Create Meter Reading Order	Create MR Order
FCWA	Enter Customer Meter Reading	Enter Customer MR
FCWA	Enter Utility Meter Reading	Enter Utility MR
FCWA	Display Utility Installation	Display Installation
FCWA	Rate maintenance	Rate maintenance

FCWA	Create Field Svc Order	Field Svc Work Order
FCWA	Create Meter Shop Work Order	Mtr Shop Work Order
FCWA	Create Maintenance Work Order	Mainten. Work Order
FCWA	Create Disconnect Document	Create Disconnection
FCWA	Complete Disconnect Non-M/O	Complete Disconnect
FCWA	Create Reconnection	Create Reconnection
FCWA	Complete Reconnect Non-M/I	Complete Reconnect
FCWA	Change Disconnect	Change Disconnect
FCWA	Display Disconnect	Display Disconnect
FCWA	Complete Move-out/Turn-off	Complete Turn-off
FCWA	Complete Move-in/Turn-on	Complete Turn-on
FCWA	Install Device	Install Device
FCWA	Change Utility Installation	Change Installation
FCWA	Install Add. Hydrant Met	Install Add Hyd Mtr
FCWA	Create Cross Connection Order	Cross Connect Order
FCWA	Display Device	Display Device
FCWA	Change Device Information	Change Device Info
FCWA	Remove Meter	Remove Meter
FCWA	Device environment	Device Environment
FCWA	Change Meter	Change Meter
Mobile	Display partner	Display Partner
Mobile	Customer overview	Customer overview
Mobile	Customer environment	Customer environment
Mobile	Multi-Account Balance Display	Multi-Acct Balance
Mobile	Display Premise	Display Premise
Mobile	Premise environment	Premise Environment
Mobile	Display Connection Object	Display Connect. Obj
Mobile	Display Device Location	Display Device Locat
Mobile	Display account	Display Account
Mobile	Account overview	Account overview
Mobile	Account Balance Display	Acct Balance Display
Mobile	Display Installment Plan	Display Instal. Plan
Mobile	Display Owner Allocation	Display Owner Alloc.
Mobile	Display Dunning History	Dunning History
Mobile	Installment Plan History	Install Plan History
Mobile	Display contract	Display Contract
Mobile	Display Move-In Document	Display Move-In Doc
Mobile	Display Move-Out Document	Display Move-Out Doc
Mobile	Display Utility Installation	Display Installation
Mobile	Create Field Svc Order	Field Svc Work Order
Mobile	Create Meter Shop Work Order	Mtr Shop Work Order
Mobile	Create Maintenance Work Order	Mainten. Work Order
Mobile	Display Disconnect	Display Disconnect
Mobile	Display Device	Display Device
Mobile	Device environment	Device Environment
SD	Display Contact	Display Contact
SD	Change Contact	Change Contact
SD	Display Service Notification	Display
SD	Change Service Notification	Change
SD	Confirm	Confirm

SD	Accept/Reject Quotation	Accept/Reject
SD	Display Order	Display Order
SD	Change Order	Change Order
SD	Create Billing Document	Create Billing Docum
SD	Confirm Order	Confirm Order

2. Is your FOP specification documentation up to date?
   Response: See Attachment C which provides details on FOP processes.

3. Are Sales and Distribution Billing documents (if any) visible in CIC0 for an existing Water customer?
   Response: FW has a separate SD CIC profile and yes, those SD documents are visible in the CIC via FI-CA documents. See question 1 above for a list.

4. Have you executed any Data Assessment tools in your current S/4HANA system for data quality check? If so, can you share results?
   Response: FW executed a data assessment last year during the S/4HANA migration. There was no critical feedback related to Customer Service.

5. Have you built/configured any custom Fiori apps in S4HANA and/or embedded into CIC0?
   Response: FW is in the process of building custom Fiori apps but not related to Customer Service and as of now they are not embedded into CIC.

6. Please provide Fairfax's three to five top use cases that the proposed self-service application should support from a voice (IVR) and digital (chat) channel perspective.
   Response: Please review the first 5 requirements (specifically IVR3 and IVR5) in Attachment K

7. Although, it wasn't mentioned would Fairfax be interested in sentiment analysis?
   Response: Yes. FW is interested.

8. Please confirm that the following "Systems" will require IVR and/or chat integrations:
   a. Oracle:
      i. Voice
      ii. Chat
   b. SAP:
      iii. Voice
      iv. Chat
   c. SpeedPay Payment:
      v. Voice
      vi. Chat
   d. Portal Payments
      vii. Chat:

   Response: FW is open to SAP voice and chat. FW will defer to the vendor concerning the benefits of SpeedPay and Portal voice and chat. The inclusion of Oracle as a possible integration is unclear.

9. Will the proposed CIC be required to support outbound proactive notifications (E.g., Agentless voice call, SMS, E-mail, etc.) to FW's constituents, or will these types of notifications continue to be supported by Datamatx?
   Response: FW would like to evaluate all options as shown in the RFP. Datamatx provides printed correspondence only.

10. Will the proposed IVR require any of the following capabilities?
    e. ASR (Automatic Speech Recognition)
    f. TTS (Text-to-Speech)
    g. DTMF selection

    Response: We are open to all possibilities.

11. Is FW looking for Tier 2 and Tier 3 post-live support? Or are you looking for Tier 1 (help desk) support too? If Tier 1 is desired, please provide your definition for Tier 1.
    Response: For 3 months of hypercare, FW is looking for Tier 2 and Tier 3 support.

12. What languages are necessary to be supported besides English and Spanish?
    Response: Korean (IVR only) at a minimum.

13. Can FW share with the bidders the scored evaluation criteria for this RFP?
    Response: The method is described in Section V Evaluation Process.

14. Is OCM part of the vendor's responsibilities?
    Response: Yes, assuming that OCM is Organizational Change Management. The Offeror must develop and execute a change management plan consisting of: stakeholder analysis, stakeholder engagement, training, and knowledge transfer to FW.

15. Can the bidders submit perpetual or SaaS pricing?
    Response: Either or both can be submitted.

16. Is FW open to a 2-week extension?
    Response: FW and Offerors must adhere to the schedule presented in the announcement.

17. Is the physical copy of the Pricing Workbook required to be submitted as a separate document from the main proposal document?
    Response: Yes. The physical copy is what FW denotes as official.

18. Is the electronic copy of the Pricing Workbook required to be submitted in a separate email from the electronic copy of the main proposal (i.e., 2 separate electronic email submissions)?
    Response: No. They may be submitted in a single email but as separate files or attachments.

19. Is it required to submit paper copies of Attachment A-1 (Exceptions to Fairfax Water Contract Terms and Conditions), Attachment D (Staffing Matrix), Attachment J (SAP CIC Replacement Functional Requirements), and Attachment K (Unified Contact Center Requirements)?
    Response: Yes.

20. Are Attachment D (Staffing Matrix), Attachment J (SAP CIC Replacement Functional Requirements), and Attachment K (Unified Contact Center Requirements) required to be submitted as separate workbooks as part of the electronic submission (i.e., several files as part of the electronic submission)?
    Response: Yes.

21. Is Attachment A-1 (Exceptions to Fairfax Water Contract Terms and Conditions) required to be submitted as a separate MS word document as part of the electronic submission?
    Response: Yes.

22. What, if any, existing telephony infrastructure is FW planning to retain?
    Response: FW will retain CUCM and Unity.

23. Which, if any, of the following solutions does FW plan to retain?
    a. Cisco UCS hardware
    Response: Yes. Please note that FW will entertain both SaaS and on-premise proposals. However, Offeror shall provide proposal inclusive of solution for storage and/or hosted environment.

    b. VMware vSphere running on Cisco UCS
    Response: Yes. Please note that FW will entertain both SaaS and on-premise proposals. However, Offeror shall provide proposal inclusive of solution for storage and/or hosted environment.

    c. Enghouse QMS
    Response: No. Enghouse QMS will not be retained, and its functionality would be replaced by the proposed solution. Please note that FW will entertain both SaaS and on-premise proposals. However, Offeror shall provide proposal inclusive of solution for storage and/or hosted environment.

    d. CUCM
    Response: Yes. Please note that FW will entertain both SaaS and on-premise proposals. However, Offeror shall provide proposal inclusive of solution for storage and/or hosted environment.

    e. UCCX
    Response: No, this will not be retained and is what FW is proposing to replace. Please note that FW will entertain both SaaS and on-premise proposals. However, Offeror shall provide proposal inclusive of solution for storage and/or hosted environment.

24. What, if any, are considered deficiencies or pain points in the current Contact Center/Telephony solutions FW currently uses?
    Response: The lack of integration with SAP and self-service options are pain points.

25. What is FW's current telephony switch and trunk configuration? Can FW share the current telephony network diagram?
    Response: ISP SIP Trunks ---> Cube Gateway ---> Cisco Voice Gateway ----> CUCM

26. Are comments mandatory for the requirements matrix?
    Response: It depends on the nature of the requirement; thorough responses are encouraged.

27. Does FW currently own licenses for either S/4HANA Utilities for Customer Engagement or Cloud for Sales/Service (C4C)?
    Response: FW owns licenses for S/4HANA Utilities for Customer Engagement.

28. Do you have a detailed catalog of the SAP FOPs?
    Response: See response to question 1 and see Attachment C, Business Process Catalog.

Question #	Section	Reference	Question	FW Response
29.	4.3 Proposal Form Submission	"...an electronic copy of the proposal on a SharePoint site which can be accessed by FW…"	Would you accept a link to a OneDrive site? We cannot provide external access to our SharePoint site for security reasons.	Yes
30.	43 Proposal Form Submission	One (1) proposal with a Proposal Form containing an original longhand signature…	Will you accept an electronic signature via DocuSign? Like many companies, we are still primarily working remotely due to COVID.	We require an original long hand signature.
31.	4.6.5 Pricing	Response to the pricing identified in Attachment H, Pricing Workbook, must be submitted in paper copy, and followed up by an email electronic copy.	Please verify you are wanting the pricing workbook via email versus uploaded to a shared site.	Please upload the pricing workbook to the shared site and send the Procurement Contact a link to the site via email.

32.	Attachment E	Attachment E - FW Interface Listing	How many data actions does FW plan for in the SAP integration? A. Customer Self Service Requests i. Lookup case ii. Start New case iii. Match caller to SAP record	Assuming "actions" means contacts, yes, FW would like to have an automatic contact/interaction record created for iii. For metrics, see pages 8 and 9 of the RFP.
33.	Attachment E	Attachment E - FW Interface Listing	Can Fairfax Water provide information as to what services or APIs for GIS? What type of expected data actions does FW want?	Today it is a text-based download from SAP and corresponding upload to GIS. FW requires the capability to integrate SAP and Esri, enabling capabilities such as but not limited to, displaying orders on a map and initiating SAP orders from an Esri map.
34.	Attachment E	Attachment E - FW Interface Listing	Can Fairfax Water provide information on the current payment provider?	FW sends and receives payments via file transfer between FW and its payment providers.
35.	Attachment E	Attachment E - FW Interface Listing	Does Fairfax Water have a web service or internally setup integration with their payment provider, or will the awarded vendor connect directly to the payment provider through their API?	FW does not have a web service with our payment provider.
36.	Attachment G	Attachment H - Pricing Workbook is provided to present the proposed pricing for the entire project. The Vendor shall provide a detailed breakdown of all costs required for the successful implementation and ongoing operation of the proposed	We did not see pricing workbook included with the RFP documents. Can you please provide the pricing workbook referenced on page 29 of the RFP?	The pricing workbook is Attachment G.

		solution utilizing the Pricing Workbook distributed with the Response Template of this RFP.		

S.No.	Reference document	Page No & Section	Content as in RFP requiring clarification	Question	Response
37.	RFP 22-041 - Customer Service Modernization - FINAL 10-6-22	6 & Background	Landscape	Requesting you to share the FW IT Landscape and SAP landscape.	See Attachment M – SAP Landscape
38.	RFP 22-041 - Customer Service Modernization - FINAL 10-6-22	6 & Background	SAP IS-U Modules	Which SAP IS-U modules are fully operational? Example - Customer Service, Device Management, Energy Data Management, Advance Metering Infrastructure, Billing & Invoicing, Real Time Pricing, Inter Company Data Exchange, Finance and Contract Accounting.	Customer Service, Device Management, Billing and Invoicing, Finance and Contract Accounting
39.	RFP 22-041 - Customer Service Modernization - FINAL 10-6-22	6 & Background	S/4HANA	AS per RFP and Pre-Proposal meeting discussion that FW will update the S/4HANA 2021. Kindly confirm that before the project start SAP system will be updated to S/4HANA 2021 and we need to propose our solution accordingly.	The plan is to start the Upgrade in Q4/2022 and operating with it in the lower environments before this project begins.

40.	RFP 22-041 - Customer Service Modernization - FINAL 10-6-22		SAP IS-U Data Model	Please share the SAP IS-U Data Model.	FW uses the base ISU model as shown here
41.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-22	Forms & Letters	Billing and Invoicing	Is it Collective Billing and Joint Invoicing implemented?	No
42.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-22	Wholesale	Customised Workflow / Approval Process	Please provide all business approval process where presently it is used by any development Objects. Example - Wholesale, Leakage credit etc?	Depending on dollar values, credit approvals are handled through ISU-workflow and refunds over $15 are subject to dual object approval.
43.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-22			What are the various channels you integrate with CIC - FAX /Email /Chat?	Only phone and email
44.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-23			Do you handle any outbound marketing calls in the CIC?	No. Outbound marketing calls is not a present capability. Please see requirement F18 in Attachment K – FW Unified Contact Center Requirements.
45.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-24			Do you have Automatic Email Response management system in the current CIC?	No. The current CIC does not possess an automatic email response capability. See requirement G10, Attachment J
46.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-25			We assume only one backend ISU system will be connected. Is that correct?	Correct
47.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-26			Do you also sell Physical products with Utility Contracts?	No
48.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-27			Do you use knowledge search to attach articles to the ticket?	No

49.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-28			Do you have interaction script to provide guidance to the agents?	No. An interaction script does not exist within SAP.
50.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-29			Do you have any routing logic to agent or teams of agent	Yes
51.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-30			Are automatic notifications via emails in scope?	Yes
52.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-31			Do you have an Integration with Address Management System?	SAP Address Management inside SAP is used
53.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-32			What are the non-Utility business Processes that are supported in CIC, e.g., Service Contract, Maintenance Plan etc.?	FW uses SAP EAM/Plant Maintenance and Sales & Distribution for non-utility processes
54.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-33			Do you intend to use Alerts to notify the Agent or Propose him the next best action?	Yes.
55.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-34			Do you use Investigative case management in CIC?	No.
56.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-35			Do you intend to use Automated Call Prompting for the telephony integration?	Yes.
57.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-36			Is the contact center dedicated for the utilities or there are other systems connected to the contact center?	It is dedicated to utilities.
58.	RFP 22-041 - C - FW Business Process Catalog-RFP - Final 10-6-37			How do you route the call to the ISU CIC? E.g., the Phone number to map to a customer	There is no automatic routing; this is a manual process

59.	RFP 22-041 - K - FW Unified Contact Center Requirements Workbook - Final 10-6-22			Do you have Calling Line Identification (CLI) features supporting multiple phone numbers such as home, work, mobile, etc.?	Yes. This is stored within SAP.
60.	RFP 22-041 - K - FW Unified Contact Center Requirements Workbook - Final 10-6-22			Do you intend to use Dialed Number Identification Service (DNIS) features?	Yes.
61.	RFP 22-041 - Customer Service Modernization - FINAL 10-6-22	6 & Background		Please brief us the timelines regarding the Intended Project schedule apart from support ending in 2024 for CIC. Do you have a date by which the project needs to Go-Live?	This would be part of your proposal.
62.	RFP 22-041 - K - FW Unified Contact Center Requirements Workbook - Final 10-6-22			Please let us know any special scenarios w.r.t Call routing e.g., skill-based routing or call screening.	Ideally skills with additional language could be addressed.
63.	RFP 22-041 - Customer Service Modernization - FINAL 10-6-22	6 & Background		Do you intend us to provide the costs for licenses as well for SAP Solution?	Yes, except FW already owns SAP S/4HANA Customer Engagement – pricing for that does not need to be included.
64.	RFP 22-041 - K - FW Unified Contact Center Requirements Workbook - Final 10-6-22			Please provide us any special scenarios for Queueing? E.g., skill-based queuing.	For language skills
65.				Do you have any existing Salesforce footprint at Fairfax?	No

End of RFP 22-041 - Addendum 1

.RFP 22-041 – Customer Service Modernization

Acknowledgement of Receipt of Addendum # 1

I certify that the information contained in the proposal submitted on behalf of the below named firm incorporates any and all changes to the original specification. I further certify by my signature below, that I am fully authorized to acknowledge receipt of the above addendum and also bind the below named firm to the terms, conditions and specifications of the RFP and any changes thereto made by this addendum.

ACKNOWLEDGED BY:

FOR: _____ _____

Company Name Date

_____

Signature of Authorized Agent

_____

Printed/typed name

_____

Title