Writing Homework

XaushiX

- Strong base Url = "https://demo. nopcommerce.com/";

 System.setProperty C"webdaver.chrome.daver", "davers/chromedaverece) =

 WebDaver daver = new EhromeDaver();

 daver.get (buseUrl);
- String base Url = "https://demo.nopcommerce.com/";

 System.set Property ("hvebdriver.chrome.driver", "drivers /drivers /drivers exe");

 Web Driver driver = new Chrome Dover();

 driver get (base Unl);
- 3) System b: String bus Url = "https://demo. nopcommerce com/");
 System. Set Proporty ("webdriver.chrome.driver", "driver/chromedriver.one");
 Web Driver driver = new Chrome Driver();
 ohnver-get (buse Url);
- String buse Url = " https://demo.nopcommerce.com/");

 System. set Property (" webdriver. gecico.driver", "driver/gecicodriver.exe");

 Web Driver driver = new Frepox Driver ();

 atricer. get Chuseum);
- (5) Story buseVrl = "https://deme-nopcommorce.com/");
 System setProperty ("webdover.orlge.dower", "Idonor/msedgedower.exe");
 Web Driver dower = new EdgeDower();
 dower.get (buseVnl);

Locator

Danoh L

(1) I	d	,0	ld		(3)	1 d		
	Vam e		Name			Name		
	Linic text		Linic text		Linictext			
_	Partial Linic tes		1			Partia link text		
	ma chile to	24.1	10/1/91	11.77				
	class		class			Cass		
	Tay Name		Tag Name			Tag Norme		
	X- Path		X-Path			X-Path		
	CSS ScleetRY					css selecter		
	293 30000		CSS >	GC 10				
(4) Id	G	2) 14	6) [d	Ġ	D 1d		
	me	Name	0	Name		Name		
	ic text	Linictext		Link text		Linic text		
		Partia linic te		Partial Linia	text	Partial Cinic text		
clu	as	class		class		dass		
	Name	Tag Name	e	Pag. Hame		Tug-Name		
	Path.	X- Path		x-Path.		X-Path		
	Selecter.	Oss-selec	ter.	Cos-select	ev	(ss-selector.		
8 10		@ 1	d	(1	0)	19		
(0	me	Non	me			Name		
	ctext	Limi	ctext		1,	ink text		
4	rul limic text	Part	tail Imic	text	Pa	orthical limic heart		
		1						
Clu	Cluss		Class			class		
Pal	Pag-Name		rlag Name			Tay-Name		
y).	p-Roch.		X- Al sh.			XL Peath		
C	s Selecter	cs.	s-selea	for.	C	oss-seleker.	-	