ClinicShield

Owner summary

Assessment time: 2026-11-08T17:06:49.003098+00:00
Fictional example: lakeview_dental
Evidence mode: documented fictional scenario
Demonstration only. Synthetic changes are simulated assumptions, not completed corrective actions or verified improvement.

65/100 | At risk

Safeguards 72.3/100 | Exposure 55.0/100
Weighting: 60% Safeguards + 40% Exposure. Status: provisional

Read the score with its limits

6 coverage issues | 28 finding groups need review.
Missing evidence is not evidence of safety. Scores and draft practice mappings do not establish regulatory compliance, clinical effectiveness or production readiness.
- Some source or inventory coverage is unassessed.
- Some findings require verification.
- Some applied rule definitions remain drafts.

Fix First: highest-ranked actions

Priority is finding points / effort. It does not predict score improvement or actual risk reduction. Verify costs and scope before work.

#1 | R05 | device:LV-LT01
Verify device encryption status. If encryption is disabled, have the responsible IT administrator enable supported device encryption, securely mana...
Owner: IT administrator or managed service provider | Effort: 2/3 | Cost: unknown

#2 | R10 | device:LV-RT01
Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported creden...
Owner: Device administrator or responsible vendor | Effort: 2/3 | Cost: unknown

#3 | R07 | assessment
Review each remote-access safeguard described in Q17. Identify unnecessary connections and verify authentication requirements for connections that ...
Owner: IT administrator and remote-access service owner | Effort: 2/3 | Cost: unknown

Next: agree owners, confirm evidence and request provider estimates. The appendix contains all actions, evidence, score arithmetic and coverage warnings. Summary labels may be shortened.

Detailed appendix

Full report including findings requiring verification. Unsupported glyphs are shown as [U+code].

ClinicShield assessment
Fictional clinic: lakeview_dental
Evidence mode: documented fictional scenario
Demonstration only; not an assessment of a real clinic. Any scenario evidence is synthetic, and its timestamps represent fixture generation rather than real-world verification. Live threat-intelligence caches are not loaded.

Assessment time: 2026-11-08T17:06:49.003098+00:00

Overall score: 65/100 - At risk
Score status: provisional
Safeguards score: 72.3/100
Exposure score: 55.0/100
Overall weighting: 60% Safeguards and 40% Exposure.

Why this score

Arithmetic explains the assessed scope, not complete coverage or safety. Unknown answers earn zero safeguards weight; review-only technical evidence adds no confirmed Exposure deduction. Administrative findings add no extra Exposure deduction. Grouped risks are counted once. Q24 follow-ups are scored once through Q24, not as separate questions.
Safeguards: 100 x 34 / 47 = 72.3404 (exact 3400/47)
Q01: No; weight 3; earned 0 of 3.
Q02: Yes; weight 3; earned 3 of 3.
Q03: Yes; weight 1; earned 1 of 1.
Q04: Yes; weight 1; earned 1 of 1.
Q05: No; weight 1; earned 0 of 1.
Q06: Yes; weight 3; earned 3 of 3.
Q07: Yes; weight 3; earned 3 of 3.
Q08: Yes; weight 3; earned 3 of 3.
Q09: Yes; weight 1; earned 1 of 1.
Q10: Yes; weight 3; earned 3 of 3.
Q11: No; weight 3; earned 0 of 3.
Q12: Yes; weight 1; earned 1 of 1.
Q13: Yes; weight 1; earned 1 of 1.
Q14: Yes; weight 1; earned 1 of 1.
Q15: No; weight 1; earned 0 of 1.
Q16: No; weight 1; earned 0 of 1.
Q17: No; weight 3; earned 0 of 3.
Q18: No; weight 1; earned 0 of 1.
Q19: Yes; weight 1; earned 1 of 1.
Q20: Yes; weight 3; earned 3 of 3.
Q21: Yes; weight 3; earned 3 of 3.
Q22: Yes; weight 1; earned 1 of 1.
Q23: Yes; weight 1; earned 1 of 1.
Q24: Yes; weight 1; earned 1 of 1.
Q25: Yes; weight 3; earned 3 of 3.
Exposure: 13 scoring entities; cap 25 points per entity.
device:LV-LT01 / R05: 6 severity points x 1.5 patient-information x 1 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["R05"].
device:LV-RT01 / R10: 6 severity points x 1 patient-information x 1.5 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["R10"].
device:LV-SRV01 / R03, R08: 6 severity points x 1.5 patient-information x 1 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["os-support"].
device:LV-WS01 / R03: 6 severity points x 1.5 patient-information x 1 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["os-support"].
device:LV-WS02 / R03: 6 severity points x 1.5 patient-information x 1 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["os-support"].

cloud:1: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
cloud:2: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:LV-LT01: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:LV-LT02: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:LV-MD01: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:LV-RT01: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:LV-SRV01: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:LV-WS01: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:LV-WS02: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:LV-WS03: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:LV-WS04: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:LV-WS05: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:LV-WS06: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
Capped total 45.0000 (exact 45/1) x size factor 1.0000 (exact 1/1) = adjusted deduction 45.0000 (exact 45/1).
Exposure = max(0, 100 - adjusted deduction) = 55.0000 (exact 55/1).
Combined: 0.6 x Safeguards + 0.4 x Exposure = 65.4043 (exact 3074/47).
Rounded score: 65. Nearest whole number; exact .5 ties round upward.
No confirmed Critical ceiling applied; unresolved evidence still requires review.
Final score: 65/100; At risk.

Practice-area results (draft)

Draft practice views use project checklist categories, not an official HICP crosswalk. Safeguards reflects reported answers. Exposure shows known deductions only; no confirmed technical findings means unassessed, not 100. Combined scores require both components. All numeric results are provisional. Practice values do not add or average into the overall score.

1. Email protection [draft_provisional]

Safeguards: 50.00/100 (3/6 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

2. Endpoint protection [draft_provisional]

Safeguards: 66.67/100 (2/3 weight)
Exposure: 91.00/100; known deductions only
Combined: 76/100; Needs attention
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

3. Access management [draft_provisional]

Safeguards: 100.00/100 (10/10 weight)
Exposure: 91.00/100; known deductions only
Combined: 96/100; Good shape
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 11; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

4. Data protection [draft_provisional]

Safeguards: 62.50/100 (5/8 weight)
Exposure: unassessed
Combined: unavailable; both components required

Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

5. Asset management [draft_provisional]

Safeguards: 100.00/100 (1/1 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 4; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

6. Network management [draft_provisional]

Safeguards: 0.00/100 (0/5 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

7. Vulnerability management [draft_provisional]

Safeguards: 50.00/100 (1/2 weight)
Exposure: 73.00/100; known deductions only
Combined: 59/100; At risk
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 12; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

8. Incident response [draft_provisional]

Safeguards: 100.00/100 (7/7 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

9. Network-connected medical devices [draft_provisional]

Safeguards: 100.00/100 (1/1 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.
Review groups: 1; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

10. Security oversight and governance [draft_provisional]

Safeguards: 100.00/100 (4/4 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 13 entities; size factor 1/1; cap 25 points per entity.

Review groups: 0; assessment coverage warnings: 6.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

What this score covers

The score reflects the supplied evidence and assessed scope.
Missing coverage or an informational finding does not establish safety.
- Some source or inventory coverage is unassessed.
- Some findings require verification.
- Some applied rule definitions remain drafts.

Evidence age policy

Public feeds: 8 days
Administrator observations: 30 days

Coverage requiring attention

- assessment: KEV cache is unavailable; missing coverage is not safety.
- assessment: EPSS cache is unavailable; missing coverage is not safety.
- software:1: No applicability records supplied; CVE coverage is unassessed.
- software:2: No applicability records supplied; CVE coverage is unassessed.
- software:3: No applicability records supplied; CVE coverage is unassessed.
- software:4: No applicability records supplied; CVE coverage is unassessed.

Fix First plan

Priority is finding points divided by effort, not an estimated score increase. Entity caps, overlapping findings and the Critical ceiling affect score changes. Checklist priorities add no extra score deductions. Ranks compare across groups. Repeated actions use the highest points and highest effort, not summed priorities. Essential-goal ties use existing reviewed checklist relationships, with partial coverage; they do not establish full CPG compliance. Unknown costs require an estimate.

Do today free
No confirmed actions assigned to this group.

This month low cost
No confirmed actions assigned to this group.

Ask your vendor
#1 - R05 - device:LV-LT01
Priority: 4.5 (9 points / effort 2).
Responsible roles: IT administrator or managed service provider
Estimated cost: unknown
- Verify device encryption status. If encryption is disabled, have the responsible IT administrator enable supported device encryption, securely manage recovery keys, and verify the result. Coordinate changes to managed or medical devices with the responsible vendor.

Copyable provider/lead request: For device:LV-LT01 (R05), please review the reported encryption gap and agree a supported encryption plan with recovery arrangements. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#2 - R10 - device:LV-RT01
Priority: 4.5 (9 points / effort 2).
Responsible roles: Device administrator or responsible vendor
Estimated cost: unknown
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.

Copyable provider/lead request: For device:LV-RT01 (R10), please review the unchanged default administrator password and agree a controlled credential change. Please provide dated evidence for reassessment and confirm

the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=False.
#3 - R07 - assessment
Priority: 3 (6 points / effort 2).
Responsible roles: IT administrator and remote-access service owner
Estimated cost: unknown
- Review each remote-access safeguard described in Q17. Identify unnecessary connections and verify authentication requirements for connections that remain enabled. Coordinate corrective actions with the responsible administrator or vendor. Do not assume that a VPN alone provides sufficient protection or that every listed service lacks MFA.
Copyable provider/lead request: For assessment (R07), please review remote-access necessity and MFA separately, and agree changes for the reported gaps. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=Q17; confirmed patient-information scope=True.
#4 - R12 - cloud:1
Priority: 3 (6 points / effort 2).
Responsible roles: Email administrator or managed service provider
Estimated cost: unknown
- Verify MFA coverage for email accounts and address confirmed gaps with the service owner. Confirm that protection covers all applicable accounts and document necessary exceptions. Review Unknown or NA values rather than treating them as enabled. Evaluate supported authentication options with the administrator.
Copyable provider/lead request: For cloud:1 / Example Mail Vendor / Clinic Email (R12), please review the reported email MFA gap and agree protection for the affected accounts. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=Q01; confirmed patient-information scope=True.
#5 - R03 - device:LV-WS01
Priority: 3 (9 points / effort 3).
Responsible roles: IT administrator and system vendor
Estimated cost: unknown
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Copyable provider/lead request: For device:LV-WS01 (R03), please verify OS support and extended-support coverage, and plan a supported replacement or documented mitigation. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#6 - R03 - device:LV-WS02
Priority: 3 (9 points / effort 3).
Responsible roles: IT administrator and system vendor
Estimated cost: unknown
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Copyable provider/lead request: For device:LV-WS02 (R03), please verify OS support and extended-support coverage, and plan a supported replacement or documented mitigation. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#7 - R03, R08 - device:LV-SRV01
Priority: 3 (9 points / effort 3).
Responsible roles: IT administrator and system vendor
Estimated cost: unknown
- Verify OS support and whether SMB is required. For a confirmed unsupported OS, plan a supported upgrade, replacement, or vendor-approved mitigation and restrict unnecessary SMB access. Preserve required clinical

operations. Resolve uncertain support evidence before claiming the operating system is unsupported.
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.

Copyable provider/lead request: For device:LV-SRV01 (R03), please verify OS support and extended-support coverage, and plan a supported replacement or documented mitigation. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Copyable provider/lead request: For device:LV-SRV01 (R08), please review SMB on the unsupported OS and agree a supported OS plan without treating SMB presence as a confirmed exploit. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#8 - R18 - assessment
Priority: 3 (6 points / effort 2).
Responsible roles: Network administrator or managed service provider
Estimated cost: unknown
- Verify whether guest Wi-Fi can reach clinical systems. Have the responsible network administrator configure appropriate network separation and access restrictions, then test that guest devices cannot reach protected systems while required operations work.

Copyable provider/lead request: For assessment (R18), please review guest-network separation and agree restrictions protecting clinic systems. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=False.
#9 - R19 - assessment
Priority: 3 (6 points / effort 2).
Responsible roles: Network administrator or managed service provider
Estimated cost: unknown
- Review each safeguard listed in Q16 with the responsible network administrator. Identify and correct deficient settings, document the changes, and verify required connectivity. Do not assume every listed safeguard is missing from a single No answer.

Copyable provider/lead request: For assessment (R19), please check the router safeguards individually and agree a plan for the settings actually found deficient. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=False.
#10 - R16 - assessment
Priority: 2 (6 points / effort 3).
Responsible roles: IT administrator and backup service provider
Estimated cost: unknown
- Review the Q10 safeguards separately and address confirmed gaps in backup frequency or separation from daily work access. If Q11 is No, arrange a controlled restore test and document its results. Investigate Unknown answers without calling them confirmed missing controls. Coordinate testing to avoid disrupting clinical operations.

Copyable provider/lead request: For assessment (R16), please arrange a controlled restore test and record its outcome. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=Q11; confirmed patient-information scope=False.

Policy and training
No confirmed actions assigned to this group.

Verify before planning remediation

- R03 at device:LV-LT01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:LV-LT02: Verify this evidence before treating it as a confirmed gap.
- R03 at device:LV-MD01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:LV-RT01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:LV-WS03: Verify this evidence before treating it as a confirmed gap.
- R03 at device:LV-WS04: Verify this evidence before treating it as a confirmed gap.

- R03 at device:LV-WS05: Verify this evidence before treating it as a confirmed gap.
- R03 at device:LV-WS06: Verify this evidence before treating it as a confirmed gap.
- R04 at cloud:1: Verify this evidence before treating it as a confirmed gap.
- R04 at cloud:2: Verify this evidence before treating it as a confirmed gap.
- R04 at device:LV-LT01: Verify this evidence before treating it as a confirmed gap.
- R04 at device:LV-SRV01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-LT01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-LT02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-MD01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-SRV01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-WS01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-WS02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-WS03: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-WS04: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-WS05: Verify this evidence before treating it as a confirmed gap.
- R10 at device:LV-WS06: Verify this evidence before treating it as a confirmed gap.
- R11 at device:LV-MD01: Verify this evidence before treating it as a confirmed gap.
- R13 at device:LV-SRV01: Verify this evidence before treating it as a confirmed gap.
- R24 at cloud:1: Verify this evidence before treating it as a confirmed gap.
- R24 at cloud:2: Verify this evidence before treating it as a confirmed gap.
- R24 at device:LV-LT01: Verify this evidence before treating it as a confirmed gap.
- R24 at device:LV-SRV01: Verify this evidence before treating it as a confirmed gap.

Findings from supplied evidence

1. Backup safeguards gap

Rules: R16
Entity: assessment
Severity: High
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R16 - confirmed
Q10: Yes
Q11: No
Recommended actions:
- Review the Q10 safeguards separately and address confirmed gaps in backup frequency or separation from daily work access. If Q11 is No, arrange a controlled restore test and document its results. Investigate Unknown answers without calling them confirmed missing controls. Coordinate testing to avoid disrupting clinical operations.

Responsible roles: IT administrator and backup service provider
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.DS-11 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q10/Q11 combine daily backup, separation and restore testing. Project daily frequency differs from CIS 11.2; the answers do not establish CIS isolation methods or quarterly sampling.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 11.2; 11.4; 11.5 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q10/Q11 combine daily backup, separation and restore testing. Project daily frequency differs from CIS 11.2; the answers do not establish CIS isolation methods or quarterly sampling.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 4.S.B; printed p. 21 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Q10 does not distinguish frequency from separation. Backup copies are Required; contingency testing is Addressable. Daily frequency and a six-month test interval are project benchmarks.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=24
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(7)(ii)(A); 164.308(a)(7)(ii)(D) (partial; applicability-dependent)

Mapping scope: Partial project mapping; source checked October 30, 2026. Q10 does not distinguish frequency from separation. Backup copies are Required; contingency testing is Addressable. Daily frequency and a six-month test interval are project benchmarks. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Basic Incident Planning and Preparedness (Essential; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Backup/restore checks support recovery; they do not demonstrate complete incident readiness. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html
Source-checked project mapping: HICP 2023 - Volume 2: 4.M.D; printed pp. 50-52 (partial; recovery supplement)
Mapping scope: Partial project mapping; source checked October 30, 2026. Supplement for the restore-testing branch from medium/large-organization guidance; not a complete small-clinic recovery assessment or a mandated test interval.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol2-508.pdf#page=57

2. Guest Wi-Fi separation gap

Rules: R18
Entity: assessment
Severity: High
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R18 - confirmed
Q15: No
Recommended actions:
- Verify whether guest Wi-Fi can reach clinical systems. Have the responsible network administrator configure appropriate network separation and access restrictions, then test that guest devices cannot reach protected systems while required operations work.
Responsible roles: Network administrator or managed service provider
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.IR-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q15 reports guest-network separation. Traffic filtering, alternate designs and the full architecture are not independently tested.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 12.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q15 reports guest-network separation. Traffic filtering, alternate designs and the full architecture are not independently tested.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 6.S.A; 6.S.B; printed pp. 24-25 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Guest separation is one access-boundary check; a checklist answer does not demonstrate technical isolation or a mandated topology.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=27
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(1) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Guest separation is one access-boundary check; a checklist answer does not demonstrate technical isolation or a mandated topology. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Network Segmentation (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Guest separation only; effective enforcement and all critical-asset boundaries are untested. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

3. Router security safeguard gap

Rules: R19
Entity: assessment
Severity: High

Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R19 - confirmed
Q16: No
Recommended actions:
- Review each safeguard listed in Q16 with the responsible network administrator. Identify and correct deficient settings, document the changes, and verify required connectivity. Do not assume every listed safeguard is missing from a single No answer.
Responsible roles: Network administrator or managed service provider
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q16 combines router safeguards. A combined No does not identify every failed setting or establish the documented configuration process and review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 4.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q16 combines router safeguards. A combined No does not identify every failed setting or establish the documented configuration process and review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. A combined router answer does not identify which setting failed; no specific CVE, enforced baseline or complete risk treatment is established.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. A combined router answer does not identify which setting failed; no specific CVE, enforced baseline or complete risk treatment is established. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Router settings are a limited configuration check; no organizational baseline is verified. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

4. Remote-access safeguard gap

Rules: R07
Entity: assessment
Severity: High
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R07 - confirmed
Asset id: LV-SRV01
Host: 192.168.10.10
Port: 3389
Protocol: tcp
Service: rdp
Exposure: internal
Q17: No
Recommended actions:
- Review each remote-access safeguard described in Q17. Identify unnecessary connections and verify authentication requirements for connections that remain enabled. Coordinate corrective actions with the responsible administrator or vendor. Do not assume that a VPN alone provides sufficient protection or that every listed service lacks MFA.
Responsible roles: IT administrator and remote-access service owner
Estimated effort: A day of work or a small cost

Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-03; PR.IR-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q17 combines remote-access necessity and MFA. Apply the CIS references to their relevant branches; a VPN alone does not satisfy the project checklist.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 6.4; 4.8 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q17 combines remote-access necessity and MFA. Apply the CIS references to their relevant branches; a VPN alone does not satisfy the project checklist.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 15 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Q17 combines need for remote access and MFA; the MFA relationship applies only to that branch. Authentication does not by itself mandate a specific MFA method.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=18
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(d) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Q17 combines need for remote access and MFA; the MFA relationship applies only to that branch. Authentication does not by itself mandate a specific MFA method. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Multifactor Authentication (Essential; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Only the MFA branch, for Internet-accessible accounts where safe and technically capable; not proof of phishing resistance. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

5. Email multifactor authentication gap

Rules: R12
Entity: cloud:1
Severity: High
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R12 - confirmed
Asset id: CLOUD
Vendor: Example Mail Vendor
Product: Clinic Email
Purpose: email
Deployment: cloud
Mfa enabled: N
Recommended actions:
- Verify MFA coverage for email accounts and address confirmed gaps with the service owner. Confirm that protection covers all applicable accounts and document necessary exceptions. Review Unknown or NA values rather than treating them as enabled. Evaluate supported authentication options with the administrator.
Responsible roles: Email administrator or managed service provider
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-03 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Email MFA coverage is a project check. CIS 6.3 applies conditionally to externally exposed applications where supported; all account configurations are not verified.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 6.3 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Email MFA coverage is a project check. CIS 6.3 applies conditionally to externally exposed applications where supported; all account configurations are not verified.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 1.S.A; printed p. 10 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Email MFA evidence covers supplied

accounts; phishing resistance and all authentication procedures are not verified.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=13
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(d) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Email MFA evidence covers supplied accounts; phishing resistance and all authentication procedures are not verified. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Email Security (Essential; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Email MFA is one component; filtering, forwarding and other email safeguards are outside this rule. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

6. Portable-device encryption gap

Rules: R05
Entity: device:LV-LT01
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 9
Evidence:
R05 - confirmed
Asset id: LV-LT01
Portable: Y
Encrypted: N
Recommended actions:
- Verify device encryption status. If encryption is disabled, have the responsible IT administrator enable supported device encryption, securely manage recovery keys, and verify the result. Coordinate changes to managed or medical devices with the responsible vendor.
Responsible roles: IT administrator or managed service provider
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.DS-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. This rule covers portable assets and supplied encryption status only. It does not inventory every sensitive-data location or verify cryptographic configuration.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 3.6 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. This rule covers portable assets and supplied encryption status only. It does not inventory every sensitive-data location or verify cryptographic configuration.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Portable-device encryption status is reported, not cryptographic effectiveness. Encryption/decryption is Addressable; this finding is not a legal determination.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(2)(iv) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Portable-device encryption status is reported, not cryptographic effectiveness. Encryption/decryption is Addressable; this finding is not a legal determination. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312

7. Default administrator password requires attention

Rules: R10
Entity: device:LV-RT01
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 9
Evidence:

R10 - confirmed
Asset id: LV-RT01
Applicability: Yes
Default password changed: No
Evidence basis: Fictional Lakeview scenario explicitly states that the default administrator password is unchanged.
Evidence source: samples/lakeview_dental/assets.csv: LV-RT01; fictional scenario, not an administrator observation
Observed at: 2026-11-08T17:06:49.003098+00:00
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

8. Operating system support requires attention / SMB service on an operating system requiring support review

Rules: R03, R08
Entity: device:LV-SRV01
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 9
Evidence:
R03 - confirmed
Asset id: LV-SRV01
Os name: Windows Server
Os version: 2012 R2
Support status: unsupported
Support basis: Fictional scenario assumption for calibration: this OS is unsupported with no extended coverage. This is not a live vendor-support determination.
Source url: https://github.com/PrimroseZoe1998/clinicshield/blob/main/samples/EXPECTED.md
Retrieved at: 2026-11-08T17:06:49.003098+00:00
Source generated at: 2026-11-08T17:06:49.003098+00:00

Extended support: confirmed_absent
R08 - confirmed
Asset id: LV-SRV01
Os name: Windows Server
Os version: 2012 R2
Support status: unsupported
Support basis: Fictional scenario assumption for calibration: this OS is unsupported with no extended coverage. This is not a live vendor-support determination.
Source url: https://github.com/PrimroseZoe1998/clinicshield/blob/main/samples/EXPECTED.md
Retrieved at: 2026-11-08T17:06:49.003098+00:00
Source generated at: 2026-11-08T17:06:49.003098+00:00
Extended support: confirmed_absent
Host: 192.168.10.10
Port: 445
Protocol: tcp
Service: smb
Exposure: internal
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
- Verify OS support and whether SMB is required. For a confirmed unsupported OS, plan a supported upgrade, replacement, or vendor-approved mitigation and restrict unnecessary SMB access. Preserve required clinical operations. Resolve uncertain support evidence before claiming the operating system is unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The support-related finding also records SMB presence. It does not identify an exploitable SMB defect or require disabling every file-sharing service.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The support-related finding also records SMB presence. It does not identify an exploitable SMB defect or require disabling every file-sharing service.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. SMB presence accompanies the OS-support issue; no exploitable SMB defect or separate legal prohibition is inferred.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17

Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. SMB presence accompanies the OS-support issue; no exploitable SMB defect or separate legal prohibition is inferred. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

9. Operating system support requires attention

Rules: R03
Entity: device:LV-WS01
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 9
Evidence:
R03 - confirmed
Asset id: LV-WS01
Os name: Windows
Os version: 10 22H2
Support status: unsupported
Support basis: Fictional scenario assumption for calibration: this OS is unsupported with no extended coverage. This is not a live vendor-support determination.
Source url: https://github.com/PrimroseZoe1998/clinicshield/blob/main/samples/EXPECTED.md
Retrieved at: 2026-11-08T17:06:49.003098+00:00
Source generated at: 2026-11-08T17:06:49.003098+00:00
Extended support: confirmed_absent
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

10. Operating system support requires attention

Rules: R03
Entity: device:LV-WS02
Severity: High
Scoring category: technical

Exposure risk points before entity caps and size adjustment: 9
Evidence:
R03 - confirmed
Asset id: LV-WS02
Os name: Windows
Os version: 10 22H2
Support status: unsupported
Support basis: Fictional scenario assumption for calibration: this OS is unsupported with no extended coverage. This is not a live vendor-support determination.
Source url: https://github.com/PrimroseZoe1998/clinicshield/blob/main/samples/EXPECTED.md
Retrieved at: 2026-11-08T17:06:49.003098+00:00
Source generated at: 2026-11-08T17:06:49.003098+00:00
Extended support: confirmed_absent
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

Items requiring verification

1. Application support requires attention

Rules: R04
Entity: cloud:1
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: CLOUD
Vendor: Example Mail Vendor
Product: Clinic Email
Version: Unknown
Deployment: cloud
Support status: unknown
Support basis: Application support evidence is missing.

Extended support: unknown
Recommended actions:
- Verify the application release and applicable vendor support coverage. For confirmed unsupported software, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate changes with application owners and clinical users. Obtain vendor confirmation for cloud services whose release or support information is not available to the customer.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

2. Software version requires verification

Rules: R24
Entity: cloud:1
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: CLOUD
Vendor: Example Mail Vendor
Product: Clinic Email
Version: Unknown
Deployment: cloud
Touches phi: Y
Recommended actions:
- Obtain the installed version or the cloud service's applicable release information from a reliable source. Verify whether the software accesses patient information when that status is unknown. Record unresolved vendor-managed version information explicitly. Reassess vulnerability applicability after verification without inventing a version or treating missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator

Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

3. Application support requires attention

Rules: R04
Entity: cloud:2
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: CLOUD
Vendor: Example Backup Vendor
Product: Clinic Backup
Version: Unknown
Deployment: cloud
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the application release and applicable vendor support coverage. For confirmed unsupported software, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate changes with application owners and clinical users. Obtain vendor confirmation for cloud services whose release or support information is not available to the customer.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

4. Software version requires verification

Rules: R24
Entity: cloud:2
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: CLOUD
Vendor: Example Backup Vendor
Product: Clinic Backup
Version: Unknown
Deployment: cloud
Touches phi: Y
Recommended actions:
- Obtain the installed version or the cloud service's applicable release information from a reliable source. Verify whether the software accesses patient information when that status is unknown. Record unresolved vendor-managed version information explicitly. Reassess vulnerability applicability after verification without inventing a version or treating missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

5. Application support requires attention

Rules: R04
Entity: device:LV-LT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: LV-LT01
Vendor: Example Remote Vendor
Product: Remote Support

Version: Unknown
Deployment: local
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the application release and applicable vendor support coverage. For confirmed unsupported software, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate changes with application owners and clinical users. Obtain vendor confirmation for cloud services whose release or support information is not available to the customer.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

6. Default administrator password requires attention

Rules: R10
Entity: device:LV-LT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-LT01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator

Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

7. Software version requires verification

Rules: R24
Entity: device:LV-LT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: LV-LT01
Vendor: Example Remote Vendor
Product: Remote Support
Version: Unknown
Deployment: local
Touches phi: Y
Recommended actions:
- Obtain the installed version or the cloud service's applicable release information from a reliable source. Verify whether the software accesses patient information when that status is unknown. Record unresolved vendor-managed version information explicitly. Reassess vulnerability applicability after verification without inventing a version or treating missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected

software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

8. Operating system support requires attention

Rules: R03
Entity: device:LV-LT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: LV-LT01
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

9. Default administrator password requires attention

Rules: R10
Entity: device:LV-LT02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-LT02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.

Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

10. Operating system support requires attention

Rules: R03
Entity: device:LV-LT02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
- R03 - needs review
  - Asset id: LV-LT02
  - Os name: Windows
  - Os version: 11 24H2
  - Support status: unknown
  - Support basis: Lifecycle evidence is missing.
  - Extended support: unknown

Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.

Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)

Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

11. Default administrator password requires attention

Rules: R10
Entity: device:LV-MD01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-MD01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

12. Medical-device network separation requires attention

Rules: R11
Entity: device:LV-MD01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R11 - needs review
Asset id: LV-MD01
Asset type: medical_device
Network segment: medical
Separation verified: Unknown
Evidence basis: Medical-device network separation has not been verified.
Recommended actions:
- Review required medical-device communications with the device vendor, clinical owner, and network administrator. Address confirmed separation gaps using an appropriate network design and access restrictions, then verify required operations and permitted traffic. Do not change device connectivity solely from a segment label or disrupt necessary clinical functions.
Responsible roles: Network administrator and medical-device vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.IR-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Supplied medical-device separation evidence supports a project segmentation finding. The rule does not assess the complete architecture or vendor constraints.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 12.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Supplied medical-device separation evidence supports a project segmentation finding. The rule does not assess the complete architecture or vendor constraints.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 9.S.A; 6.S.A; printed pp. 24, 30 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Medical-device separation evidence is limited; effective access enforcement and complete device security are not verified.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=33
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(1) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Medical-device separation evidence is limited; effective access enforcement and complete device security are not verified. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Network Segmentation (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Only the supplied medical-device boundary; no demonstration of all critical-asset segmentation. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

13. Operating system support requires attention

Rules: R03
Entity: device:LV-MD01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: LV-MD01
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.

Extended support: unknown
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

14. Operating system support requires attention

Rules: R03
Entity: device:LV-RT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: LV-RT01
Os name: Unknown
Os version: Unknown
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk

acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

15. Application support requires attention

Rules: R04
Entity: device:LV-SRV01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: LV-SRV01
Vendor: Example Dental Vendor
Product: Practice Manager
Version: Unknown
Deployment: local
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the application release and applicable vendor support coverage. For confirmed unsupported software, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate changes with application owners and clinical users. Obtain vendor confirmation for cloud services whose release or support information is not available to the customer.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

16. Default administrator password requires attention

Rules: R10
Entity: device:LV-SRV01

Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-SRV01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

17. Clinical-system multifactor authentication gap

Rules: R13
Entity: device:LV-SRV01
Severity: Info
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R13 - needs review
Asset id: LV-SRV01
Vendor: Example Dental Vendor
Product: Practice Manager
Purpose: practice_management
Deployment: local
Mfa enabled: NA
Recommended actions:
- Verify MFA coverage and supported authentication options with the application owner. Address confirmed gaps and document constraints or exceptions. Investigate Unknown and NA values rather than treating them as enabled. Coordinate changes with clinical users and vendors to preserve required access.
Responsible roles: Application administrator and system vendor

Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-03 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Clinical MFA is assessed from Q07 and supplied software. CIS 6.3 is conditional on external exposure and support; it is not a universal mandate for every internal application.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 6.3 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Clinical MFA is assessed from Q07 and supplied software. CIS 6.3 is conditional on external exposure and support; it is not a universal mandate for every internal application.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 3.S.A; printed p. 18 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Clinical MFA evidence covers the supplied application; authentication procedures and all access paths are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=21
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(d) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Clinical MFA evidence covers the supplied application; authentication procedures and all access paths are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Multifactor Authentication (Essential; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Conditional on independently verified Internet accessibility and safe technical capability; internal systems alone do not establish this scope. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

18. Software version requires verification

Rules: R24
Entity: device:LV-SRV01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: LV-SRV01
Vendor: Example Dental Vendor
Product: Practice Manager
Version: Unknown
Deployment: local
Touches phi: Y
Recommended actions:
- Obtain the installed version or the cloud service's applicable release information from a reliable source. Verify whether the software accesses patient information when that status is unknown. Record unresolved vendor-managed version information explicitly. Reassess vulnerability applicability after verification without inventing a version or treating missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)

Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

19. Default administrator password requires attention

Rules: R10
Entity: device:LV-WS01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-WS01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

20. Default administrator password requires attention

Rules: R10
Entity: device:LV-WS02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-WS02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

21. Default administrator password requires attention

Rules: R10
Entity: device:LV-WS03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-WS03
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely

manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

22. Operating system support requires attention

Rules: R03
Entity: device:LV-WS03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: LV-WS03
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.

Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

23. Default administrator password requires attention

Rules: R10
Entity: device:LV-WS04
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-WS04
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

24. Operating system support requires attention

Rules: R03
Entity: device:LV-WS04

Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: LV-WS04
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

25. Default administrator password requires attention

Rules: R10
Entity: device:LV-WS05
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-WS05
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown

Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

26. Operating system support requires attention

Rules: R03
Entity: device:LV-WS05
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: LV-WS05
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17

Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

27. Default administrator password requires attention

Rules: R10
Entity: device:LV-WS06
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: LV-WS06
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Verify whether default administrator credentials apply to this device. If an unchanged default password is confirmed, coordinate a supported credential change with the responsible administrator or vendor and securely manage the replacement credentials. Preserve required operations. Never include passwords in assessment inputs, evidence, or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

28. Operating system support requires attention

Rules: R03
Entity: device:LV-WS06
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review

Asset id: LV-WS06
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown

Recommended actions:

- Verify the operating system release and applicable support or extended-security-update coverage. For confirmed unsupported systems, plan a supported upgrade, replacement, or vendor-approved mitigation. Coordinate medical-device changes with the vendor. Resolve uncertain evidence before claiming a system is supported or unsupported.

Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308