ClinicShield

Owner summary

Assessment time: 2026-11-08T18:03:27.535540+00:00
Fictional example: westside_health
Evidence mode: documented fictional scenario
Demo only. These changes are made-up assumptions. They are not completed corrective actions or verified improvement.

80/100 | Needs attention

Safeguards 80.9/100 | Exposure 78.7/100
Weighting: 60% Safeguards + 40% Exposure. Status: provisional
Safeguards shows how your answers scored. Exposure starts at 100 and drops for confirmed technical findings. A higher score does not prove that your systems are safe. Provisional means there are gaps or checks still open.

Read the score with its limits

7 coverage issues | 80 finding groups need review.
Missing evidence is not proof of safety. Scores use only the data supplied. Draft mappings may still need review. This prototype does not prove that a clinic is safe, meets health care law or is ready for live use.
- Some source or inventory coverage is unassessed.
- Some findings require verification.
- Some applied rule definitions remain drafts.

Fix First: highest-ranked actions

Priority is finding points divided by effort. It does not predict a score gain or a drop in real risk. Check costs and the work needed before you start.

#1 | R09 | device:WH-PR01
Check if Telnet is needed. Turn it off if it is not needed. Use a supported admin method that encrypts the link. Plan changes to medical or vendor-...
Owner: IT administrator or device vendor | Effort: 2/3 | Cost: unknown

#2 | R03 | device:WH-MD02
Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new sys...
Owner: IT administrator and system vendor | Effort: 3/3 | Cost: unknown

#3 | R11 | device:WH-MD02
Ask the device vendor, clinical owner and network admin which links the medical device needs. For a confirmed gap, agree a network design and acces...
Owner: Network administrator and medical-device vendor | Effort: 3/3 | Cost: unknown

Next: agree owners, confirm evidence and request provider estimates. The appendix contains all actions, evidence, score arithmetic and coverage warnings. Summary labels may be shortened.

Detailed appendix

Full report including findings requiring verification. Unsupported glyphs are shown as [U+code].

ClinicShield assessment
Fictional clinic: westside_health
Evidence mode: documented fictional scenario
Demonstration only; not an assessment of a real clinic. Any scenario evidence is synthetic, and its timestamps represent fixture generation rather than real-world verification. Live threat-intelligence caches are not loaded.

Assessment time: 2026-11-08T18:03:27.535540+00:00

Overall score: 80/100 - Needs attention
Score status: provisional
Safeguards score: 80.9/100
Exposure score: 78.7/100
Overall weighting: 60% Safeguards and 40% Exposure.

How to read this report

Safeguards shows how your answers scored. Exposure starts at 100 and drops for confirmed technical findings. A higher score does not prove that your systems are safe. Provisional means there are gaps or checks still open.
Missing evidence is not proof of safety. Scores use only the data supplied. Draft mappings may still need review. This prototype does not prove that a clinic is safe, meets health care law or is ready for live use.

Word guide

IT / NA / VPN / SMB / BAA: Information technology / not applicable / virtual private network / Server Message Block file sharing / Business Associate Agreement. A VPN alone does not prove that access is safe.
Finding: A gap or a check raised by the supplied data. Confirmed means supported by that data, not an on-site check.
Coverage: What the tool could check. Unassessed means it could not check; it does not mean safe.
Entity: A device, cloud service or other item used to group scores. A cap sets the most points one item can lose.
Effort: 1: under an hour and free. 2: a day or a small cost. 3: vendor help, budget or several weeks.
CSV / JSON / XLSX / XML / TXT / PDF: Comma-separated values / JavaScript Object Notation / Excel workbook / Extensible Markup Language / plain text / Portable Document Format. These are file types.
OS / MFA / EHR / PHI: Operating system / multifactor authentication / electronic health record / protected health information. Do not upload patient data.
CVE / NVD / CVSS: Common Vulnerabilities and Exposures: weakness IDs. National Vulnerability Database: public weakness records. Common Vulnerability Scoring System: a source severity score.
CISA / KEV / EPSS: Cybersecurity and Infrastructure Security Agency / Known Exploited Vulnerabilities catalog / Exploit Prediction Scoring System. KEV lists flaws used in attacks. EPSS estimates a flaw's chance of use in attacks over 30 days; it does not prove your systems are affected.
HHS / HICP / CPG: US Department of Health and Human Services / Health Industry Cybersecurity Practices / Cybersecurity Performance Goals. Project links to these sources may be partial or still need review.
NIST / CSF / CIS / HIPAA: National Institute of Standards and Technology / Cybersecurity Framework / Center for Internet Security / Health Insurance Portability and Accountability Act. References do not prove compliance.
TCP / UDP / TLS / SSH / RDP / HTTP / HTTPS: Transmission Control Protocol / User Datagram Protocol / Transport Layer Security / Secure Shell / Remote Desktop Protocol / Hypertext Transfer Protocol / HTTP over TLS. These name network methods or services.

Why this score

Arithmetic explains the assessed scope, not complete coverage or safety. Unknown answers earn zero safeguards weight; review-only technical evidence adds no confirmed Exposure deduction. Administrative findings add no extra Exposure deduction. Grouped risks are counted once. Q24 follow-ups are scored once through Q24, not as separate questions.
Safeguards: 100 x 38 / 47 = 80.8511 (exact 3800/47)
Q01: Yes; weight 3; earned 3 of 3.
Q02: Yes; weight 3; earned 3 of 3.
Q03: Yes; weight 1; earned 1 of 1.
Q04: Yes; weight 1; earned 1 of 1.
Q05: Unknown; weight 1; earned 0 of 1.

Q06: No; weight 3; earned 0 of 3.
Q07: Yes; weight 3; earned 3 of 3.
Q08: Yes; weight 3; earned 3 of 3.
Q09: Yes; weight 1; earned 1 of 1.
Q10: Yes; weight 3; earned 3 of 3.
Q11: No; weight 3; earned 0 of 3.
Q12: Yes; weight 1; earned 1 of 1.
Q13: Yes; weight 1; earned 1 of 1.
Q14: Yes; weight 1; earned 1 of 1.
Q15: Yes; weight 1; earned 1 of 1.
Q16: Yes; weight 1; earned 1 of 1.
Q17: Yes; weight 3; earned 3 of 3.
Q18: No; weight 1; earned 0 of 1.
Q19: Yes; weight 1; earned 1 of 1.
Q20: Yes; weight 3; earned 3 of 3.
Q21: Yes; weight 3; earned 3 of 3.
Q22: Yes; weight 1; earned 1 of 1.
Q23: No; weight 1; earned 0 of 1.
Q24: Yes; weight 1; earned 1 of 1.
Q25: Yes; weight 3; earned 3 of 3.
Exposure: 38 scoring entities; cap 25 points per entity.
device:WH-LT01 / R03: 6 severity points x 1.5 patient-information x 1 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["os-support"].
device:WH-MD02 / R11: 6 severity points x 1.5 patient-information x 1 internet x 1.25 medical-device = 11.2500 (exact 45/4); issue ["R11"].
device:WH-MD02 / R03: 6 severity points x 1.5 patient-information x 1 internet x 1.25 medical-device = 11.2500 (exact 45/4); issue ["os-support"].
device:WH-PR01 / R09: 6 severity points x 1.5 patient-information x 1 internet x 1 medical-device = 9.0000 (exact 9/1); issue ["R09","192.168.30.50","tcp","23","telnet"].
cloud:1: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
cloud:2: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
cloud:3: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-LT01: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:WH-LT02: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-LT03: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-LT04: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-MD01: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-MD02: 22.5000 (exact 45/2) before cap; 22.5000 (exact 45/2) after cap.
device:WH-PR01: 9.0000 (exact 9/1) before cap; 9.0000 (exact 9/1) after cap.
device:WH-PR02: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-PR03: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-SRV01: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-SRV02: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-SRV03: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-VPN01: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS01: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS02: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS03: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS04: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS05: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS06: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS07: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS08: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS09: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS10: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS11: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS12: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS13: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS14: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS15: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.

device:WH-WS16: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS17: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS18: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS19: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS20: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS21: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
device:WH-WS22: 0.0000 (exact 0/1) before cap; 0.0000 (exact 0/1) after cap.
Capped total 40.5000 (exact 81/2) x size factor 0.5263 (exact 10/19) = adjusted deduction 21.3158 (exact 405/19).
Exposure = max(0, 100 - adjusted deduction) = 78.6842 (exact 1495/19).
Combined: 0.6 x Safeguards + 0.4 x Exposure = 79.9843 (exact 71426/893).
Rounded score: 80. Nearest whole number; exact .5 ties round upward.
No confirmed Critical ceiling applied; unresolved evidence still requires review.
Final score: 80/100; Needs attention.

Practice-area results (draft)

These practice views are a draft. They use project groups, not an official Health Industry Cybersecurity Practices (HICP) crosswalk. Safeguards uses your answers. Exposure shows known deductions only. No confirmed technical findings means unassessed, not 100. Both parts are needed for a combined score. All scores are provisional: checks are still open. Practice scores do not add or average into the overall score.

1. Email protection [draft provisional]

Safeguards: 100.00/100 (6/6 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

2. Endpoint protection [draft provisional]

Safeguards: 66.67/100 (2/3 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 1; assessment coverage warnings: 7.
Unknown answers earning zero: Q05
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

3. Access management [draft provisional]

Safeguards: 70.00/100 (7/10 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 35; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

4. Data protection [draft provisional]

Safeguards: 62.50/100 (5/8 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.

A missing component is not replaced or reweighted.

5. Asset management [draft provisional]

Safeguards: 100.00/100 (1/1 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 5; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

6. Network management [draft provisional]

Safeguards: 100.00/100 (5/5 weight)
Exposure: 95.26/100; known deductions only
Combined: 98/100; Good shape
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

7. Vulnerability management [draft provisional]

Safeguards: 50.00/100 (1/2 weight)
Exposure: 89.34/100; known deductions only
Combined: 66/100; At risk
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 38; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

8. Incident response [draft provisional]

Safeguards: 100.00/100 (7/7 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

9. Network-connected medical devices [draft provisional]

Safeguards: 0.00/100 (0/1 weight)
Exposure: 94.08/100; known deductions only
Combined: 38/100; Urgent
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 1; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

10. Security oversight and governance [draft provisional]

Safeguards: 100.00/100 (4/4 weight)
Exposure: unassessed
Combined: unavailable; both components required
Inventory denominator: 38 entities; size factor 10/19; cap 25 points per entity.
Review groups: 0; assessment coverage warnings: 7.
Global coverage warnings remain relevant; no practice-wide completeness is established.
Scores use primary project assignments and independently capped practice views.
A missing component is not replaced or reweighted.

What this score covers

The score reflects the supplied evidence and assessed scope.
Missing coverage or an informational finding does not establish safety.
- Some source or inventory coverage is unassessed.
- Some findings require verification.
- Some applied rule definitions remain drafts.

Evidence age policy

Public feeds: 8 days
Administrator observations: 30 days

Coverage requiring attention

- assessment: KEV cache is unavailable; missing coverage is not safety.
- assessment: EPSS cache is unavailable; missing coverage is not safety.
- software:1: No applicability records supplied; CVE coverage is unassessed.
- software:2: No applicability records supplied; CVE coverage is unassessed.
- software:3: No applicability records supplied; CVE coverage is unassessed.
- software:4: No applicability records supplied; CVE coverage is unassessed.
- software:5: No applicability records supplied; CVE coverage is unassessed.

Fix First plan

Priority is finding points divided by effort, not an estimated score increase. It does not predict a drop in real risk. Caps, shared findings and the Critical score limit affect score changes. Checklist findings add no extra score loss. Ranks compare all groups. For repeated actions, we use the highest points and highest effort. We do not add their priorities. Ties use reviewed checklist links to Essential goals. These links are partial and do not prove full Cybersecurity Performance Goals (CPG) compliance. Get an estimate for unknown costs.

Do today free
No confirmed actions assigned to this group.

This month low cost
No confirmed actions assigned to this group.

Ask your vendor
#1 - R09 - device:WH-PR01
Priority: 4.5 (9 points / effort 2).
Responsible roles: IT administrator or device vendor
Estimated cost: unknown
- Check if Telnet is needed. Turn it off if it is not needed. Use a supported admin method that encrypts the link. Plan changes to medical or vendor-managed devices with their vendor. Check that needed work still runs.

Copyable provider/lead request: For device:WH-PR01 (R09), please review the Telnet listener and agree a supported secure-management alternative where appropriate. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#2 - R03 - device:WH-MD02
Priority: 3.75 (11.25 points / effort 3).
Responsible roles: IT administrator and system vendor
Estimated cost: unknown
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.

Copyable provider/lead request: For device:WH-MD02 (R03), please verify OS support and extended-support coverage, and plan a supported replacement or documented mitigation. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#3 - R11 - device:WH-MD02
Priority: 3.75 (11.25 points / effort 3).

Responsible roles: Network administrator and medical-device vendor
Estimated cost: unknown
- Ask the device vendor, clinical owner and network admin which links the medical device needs. For a confirmed gap, agree a network design and access rules. Check that allowed traffic and needed work still run. A network segment label alone is not a reason to change device links. Do not disrupt needed clinical work.

Copyable provider/lead request: For device:WH-MD02 (R11), please review the reported medical-device separation gap with the clinical/device vendor and agree safe network restrictions. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#4 - R14 - assessment
Priority: 3 (6 points / effort 2).
Responsible roles: IT administrator and system owner
Estimated cost: unknown
- Find shared logins. Give each user their own account where the system supports it. Check access rights. Record any vendor limits. Plan changes to clinical or medical systems with their owners. Keep needed work running.

Copyable provider/lead request: For assessment (R14), please review shared-account use and agree individually attributable access with appropriate clinical continuity arrangements. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=Q06; confirmed patient-information scope=False.
#5 - R03 - device:WH-LT01
Priority: 3 (9 points / effort 3).
Responsible roles: IT administrator and system vendor
Estimated cost: unknown
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.

Copyable provider/lead request: For device:WH-LT01 (R03), please verify OS support and extended-support coverage, and plan a supported replacement or documented mitigation. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=none; confirmed patient-information scope=True.
#6 - R16 - assessment
Priority: 2 (6 points / effort 3).
Responsible roles: IT administrator and backup service provider
Estimated cost: unknown
- Check each Q10 safeguard on its own. Fix confirmed gaps in how often backups run. Check that backups are separate from daily work access. If Q11 is No, plan a controlled restore test. Record the result. Check Unknown answers; do not call them confirmed gaps. Plan tests so clinical work is not disrupted.

Copyable provider/lead request: For assessment (R16), please arrange a controlled restore test and record its outcome. Please provide dated evidence for reassessment and confirm the owner, cost estimate and a safe timetable before changes.
Tie evidence: confirmed KEV=False; reviewed Essential question links=Q11; confirmed patient-information scope=False.

Policy and training
No confirmed actions assigned to this group.

Verify before planning remediation

- R03 at device:WH-LT02: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-LT03: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-LT04: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-MD01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-PR01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-PR02: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-PR03: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-SRV01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-SRV02: Verify this evidence before treating it as a confirmed gap.

- R03 at device:WH-SRV03: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-VPN01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS01: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS02: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS03: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS04: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS05: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS06: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS07: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS08: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS09: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS10: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS11: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS12: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS13: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS14: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS15: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS16: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS17: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS18: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS19: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS20: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS21: Verify this evidence before treating it as a confirmed gap.
- R03 at device:WH-WS22: Verify this evidence before treating it as a confirmed gap.
- R04 at cloud:1: Verify this evidence before treating it as a confirmed gap.
- R04 at cloud:2: Verify this evidence before treating it as a confirmed gap.
- R04 at cloud:3: Verify this evidence before treating it as a confirmed gap.
- R04 at device:WH-SRV01: Verify this evidence before treating it as a confirmed gap.
- R04 at device:WH-SRV02: Verify this evidence before treating it as a confirmed gap.
- R05 at device:WH-LT01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-LT01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-LT02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-LT03: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-LT04: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-MD01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-MD02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-PR01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-PR02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-PR03: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-SRV01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-SRV02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-SRV03: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-VPN01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS01: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS02: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS03: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS04: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS05: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS06: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS07: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS08: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS09: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS10: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS11: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS12: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS13: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS14: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS15: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS16: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS17: Verify this evidence before treating it as a confirmed gap.

- R10 at device:WH-WS18: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS19: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS20: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS21: Verify this evidence before treating it as a confirmed gap.
- R10 at device:WH-WS22: Verify this evidence before treating it as a confirmed gap.
- R11 at device:WH-MD01: Verify this evidence before treating it as a confirmed gap.
- R24 at cloud:1: Verify this evidence before treating it as a confirmed gap.
- R24 at cloud:2: Verify this evidence before treating it as a confirmed gap.
- R24 at cloud:3: Verify this evidence before treating it as a confirmed gap.
- R24 at device:WH-SRV01: Verify this evidence before treating it as a confirmed gap.
- R24 at device:WH-SRV02: Verify this evidence before treating it as a confirmed gap.

Findings from supplied evidence

1. Individual user account safeguard gap

Rules: R14
Entity: assessment
Severity: High
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R14 - confirmed
Q06: No
Recommended actions:
- Find shared logins. Give each user their own account where the system supports it. Check access rights. Record any vendor limits. Plan changes to clinical or medical systems with their owners. Keep needed work running.
Responsible roles: IT administrator and system owner
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. A shared-login answer prompts identity accountability review. It does not establish absent authorization or independently verify unique identities for every user.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: HICP 2023 - Volume 1: 3.S.A; printed p. 16 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Shared-account evidence relates to user identification; individual identity tracking and legal applicability require separate evaluation.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=19
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(2)(i) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Shared-account evidence relates to user identification; individual identity tracking and legal applicability require separate evaluation. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Unique Credentials (Essential; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Shared-account reports cover only part of identity controls; anomalous-activity detection and all lateral-movement paths are untested. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

2. Backup safeguards gap

Rules: R16
Entity: assessment
Severity: High
Scoring category: administrative
No additional Exposure deduction; checklist Safeguards answers are scored once.
Evidence:
R16 - confirmed
Q10: Yes
Q11: No

Recommended actions:
- Check each Q10 safeguard on its own. Fix confirmed gaps in how often backups run. Check that backups are separate from daily work access. If Q11 is No, plan a controlled restore test. Record the result. Check Unknown answers; do not call them confirmed gaps. Plan tests so clinical work is not disrupted.

Responsible roles: IT administrator and backup service provider
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.DS-11 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q10/Q11 combine daily backup, separation and restore testing. Project daily frequency differs from CIS 11.2; the answers do not establish CIS isolation methods or quarterly sampling.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 11.2; 11.4; 11.5 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Q10/Q11 combine daily backup, separation and restore testing. Project daily frequency differs from CIS 11.2; the answers do not establish CIS isolation methods or quarterly sampling.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 4.S.B; printed p. 21 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Q10 does not distinguish frequency from separation. Backup copies are Required; contingency testing is Addressable. Daily frequency and a six-month test interval are project benchmarks.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=24
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(7)(ii)(A); 164.308(a)(7)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Q10 does not distinguish frequency from separation. Backup copies are Required; contingency testing is Addressable. Daily frequency and a six-month test interval are project benchmarks. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Basic Incident Planning and Preparedness (Essential; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Backup/restore checks support recovery; they do not demonstrate complete incident readiness. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html
Source-checked project mapping: HICP 2023 - Volume 2: 4.M.D; printed pp. 50-52 (partial; recovery supplement)
Mapping scope: Partial project mapping; source checked October 30, 2026. Supplement for the restore-testing branch from medium/large-organization guidance; not a complete small-clinic recovery assessment or a mandated test interval.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol2-508.pdf#page=57

3. Operating system support requires attention

Rules: R03
Entity: device:WH-LT01
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 9
Evidence:
- R03 - confirmed
  - Asset id: WH-LT01
  - Os name: Windows
  - Os version: 10 22H2
  - Support status: unsupported
  - Support basis: Fictional scenario assumption for calibration: this OS is unsupported with no extended coverage. This is not a live vendor-support determination.
  - Source url: https://github.com/PrimroseZoe1998/clinicshield/blob/main/samples/EXPECTED.md
  - Retrieved at: 2026-11-08T18:03:27.535540+00:00
  - Source generated at: 2026-11-08T18:03:27.535540+00:00
  - Extended support: confirmed_absent

Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support

has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

4. Medical-device network separation requires attention

Rules: R11
Entity: device:WH-MD02
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 11.25
Evidence:
R11 - confirmed
Asset id: WH-MD02
Asset type: medical_device
Network segment: clinic
Separation verified: No
Evidence basis: Fictional Westside scenario explicitly describes the ultrasound workstation sharing the workstation network.
Evidence source: samples/EXPECTED.md: Westside Community Health; fictional scenario, not a network verification
Observed at: 2026-11-08T18:03:27.535540+00:00
Recommended actions:
- Ask the device vendor, clinical owner and network admin which links the medical device needs. For a confirmed gap, agree a network design and access rules. Check that allowed traffic and needed work still run. A network segment label alone is not a reason to change device links. Do not disrupt needed clinical work.
Responsible roles: Network administrator and medical-device vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.IR-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Supplied medical-device separation evidence supports a project segmentation finding. The rule does not assess the complete architecture or vendor constraints.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 12.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Supplied medical-device separation evidence supports a project segmentation finding. The rule does not assess the complete architecture or vendor constraints.

Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 9.S.A; 6.S.A; printed pp. 24, 30 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Medical-device separation evidence is limited; effective access enforcement and complete device security are not verified.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=33
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(1) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Medical-device separation evidence is limited; effective access enforcement and complete device security are not verified. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Network Segmentation (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Only the supplied medical-device boundary; no demonstration of all critical-asset segmentation. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

5. Operating system support requires attention

Rules: R03
Entity: device:WH-MD02
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 11.25
Evidence:
R03 - confirmed
Asset id: WH-MD02
Os name: Windows
Os version: 7
Support status: unsupported
Support basis: Fictional scenario assumption for calibration: this OS is unsupported with no extended coverage. This is not a live vendor-support determination.
Source url: https://github.com/PrimroseZoe1998/clinicshield/blob/main/samples/EXPECTED.md
Retrieved at: 2026-11-08T18:03:27.535540+00:00
Source generated at: 2026-11-08T18:03:27.535540+00:00
Extended support: confirmed_absent
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance

finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

6. Telnet service present

Rules: R09
Entity: device:WH-PR01
Severity: High
Scoring category: technical
Exposure risk points before entity caps and size adjustment: 9
Evidence:
R09 - confirmed
Asset id: WH-PR01
Host: 192.168.30.50
Port: 23
Protocol: tcp
Service: telnet
Exposure: internal
Recommended actions:
- Check if Telnet is needed. Turn it off if it is not needed. Use a supported admin method that encrypts the link. Plan changes to medical or vendor-managed devices with their vendor. Check that needed work still runs.
Responsible roles: IT administrator or device vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. A Telnet listener prompts configuration review. Actual management use, transmitted credentials and any operational necessity are not established by the listener.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 4.6 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. A Telnet listener prompts configuration review. Actual management use, transmitted credentials and any operational necessity are not established by the listener.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 6.S.A; printed p. 24 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Telnet presence prompts traffic/access review; the listener does not prove transmission of ePHI or a transmission-security violation.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=27
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(e)(1) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Telnet presence prompts traffic/access review; the listener does not prove transmission of ePHI or a transmission-security violation. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Review of one service configuration; not evidence of an established baseline or a blanket ban on Telnet. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

Items requiring verification

1. Application support requires attention

Rules: R04
Entity: cloud:1
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: CLOUD

Vendor: Example EHR Vendor
Product: Community EHR
Version: Unknown
Deployment: cloud
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Check the app release and the vendor's support terms. If support has ended, plan an upgrade or replacement. A vendor-approved workaround may also be an option. Plan changes with app owners and clinical users. Ask the cloud vendor for proof when you cannot check its release or support terms.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

2. Software version requires verification

Rules: R24
Entity: cloud:1
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: CLOUD
Vendor: Example EHR Vendor
Product: Community EHR
Version: Unknown
Deployment: cloud
Touches phi: Y
Recommended actions:
- Get the installed version or the cloud service's release from a reliable source. If it is unclear, check whether the software has access to patient data. Record version details the vendor has not yet supplied. Then check again which flaws apply. Do not invent a version or treat missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)

Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

3. Application support requires attention

Rules: R04
Entity: cloud:2
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: CLOUD
Vendor: Example Mail Vendor
Product: Work Email
Version: Unknown
Deployment: cloud
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Check the app release and the vendor's support terms. If support has ended, plan an upgrade or replacement. A vendor-approved workaround may also be an option. Plan changes with app owners and clinical users. Ask the cloud vendor for proof when you cannot check its release or support terms.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.

Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

4. Software version requires verification

Rules: R24
Entity: cloud:2
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: CLOUD
Vendor: Example Mail Vendor
Product: Work Email
Version: Unknown
Deployment: cloud
Touches phi: Y
Recommended actions:
- Get the installed version or the cloud service's release from a reliable source. If it is unclear, check whether the software has access to patient data. Record version details the vendor has not yet supplied. Then check again which flaws apply. Do not invent a version or treat missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

5. Application support requires attention

Rules: R04
Entity: cloud:3
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: CLOUD
Vendor: Example Billing Vendor

Product: Clinic Billing
Version: Unknown
Deployment: cloud
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Check the app release and the vendor's support terms. If support has ended, plan an upgrade or replacement. A vendor-approved workaround may also be an option. Plan changes with app owners and clinical users. Ask the cloud vendor for proof when you cannot check its release or support terms.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

6. Software version requires verification

Rules: R24
Entity: cloud:3
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
- R24 - needs review
  Asset id: CLOUD
  Vendor: Example Billing Vendor
  Product: Clinic Billing
  Version: Unknown
  Deployment: cloud
  Touches phi: Y

Recommended actions:
- Get the installed version or the cloud service's release from a reliable source. If it is unclear, check whether the software has access to patient data. Record version details the vendor has not yet supplied. Then check again which flaws apply. Do not invent a version or treat missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory

follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

7. Portable-device encryption gap

Rules: R05
Entity: device:WH-LT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R05 - needs review
Asset id: WH-LT01
Portable: Y
Encrypted: Unknown
Recommended actions:
- Check whether device encryption is on. Encryption scrambles stored data so a key is needed to read it. If it is off, ask the IT admin to turn on a supported option. Store recovery keys safely and check the result. Plan changes to managed or medical devices with their vendor.
Responsible roles: IT administrator or managed service provider
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.DS-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. This rule covers portable assets and supplied encryption status only. It does not inventory every sensitive-data location or verify cryptographic configuration.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 3.6 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. This rule covers portable assets and supplied encryption status only. It does not inventory every sensitive-data location or verify cryptographic configuration.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Portable-device encryption status is reported, not cryptographic effectiveness. Encryption/decryption is Addressable; this finding is not a legal determination.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(2)(iv) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Portable-device encryption status is reported, not cryptographic effectiveness. Encryption/decryption is Addressable; this finding is not a legal determination. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312

8. Default administrator password requires attention

Rules: R10
Entity: device:WH-LT01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-LT01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

9. Default administrator password requires attention

Rules: R10
Entity: device:WH-LT02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-LT02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

10. Operating system support requires attention

Rules: R03
Entity: device:WH-LT02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-LT02
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)

Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

11. Default administrator password requires attention

Rules: R10
Entity: device:WH-LT03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-LT03
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

12. Operating system support requires attention

Rules: R03
Entity: device:WH-LT03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.

Evidence:
R03 - needs review
Asset id: WH-LT03
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

13. Default administrator password requires attention

Rules: R10
Entity: device:WH-LT04
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-LT04
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24

Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

14. Operating system support requires attention

Rules: R03
Entity: device:WH-LT04
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-LT04
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance

finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

15. Default administrator password requires attention

Rules: R10
Entity: device:WH-MD01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-MD01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

16. Medical-device network separation requires attention

Rules: R11
Entity: device:WH-MD01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R11 - needs review
Asset id: WH-MD01
Asset type: medical_device
Network segment: medical
Separation verified: Unknown
Evidence basis: Medical-device network separation has not been verified.

Recommended actions:
- Ask the device vendor, clinical owner and network admin which links the medical device needs. For a confirmed gap, agree a network design and access rules. Check that allowed traffic and needed work still run. A network segment label alone is not a reason to change device links. Do not disrupt needed clinical work.

Responsible roles: Network administrator and medical-device vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.IR-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Supplied medical-device separation evidence supports a project segmentation finding. The rule does not assess the complete architecture or vendor constraints.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 12.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Supplied medical-device separation evidence supports a project segmentation finding. The rule does not assess the complete architecture or vendor constraints.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 9.S.A; 6.S.A; printed pp. 24, 30 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Medical-device separation evidence is limited; effective access enforcement and complete device security are not verified.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=33
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.312(a)(1) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Medical-device separation evidence is limited; effective access enforcement and complete device security are not verified. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.312
Source-checked project mapping: HHS Healthcare CPG - Network Segmentation (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Only the supplied medical-device boundary; no demonstration of all critical-asset segmentation. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

17. Operating system support requires attention

Rules: R03
Entity: device:WH-MD01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
- R03 - needs review
  - Asset id: WH-MD01
  - Os name: Vendor firmware
  - Os version: Unknown
  - Support status: unknown
  - Support basis: Lifecycle evidence is missing.
  - Extended support: unknown

Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.

Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)

Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

18. Default administrator password requires attention

Rules: R10
Entity: device:WH-MD02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-MD02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

19. Default administrator password requires attention

Rules: R10
Entity: device:WH-PR01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-PR01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

20. Operating system support requires attention

Rules: R03
Entity: device:WH-PR01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-PR01
Os name: Vendor firmware
Os version: Unknown
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support

has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

21. Default administrator password requires attention

Rules: R10
Entity: device:WH-PR02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-PR02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)

Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

22. Operating system support requires attention

Rules: R03
Entity: device:WH-PR02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-PR02
Os name: Vendor firmware
Os version: Unknown
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

23. Default administrator password requires attention

Rules: R10
Entity: device:WH-PR03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.

Evidence:
R10 - needs review
Asset id: WH-PR03
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

24. Operating system support requires attention

Rules: R03
Entity: device:WH-PR03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-PR03
Os name: Vendor firmware
Os version: Unknown
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)

Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

25. Application support requires attention

Rules: R04
Entity: device:WH-SRV01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: WH-SRV01
Vendor: Example Backup Vendor
Product: Clinic Backup
Version: Unknown
Deployment: local
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Check the app release and the vendor's support terms. If support has ended, plan an upgrade or replacement. A vendor-approved workaround may also be an option. Plan changes with app owners and clinical users. Ask the cloud vendor for proof when you cannot check its release or support terms.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.

Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

26. Default administrator password requires attention

Rules: R10
Entity: device:WH-SRV01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-SRV01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

27. Software version requires verification

Rules: R24
Entity: device:WH-SRV01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: WH-SRV01
Vendor: Example Backup Vendor
Product: Clinic Backup
Version: Unknown
Deployment: local
Touches phi: Y

Recommended actions:
- Get the installed version or the cloud service's release from a reliable source. If it is unclear, check whether the software has access to patient data. Record version details the vendor has not yet supplied. Then check again which flaws apply. Do not invent a version or treat missing data as safe.

Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

28. Operating system support requires attention

Rules: R03
Entity: device:WH-SRV01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
- R03 - needs review
  - Asset id: WH-SRV01
  - Os name: Windows Server
  - Os version: 2022
  - Support status: unknown
  - Support basis: Lifecycle evidence is missing.
  - Extended support: unknown

Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.

Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25

Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

29. Application support requires attention

Rules: R04
Entity: device:WH-SRV02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R04 - needs review
Asset id: WH-SRV02
Vendor: Example Management Vendor
Product: Site Management
Version: Unknown
Deployment: local
Support status: unknown
Support basis: Application support evidence is missing.
Extended support: unknown
Recommended actions:
- Check the app release and the vendor's support terms. If support has ended, plan an upgrade or replacement. A vendor-approved workaround may also be an option. Plan changes with app owners and clinical users. Ask the cloud vendor for proof when you cannot check its release or support terms.
Responsible roles: Application owner and software vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Application support evidence covers one supplied release. Inventory authorization, documented exceptions and ongoing review are outside this finding.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Application support is assessed per supplied release; compensating controls and risk acceptance are not audited. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

30. Default administrator password requires attention

Rules: R10
Entity: device:WH-SRV02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-SRV02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

31. Software version requires verification

Rules: R24
Entity: device:WH-SRV02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R24 - needs review
Asset id: WH-SRV02
Vendor: Example Management Vendor
Product: Site Management
Version: Unknown
Deployment: local
Touches phi: Y
Recommended actions:
- Get the installed version or the cloud service's release from a reliable source. If it is unclear, check whether the

software has access to patient data. Record version details the vendor has not yet supplied. Then check again which flaws apply. Do not invent a version or treat missing data as safe.
Responsible roles: IT administrator or application vendor
Estimated effort: Under an hour and free
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - ID.AM-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=23
Source-checked project mapping: CIS Controls v8.1 - 2.1 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unknown versions require inventory follow-up. Versions are identifiers here, not proof of vulnerability; the rule does not audit every inventory field or its review cadence.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 5.S.A; printed p. 22 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=25
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(A) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unknown software versions are inventory uncertainty supporting risk-analysis follow-up, not confirmed vulnerabilities or a complete risk analysis. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Asset Inventory (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Version completeness for selected software only; no comprehensive asset discovery or inventory cadence is established. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

32. Operating system support requires attention

Rules: R03
Entity: device:WH-SRV02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-SRV02
Os name: Windows Server
Os version: 2022
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS

release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

33. Default administrator password requires attention

Rules: R10
Entity: device:WH-SRV03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-SRV03
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

34. Operating system support requires attention

Rules: R03
Entity: device:WH-SRV03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-SRV03
Os name: Windows Server
Os version: 2022
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

35. Default administrator password requires attention

Rules: R10
Entity: device:WH-VPN01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-VPN01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

36. Operating system support requires attention

Rules: R03
Entity: device:WH-VPN01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-VPN01
Os name: Vendor firmware
Os version: Unknown
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)

Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

37. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS01
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

38. Operating system support requires attention

Rules: R03
Entity: device:WH-WS01
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.

Evidence:
R03 - needs review
Asset id: WH-WS01
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

39. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS02
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24

Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

40. Operating system support requires attention

Rules: R03
Entity: device:WH-WS02
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS02
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance

finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

41. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS03
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

42. Operating system support requires attention

Rules: R03
Entity: device:WH-WS03
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS03
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.

Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.

Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

43. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS04
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS04
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.

Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.

Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

44. Operating system support requires attention

Rules: R03
Entity: device:WH-WS04
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS04
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

45. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS05
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS05
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

46. Operating system support requires attention

Rules: R03
Entity: device:WH-WS05
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS05
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support

has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

47. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS06
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS06
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)

Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

48. Operating system support requires attention

Rules: R03
Entity: device:WH-WS06
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS06
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

49. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS07
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.

Evidence:
R10 - needs review
Asset id: WH-WS07
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

50. Operating system support requires attention

Rules: R03
Entity: device:WH-WS07
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS07
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)

Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

51. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS08
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS08
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance

inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

52. Operating system support requires attention

Rules: R03
Entity: device:WH-WS08
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS08
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

53. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS09
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS09
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:

- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

54. Operating system support requires attention

Rules: R03
Entity: device:WH-WS09
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS09
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk

acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

55. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS10
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS10
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

56. Operating system support requires attention

Rules: R03
Entity: device:WH-WS10
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS10
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

57. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS11
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS11
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

58. Operating system support requires attention

Rules: R03
Entity: device:WH-WS11
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS11
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)

Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

59. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS12
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS12
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

60. Operating system support requires attention

Rules: R03
Entity: device:WH-WS12
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.

Evidence:
R03 - needs review
Asset id: WH-WS12
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

61. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS13
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS13
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24

Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

62. Operating system support requires attention

Rules: R03
Entity: device:WH-WS13
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS13
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance

finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

63. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS14
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS14
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

64. Operating system support requires attention

Rules: R03
Entity: device:WH-WS14
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS14
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.

Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.

Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

65. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS15
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS15
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.

Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.

Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

66. Operating system support requires attention

Rules: R03
Entity: device:WH-WS15
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS15
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

67. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS16
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS16
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

68. Operating system support requires attention

Rules: R03
Entity: device:WH-WS16
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS16
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support

has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

69. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS17
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS17
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)

Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

70. Operating system support requires attention

Rules: R03
Entity: device:WH-WS17
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS17
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

71. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS18
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.

Evidence:
R10 - needs review
Asset id: WH-WS18
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

72. Operating system support requires attention

Rules: R03
Entity: device:WH-WS18
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS18
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)

Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

73. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS19
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS19
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance

inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

74. Operating system support requires attention

Rules: R03
Entity: device:WH-WS19
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS19
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

75. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS20
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS20
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:

- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

76. Operating system support requires attention

Rules: R03
Entity: device:WH-WS20
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS20
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk

acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

77. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS21
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS21
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.
Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

78. Operating system support requires attention

Rules: R03
Entity: device:WH-WS21
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS21
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308

79. Default administrator password requires attention

Rules: R10
Entity: device:WH-WS22
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R10 - needs review
Asset id: WH-WS22
Applicability: Unknown
Default password changed: Unknown
Evidence basis: Default-password applicability and status are unverified.
Recommended actions:
- Check if this device still uses a default admin login. If the default password is unchanged, plan a supported change with the IT admin or vendor. Store the new login details safely. Keep needed work running. Never put passwords in the input files, evidence or logs.

Responsible roles: Device administrator or responsible vendor
Estimated effort: A day of work or a small cost
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.AA-01 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=24
Source-checked project mapping: CIS Controls v8.1 - 4.7 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. Unchanged default-password evidence covers one credential condition. It does not independently audit all default accounts or their necessity.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 7.S.A; printed p. 26 (partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=29
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(5)(ii)(D) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. Unchanged-default-password evidence covers one credential condition. Password management is Addressable; no full credential audit is performed. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308
Source-checked project mapping: HHS Healthcare CPG - Configuration Management (Enhanced; partial)
Mapping scope: Partial project mapping; source checked October 30, 2026. One default-credential setting only; not a unique-credentials or complete baseline assessment. Voluntary goal; no full attainment or legal compliance inferred.
Source: https://hhscyber.hhs.gov/cybersecurity-performance-goals.html

80. Operating system support requires attention

Rules: R03
Entity: device:WH-WS22
Severity: Info
Scoring category: technical
No confirmed-risk Exposure deduction.
Evidence:
R03 - needs review
Asset id: WH-WS22
Os name: Windows
Os version: 11 24H2
Support status: unknown
Support basis: Lifecycle evidence is missing.
Extended support: unknown
Recommended actions:
- Check the system release and its support terms. Check any paid or extended security updates too. If support has ended, plan an upgrade or a new system. A vendor-approved workaround may also be an option. Plan medical-device changes with the vendor. If the evidence is unclear, check it. Do not yet claim that the system has support or that support has ended.
Responsible roles: IT administrator and system vendor
Estimated effort: Vendor involvement, budget, or several weeks
Estimated cost: unknown
Source-checked project mapping: NIST CSF 2.0 - PR.PS-02 (partial)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://nvlpubs.nist.gov/nistpubs/CSWP/NIST.CSWP.29.pdf#page=25
Source-checked project mapping: CIS Controls v8.1 - 2.2 (partial; conditional where stated)
Mapping scope: Partial project mapping; source checked October 29, 2026. The rule evaluates a supplied OS release and support coverage. It does not assess every software exception, compensating control or residual-risk acceptance.
Source: https://www.cisecurity.org/controls/CIS-controls-navigator
Source-checked project mapping: HICP 2023 - Volume 1: 2.S.A; printed p. 14 (partial)

Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban.
Source: https://hhscyber.hhs.gov/Documents/HICP/tech-vol1-508.pdf#page=17
Source-checked project mapping: HIPAA Security Rule - 45 CFR 164.308(a)(1)(ii)(B) (partial; applicability-dependent)
Mapping scope: Partial project mapping; source checked October 30, 2026. OS support status is one risk input, not a full risk-management assessment or a specific legal product ban. Supporting relationship only; not a compliance finding.
Source: https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-C/part-164/subpart-C/section-164.308