

A.R.C.H. Framework

Consolidated Research Narrative Report

Generated on: 2026-04-27 14:50:30
Total Sessions: 23

Session 23 - 2026-04-27 13:48:07.141683

Mode	sequential
Target	192.168.56.102
Red Tool	msf_exploit
Exit Status	1
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 192.168.56.102
■[0m■[1m■[34m[*]■[0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
■[0mrhosts => 192.168.56.102
■[0m■[1m■[31m[-]■[0m the value specified for payload is not valid.
■[0m■[1m■[31m[-]■[0m 192.168.56.102:21 - msf::optionvalidateerror one or more options failed
to validate: lhost.
■[0m■[0m
active sessions
=====

no active sessions.

■[0m
[!] Exploit execution failed (syntax, connection, or bind issue).
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 23...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 22 - 2026-04-27 13:41:11.349774

Mode	sequential
Target	192.168.56.102
Red Tool	msf_exploit
Exit Status	1
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 192.168.56.102
■[0m■[1m■[34m[*]■[0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
■[0mrhosts => 192.168.56.102
■[0munsetting payload...
■[1m■[33m[!]■[0m variable "payload" unset - but will use a default value still. if this is not
desired, set it to a new value or attempt to clear it with ■[32mset --clear payload■[0m
■[0m■[1m■[31m[-]■[0m the value specified for payload is not valid.
■[0m■[1m■[31m[-]■[0m 192.168.56.102:21 - msf::optionvalidateerror one or more options failed
to validate: lhost.
■[0m
[!] Exploit execution failed (syntax or connection issue).
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 22...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 21 - 2026-04-27 13:36:13.226925

Mode	sequential
Target	192.168.56.102
Red Tool	msf_exploit
Exit Status	1
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 192.168.56.102
■[0m■[1m■[34m[*]■[0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
■[0mrhosts => 192.168.56.102
■[0m■[1m■[31m[-]■[0m the value specified for payload is not valid.
■[0m■[1m■[31m[-]■[0m 192.168.56.102:21 - msf::optionvalidateerror one or more options failed
to validate: lhost.
■[0m
[!] Exploit execution failed (syntax or connection issue).
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 21...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 20 - 2026-04-27 13:30:48.285248

Mode	sequential
Target	192.168.56.102
Red Tool	msf_exploit
Exit Status	1
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 192.168.56.102
■[0m■[1m■[34m[*]■[0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
■[0mrhosts => 192.168.56.102
■[0m■[1m■[31m[-]■[0m 192.168.56.102:21 - msf::optionvalidateerror one or more options failed
to validate: lhost.
■[0m
[!] Exploit execution failed (syntax or connection issue).
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 20...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 19 - 2026-04-27 13:29:23.720191

Mode	sequential
Target	192.168.56.102
Red Tool	msf_exploit
Exit Status	1
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 192.168.56.102
■[0m■[1m■[34m[*]■[0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
■[0mrhosts => 192.168.56.102
■[0m■[1m■[31m[-]■[0m 192.168.56.102:21 - msf::optionvalidateerror one or more options failed
to validate: lhost.
■[0m
[!] Exploit execution failed (syntax or connection issue).
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 19...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 18 - 2026-04-27 11:30:43.807464

Mode	attack_only
Target	192.168.56.102
Red Tool	nmap_scan
Exit Status	0
Blue Tool	N/A

Red Team Activity Output Snippet:

```
[*] Starting REAL Nmap scan on 192.168.56.102...
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-27 11:30 +0530
Nmap scan report for 192.168.56.102
Host is up (0.0053s latency).
All 1000 scanned ports on 192.168.56.102 are in ignored states.
Not shown: 1000 closed tcp ports (reset)
MAC Address: 08:00:27:76:7F:09 (Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 0.46 seconds
```

Blue Team Defense Findings:

Session 17 - 2026-04-27 11:25:23.798057

Mode	sequential
Target	192.168.56.102
Red Tool	dos_attack
Exit Status	0
Blue Tool	wazuh_alerts

Red Team Activity Output Snippet:

```
[*] Starting DoS attack simulation on 192.168.56.102...
[+] Flooding 192.168.56.102 with ICMP packets...
[!] SYN flood triggered. Target response time increasing.
[*] Attack finished.
```

Blue Team Defense Findings:

```
[*] Querying Wazuh Manager for session 17...
[+] Found Wazuh Alert: Level 10 - Multiple authentication failures
[+] Found Wazuh Alert: Level 12 - Possible Metasploit payload detected (Meterpreter)
[*] Host: 192.168.100.2
[*] Status: Monitoring active
```

Session 16 - 2026-04-27 11:20:33.261814

Mode	sequential
Target	192.168.56.102
Red Tool	msf_exploit
Exit Status	1
Blue Tool	wazuh_alerts

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 192.168.56.102
■[0m■[1m■[34m[*]■[0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
■[0mrhosts => 192.168.56.102
■[0m■[1m■[31m[-]■[0m 192.168.56.102:21 - msf::optionvalidateerror one or more options failed
to validate: lhost.
■[0m
[!] Exploit execution failed (syntax or connection issue).
```

Blue Team Defense Findings:

```
[*] Querying Wazuh Manager for session 16...
[+] Found Wazuh Alert: Level 10 - Multiple authentication failures
[+] Found Wazuh Alert: Level 12 - Possible Metasploit payload detected (Meterpreter)
[*] Host: 192.168.100.2
[*] Status: Monitoring active
```

Session 15 - 2026-04-27 11:11:11.496154

Mode	sequential
Target	127.0.0.1
Red Tool	msf_exploit
Exit Status	1
Blue Tool	wazuh_alerts

Red Team Activity Output Snippet:

```
[*] Launching Metasploit exploit: exploit/unix/ftp/vsftpd_234_backdoor
[*] Target: 127.0.0.1
[*][0m[*][1m[*][34m[*][*][0m using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
[*][0mrhosts => 127.0.0.1
[*][0m[*][1m[*][31m[-][*][0m 127.0.0.1:21 - msf::optionvalidateerror one or more options failed to
validate: lhost.
[*][0m
[!] Exploit execution failed (syntax or connection issue).
```

Blue Team Defense Findings:

```
[*] Querying Wazuh Manager for session 15...
[+] Found Wazuh Alert: Level 10 - Multiple authentication failures
[+] Found Wazuh Alert: Level 12 - Possible Metasploit payload detected (Meterpreter)
[*] Host: 192.168.100.2
[*] Status: Monitoring active
```

Session 14 - 2026-04-27 11:05:00.304759

Mode	sequential
Target	127.0.0.1
Red Tool	msf_exploit

Exit Status	1
Blue Tool	wazuh_alerts

Red Team Activity Output Snippet:

```
[!] VALIDATION ERROR: Heuristic Match: Found failure pattern 'Usage:'
```

```
[!] Error Output:
```

```
usage: msf_exploit.py [-h] --target TARGET
```

```
--exploit {vsftpd,samba,apache_struts}
```

```
msf_exploit.py: error: the following arguments are required: --exploit
```

Blue Team Defense Findings:

```
[*] Querying Wazuh Manager for session 14...
```

```
[+] Found Wazuh Alert: Level 10 - Multiple authentication failures
```

```
[+] Found Wazuh Alert: Level 12 - Possible Metasploit payload detected (Meterpreter)
```

```
[*] Host: 192.168.100.2
```

```
[*] Status: Monitoring active
```

Session 13 - 2026-04-27 11:01:56.753300

Mode	sequential
Target	127.0.0.1
Red Tool	msf_exploit
Exit Status	1
Blue Tool	wazuh_alerts

Red Team Activity Output Snippet:

```
[!] VALIDATION ERROR: Heuristic Match: Found failure pattern 'Usage:'
```

```
[!] Error Output:
```

```
usage: msf_exploit.py [-h] --target TARGET
```

```
--exploit {vsftpd,samba,apache_struts}
```

```
msf_exploit.py: error: the following arguments are required: --exploit
```

Blue Team Defense Findings:

```
[*] Querying Wazuh Manager for session 13...
```

```
[+] Found Wazuh Alert: Level 10 - Multiple authentication failures
```



```
[+] Found Wazuh Alert: Level 12 - Possible Metasploit payload detected (Meterpreter)
[*] Host: 192.168.100.2
[*] Status: Monitoring active
```

Session 12 - 2026-04-27 10:49:36.642696

Mode	sequential
Target	127.0.0.1
Red Tool	msf_exploit
Exit Status	0
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] No payload provided. Defaulting to exploit/multi/handler
[*] Initializing Metasploit Orchestration for 127.0.0.1...
[*] Executing MSF command: use exploit/multi/handler; set RHOSTS 127.0.0.1; run; exit
■[0m■[1m■[34m[*]■[0m Using configured payload generic/shell_reverse_tcp
■[0m■[1m■[33m[!]■[0m Unknown datastore option: RHOSTS.
RHOSTS => 127.0.0.1
■[0m■[1m■[31m[-]■[0m Msf::OptionValidateError One or more options failed to validate: LHOST.
■[0m
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 12...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 11 - 2026-04-27 10:40:46.831401

Mode	sequential
Target	127.0.0.1
Red Tool	msf_exploit
Exit Status	0
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Initializing Metasploit Orchestration for 127.0.0.1...
[*] Executing MSF command: use ; set RHOSTS 127.0.0.1; run; exit
■[0mUsage: use <name|term|index>
```

Interact with a module by name or search term/index.
If a module name is not found, it will be treated as a search term.
An index from the previous search results can be selected if desired.

Examples:
use exploit/windows/smb/ms17_010_eternalblue

use eternalblue
use <name|index>

search eternalblue
use <name|index>

```
■[0mRHOSTS => 127.0.0.1
■[0m■[1m■[31m[-]■[0m Unknown command: run. Run the ■[32mhelp■[0m command for more details.
■[0m
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 11...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.
```

Session 10 - 2026-04-27 10:37:01.702496

Mode	sequential
Target	127.0.0.1
Red Tool	dos_attack
Exit Status	0
Blue Tool	ip_blocker

Red Team Activity Output Snippet:

```
[*] Starting DoS attack simulation on 127.0.0.1...
[+] Flooding 127.0.0.1 with ICMP packets...
[!] SYN flood triggered. Target response time increasing.
[*] Attack finished.
```

Blue Team Defense Findings:

```
[*] Initializing mitigation for Session 10...
[+] Blocking IP 127.0.0.1 via iptables...
[*] Traffic dropped. Victim node stabilized.
```

Session 9 - 2026-04-27 10:35:40.930443

Mode	simultaneous
Target	127.0.0.1
Red Tool	nmap_scan
Exit Status	0
Blue Tool	suricata_check

Red Team Activity Output Snippet:

```
[*] Starting REAL Nmap scan on 127.0.0.1...
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-27 10:35 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000030s latency).
Not shown: 99 closed tcp ports (reset)
PORT STATE SERVICE
443/tcp open  https
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.08 seconds
```

Blue Team Defense Findings:

```
[*] Parsing Suricata telemetry for Session 9...
[+] Successfully parsed real eve.json records.
```

Session 8 - 2026-04-27 10:16:01.076144

Mode	sequential
Target	scanme.nmap.org
Red Tool	nikto_scan
Exit Status	0
Blue Tool	log_monitor

Red Team Activity Output Snippet:

[*] Simulating tool: nikto_scan on scanme.nmap.org
Simulation successful.

Blue Team Defense Findings:

[*] Analyzing system logs for Session 8...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.

Session 7 - 2026-04-27 10:15:39.225848

Mode	sequential
Target	N/A
Red Tool	N/A
Exit Status	N/A
Blue Tool	N/A

Red Team Activity Output Snippet:

Blue Team Defense Findings:

Session 6 - 2026-04-27 10:10:54.503260

Mode	sequential
Target	scanme.nmap.org
Red Tool	nikto_scan
Exit Status	0
Blue Tool	log_monitor

Red Team Activity Output Snippet:

[*] Simulating tool: nikto_scan on scanme.nmap.org
Simulation successful.

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 6...  
[!] Detected spike in incoming ICMP traffic.  
[!] Security Alert: Potential DoS attack detected from 127.0.0.1  
[*] Log analysis complete.
```

Session 5 - 2026-04-27 10:09:53.815943

Mode	sequential
Target	scanme.nmap.org
Red Tool	nikto_scan
Exit Status	0
Blue Tool	log_monitor

Red Team Activity Output Snippet:

```
[*] Simulating tool: nikto_scan on scanme.nmap.org  
Simulation successful.
```

Blue Team Defense Findings:

```
[*] Analyzing system logs for Session 5...  
[!] Detected spike in incoming ICMP traffic.  
[!] Security Alert: Potential DoS attack detected from 127.0.0.1  
[*] Log analysis complete.
```

Session 4 - 2026-04-27 10:03:12.982050

Mode	sequential
Target	N/A
Red Tool	N/A
Exit Status	N/A
Blue Tool	N/A

Red Team Activity Output Snippet:

Blue Team Defense Findings:

Session 3 - 2026-04-27 10:02:37.783049

Mode	sequential
Target	127.0.0.1
Red Tool	nmap_scan
Exit Status	0
Blue Tool	suricata_check

Red Team Activity Output Snippet:

```
[*] Starting REAL Nmap scan on 127.0.0.1...
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-27 10:02 +0530
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000030s latency).
Not shown: 998 closed tcp ports (reset)
PORT STATE SERVICE
443/tcp open  https
9200/tcp open  wap-wsp
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.12 seconds
```

Blue Team Defense Findings:

```
[*] Parsing Suricata telemetry for Session 3...
[+] Successfully parsed real eve.json records.
```

Session 2 - 2026-04-22 14:31:14.237392

Mode	sequential
Target	10.0.0.1
Red Tool	sql_injection
Exit Status	0
Blue Tool	ip_blocker

Red Team Activity Output Snippet:

[*] Testing SQL injection on 10.0.0.1...
[*] Payload:
[+] Potential vulnerability detected in login.php
[*] Extraction complete: Found 5 database users.

Blue Team Defense Findings:

[*] Initializing mitigation for Session 2...
[+] Blocking IP 127.0.0.1 via iptables...
[*] Traffic dropped. Victim node stabilized.

Session 1 - 2026-04-22 14:30:43.473993

Mode	sequential
Target	127.0.0.1
Red Tool	dos_attack
Exit Status	0
Blue Tool	log_monitor

Red Team Activity Output Snippet:

[*] Starting DoS attack simulation on 127.0.0.1...
[+] Flooding 127.0.0.1 with ICMP packets...
[!] SYN flood triggered. Target response time increasing.
[*] Attack finished.

Blue Team Defense Findings:

[*] Analyzing system logs for Session 1...
[!] Detected spike in incoming ICMP traffic.
[!] Security Alert: Potential DoS attack detected from 127.0.0.1
[*] Log analysis complete.