

Managing pizza sales by Mysql


pizza sales
overview





KNOWING IN DEPTH OF PIZZAS SALES

- Knowing total number of order plced
- Knowing total number of pizzas sales
- Knowing pizzas order on per day
- Knowing cumulative revenue of sales




total revenue generated by pizza sales


```
SELECT
    ROUND(SUM(order_details.quntity * pizzas.price),
          2) AS total_rev
FROM
    order_details
    JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

outputt



	total_rev
▶	817860.05






retrieving total number of orders placed

t

```
select count(order_id) as total_order from orders;
```

output



total_order
21350

identify highest price pizza

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

highest
Price
pizza

output

name	price
The Greek Pizza	35.95

top 5 order pizza along with their quantities


```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

top 5
ordered
pizza

output

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

group the order by date and calculate the average number of pizza order per day




```
SELECT
    AVG(quantity)
FROM
    (SELECT
        orders.order_date, SUM(order_details.quntity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY orders.order_date) AS order_quantity;
```


outputt

AVG(quantity)
138.4749

avg number
of pizza
per day



top 3 ordered pizza type based on revenue




```
SELECT
  pizza_types.name,
  SUM(order_details.quntity * pizzas.price) AS revenue
FROM
  pizza_types
  JOIN
  pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
  JOIN
  order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

outputt

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5



top 3
ordered
pizza



pizza category wise revenue

```
SELECT
  pizza_types.category,
  ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
      2) AS total_rev
    FROM
      order_details
      JOIN
        pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
    2) AS revenue
FROM
  pizza_types
  JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
  JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC
LIMIT 4;
```


t

outputt

category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

category wise
revenue

cumulative revenue generator over time



```
select order_date,sum(revenue)
over (order by order_date ) as cum_revenue
from
(select orders.order_date,sum(order_details.quntity*pizzas.price) as revenue
from orders join order_details
on order_details.order_id=orders.order_id
join pizzas
on pizzas.pizza_id=order_details.pizza_id
group by orders.order_date order by revenue desc ) as sales;
```

outputt

order_date	cum_revenue
2015-01-01	2713.8500000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4
2015-01-10	23990.350000000002
2015-01-11	25862.65
2015-01-12	27781.7
2015-01-13	29831.300000000003
2015-01-14	32358.700000000004
2015-01-15	34343.50000000001

Cumulative
Revenue



pizza selling presentation

**THANK YOU
FOR ATTENTION**

