

Method	Example	Output	Description
charAt()	"Hello".charAt(1)	e	Returns character at specified index
charCodeAt()	"A".charCodeAt(0)	65	Returns Unicode value of character
startsWith()	"JavaScript".startsWith("Java")	true	Checks if string starts with given text
endsWith()	"JavaScript".endsWith("Script")	true	Checks if string ends with given text
includes()	"Hello World".includes("World")	true	Checks if substring exists
indexOf()	"Hello".indexOf("l")	2	Returns first occurrence index
lastIndexOf()	"Hello".lastIndexOf("l")	3	Returns last occurrence index
match()	"Hello".match("el")	el	Finds matching text
repeat()	"Hi ".repeat(3)	Hi Hi Hi	Repeats string specified times
replace()	"Hello".replace("H","Y")	Yello	Replaces first matching value
search()	"Hello".search("l")	2	Searches string and returns index
split()	"A B C".split(" ")	A,B,C	Converts string into array
substr(start,length)	"JavaScript".substr(4,6)	Script	Extracts characters from start position (<i>deprecated</i>)
substring(start,end)	"JavaScript".substring(0,4)	Java	Extracts characters between indexes
toString()	(123).toString()	"123"	Converts value to string
trim()	" Hello ".trim()	"Hello"	Removes spaces from both ends
slice()	"JavaScript".slice(4,10)	Script	Extracts part of a string
toLowerCase()	"HELLO".toLowerCase()	hello	Converts to lowercase
toUpperCase()	"hello".toUpperCase()	HELLO	Converts to uppercase
valueOf()	"Hello".valueOf()	Hello	Returns primitive string value
String.fromCharCode()	String.fromCharCode(65)	A	Converts Unicode to character