

1 Know Your Path

```
87964@DESKTOP-GD5NG2U MINGW64 ~
```

```
$ pwd
```

```
/c/Users/87964
```


```
87964@DESKTOP-GD5NG2U MINGW64 ~
```

```
$ cd Desktop
```

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop
```

```
$ pwd
```

```
/c/Users/87964/Desktop
```

A screenshot of a Windows terminal window titled "MINGW64/c/Users/87964/Desktop". The terminal shows the following commands and output:

```
87964@DESKTOP-GD5NG2U MINGW64 ~  
$ pwd  
/c/Users/87964  
  
87964@DESKTOP-GD5NG2U MINGW64 ~  
$ cd Desktop  
  
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop  
$ pwd  
/c/Users/87964/Desktop  
  
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop  
$ |
```

The terminal window is overlaid on a Windows 10 desktop background. The taskbar at the bottom shows the Start button, a search bar, and several application icons including File Explorer, Microsoft Edge, and various utility apps. The system tray on the right shows the date and time as 6:42 PM on 7/1/2022.

2. Create Your Own Repository On Local Computer

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop
```

```
$ mkdir patil
```


```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop
```

```
$ cd patil
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil

\$ pwd

/c/Users/87964/Desktop/patil




```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop
$ mkdir patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop
$ cd patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil
$ pwd
/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil
$
```

3.Initialize Git

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil

\$ git init

Initialized empty Git repository in C:/Users/87964/Desktop/patil/.git/



```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil
$ git init
Initialized empty Git repository in C:/Users/87964/Desktop/patil/.git/
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$
```

4. Config Your User Name And Email

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)

```
$ git config --global user.name anil3331
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)


```
$ git config --global user.name  
anil3331
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)

```
$ git config --global user.email ap879648@gmail.com
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)

```
$ git config --global user.email  
ap879648@gmail.com
```

A screenshot of a Windows terminal window with a blue title bar. The window title is "MINGW64/c/Users/87964/Desktop/patil". The terminal shows a series of Git configuration commands and their outputs. The prompt is "87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)". The commands are: 1. "\$ git config --global user.name anil3331", 2. "\$ git config --global user.name anil3331", 3. "\$ git config --global user.email ap879648@gmail.com", 4. "\$ git config --global user.email ap879648@gmail.com", and 5. "\$ |". The Windows taskbar is visible at the bottom, showing the search bar and various application icons. The system tray on the right shows the language as "ENG IN" and the time as "6:57 PM 7/1/2022".

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)  
$ git config --global user.name anil3331  
  
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)  
$ git config --global user.name  
anil3331  
  
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)  
$ git config --global user.email ap879648@gmail.com  
  
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)  
$ git config --global user.email  
ap879648@gmail.com  
  
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)  
$ |
```

5. If Already Exit Replace


87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)

```
$ git config --global --replace-all user.email anilcpatil3331@gmail.com
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)

```
$ git config --global user.email
```

anilcpatil3331@gmail.com


A screenshot of a Windows terminal window titled "MINGW64/c/Users/87964/Desktop/patil". The terminal shows three lines of commands and their output. The first line is "\$ git config --global --replace-all user.email anilcpatil3331@gmail.com". The second line is "\$ git config --global user.email anilcpatil3331@gmail.com". The third line is "\$". The terminal has a dark background with green and yellow text. The Windows taskbar is visible at the bottom with various icons and a search bar.

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git config --global --replace-all user.email anilcpatil3331@gmail.com

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git config --global user.email
anilcpatil3331@gmail.com

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$
```

6. Verify Your Email Address According To Github Email

A screenshot of a Windows terminal window titled "MINGW64/c/Users/87964/Desktop/patil". The terminal shows three lines of commands and their output. The first line is "\$ git config --global --replace-all user.email anilcpatil3331@gmail.com". The second line is "\$ git config --global user.email anilcpatil3331@gmail.com". The third line is "\$". The terminal has a dark background with green and yellow text. The Windows taskbar is visible at the bottom with various icons and a search bar.


```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git config --global --replace-all user.email anilcpatil3331@gmail.com

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git config --global user.email
anilcpatil3331@gmail.com

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$
```

7.Create Your File


\$ touch an.txt



A screenshot of a Windows terminal window titled "MINGW64/c/Users/87964/Desktop/patil". The prompt is "87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)". The user enters the command "\$ touch an.txt". The prompt changes to "\$" on the next line, indicating the command was executed successfully. The Windows taskbar is visible at the bottom with the search bar and various application icons.

8.Edit Created File Write Something

\$ notepad an.txt



A screenshot of a Windows terminal window titled "MINGW64/c/Users/87964/Desktop/patil". The prompt is "87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)". The user enters the command "\$ notepad an.txt". A Notepad window titled "an - Notepad" is opened in the foreground, showing a blank document with a menu bar (File, Edit, Format, View, Help) and a status bar at the bottom indicating "Ln 1, Col 1", "100%", "Windows (CRLF)", and "UTF-8". The Windows taskbar is visible at the bottom.


9. Add File To Staging Area

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
```

```
$ git add an.txt
```

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
```

```
$
```



A screenshot of a Windows terminal window. The title bar shows the path "MINGW64/c/Users/87964/Desktop/patil". The terminal content shows the user "87964@DESKTOP-GD5NG2U" in the "MINGW64" shell at the directory "~/Desktop/patil" on the "master" branch. The user enters the command "\$ git add an.txt". The prompt changes to "\$ |" on the next line. The Windows taskbar is visible at the bottom, showing the search bar, task view, and various application icons. The system tray on the right shows the language as "ENG IN" and the time as "7:20 PM 7/1/2022".

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git add an.txt

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ |
```

10. Commit Changes

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
```


```
$ git commit -m"first"
```

```
[master (root-commit) b48f717] first
```

```
1 file changed, 1 insertion(+)
```

```
create mode 100644 an.txt
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
\$



```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git commit -m"first"
[master (root-commit) b48f717] first
1 file changed, 1 insertion(+)
create mode 100644 an.txt

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$
```

The screenshot shows a Windows terminal window with a blue title bar. The terminal output shows a successful git commit. The Windows taskbar at the bottom includes a search bar, several application icons, and system tray information showing the date and time as 7:22 PM on 7/1/2022.

11.Create New Branch

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
\$ git branch patil

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
\$ git branch
* master
patil

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
\$

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git branch patil

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git branch
* master
  patil

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$
```

12.Switch To Your Branch

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git checkout patil
Switched to branch 'patil'
```

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$
```

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (master)
$ git checkout patil
Switched to branch 'patil'

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ |
```


13. Check Git Status

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)


\$ git status

On branch patil

nothing to commit, working tree clean

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$

A screenshot of a Windows terminal window. The title bar at the top reads 'MINGW64/c/Users/87964/Desktop/patil'. The terminal has a black background with green and white text. It shows the user '87964@DESKTOP-GD5NG2U' in a 'MINGW64' shell at the directory '~/Desktop/patil' on the 'patil' branch. The command '\$ git status' has been entered, and the output is 'On branch patil' followed by 'nothing to commit, working tree clean' on the next line. The prompt '\$' is shown again on the next line. The Windows taskbar is visible at the bottom, showing the search bar and various application icons. The system clock in the bottom right corner indicates '7:26 PM' on '7/1/2022'.

14. Check Git Log

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$ git log -v

commit b48f7175ddf5e5e97bf62cf4ac62906884919ebc (HEAD -> patil, master)

Author: anilcpatil3331@gmail.com <anilcpatil3331@gmail.com>

Date: Fri Jul 1 19:22:03 2022 +0530

first

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git log -v
commit b48f7175ddf5e5e97bf62cf4ac62906884919ebc (HEAD -> patil, master)
Author: anilcpatil3331@gmail.com <anilcpatil3331@gmail.com>
Date: Fri Jul 1 19:22:03 2022 +0530

    first

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ |
```

15. Generate SSH Key

```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
```

```
$ ssh-keygen -t ed25519 -C "ap879648@gmail.com"
```

Generating public/private ed25519 key pair.

Enter file in which to save the key (/c/Users/87964/.ssh/id_ed25519):

Created directory '/c/Users/87964/.ssh'.

Enter passphrase (empty for no passphrase):

Enter same passphrase again:

Your identification has been saved in /c/Users/87964/.ssh/id_ed25519

Your public key has been saved in /c/Users/87964/.ssh/id_ed25519.pub

The key fingerprint is:

SHA256:aMIhzEiYW+HuFEZW7DWSBKa3uJ6XnTLDgu+kwMw3W6U ap879648@gmail.com

The key's randomart image is:

```
+--[ED25519 256]--+
```

```
|.o**o.      |
|+X. + o      |
|ooO..o.      |
|. = ..       |
|. + o o.S     |
|++ oo        |
```

```
|+++ooE.      |
|++oB+o       |
|.==.+        |
+----[SHA256]-----+
```

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
\$

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ ssh-keygen -t ed25519 -C "ap879648@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/87964/.ssh/id_ed25519):
/c/Users/87964/.ssh/id_ed25519 already exists.
Overwrite (y/n)? y
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/87964/.ssh/id_ed25519
Your public key has been saved in /c/Users/87964/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:CaJl9xmPyBUscL3ld2Vmhsrlo7Ip8OPVtT0cGfYLP0o ap879648@gmail.com
The key's randomart image is:
+--[ED25519 256]--+
  . . . . .
  .. o.. o *
  + o.oo o + B.
  + + = * + = =
  . o S . +.=.
    . . . .+oo
    o .+.E.*.
    +.o . . o
    ..o .
+----[SHA256]-----+
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ eval "$(ssh-agent -s)"
Agent pid 1476
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ ssh-add ~/.ssh/id_ed25519
Identity added: /c/Users/87964/.ssh/id_ed25519 (ap879648@gmail.com)
```

16.copy SSH key and paste to generate new key

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
\$ clip < ~/.ssh/id_ed25519.pub

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
\$

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ clip < ~/.ssh/id_ed25519.pub
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$
```

SSH and GPG keys

Connecting to GitHub with SSH

Generating a new SSH key and

Adding a new SSH key to your G

+

github.com/settings/keys

Gmail YouTube Maps

Search or jump to... Pull requests Issues Marketplace Explore

Anil Chudaman Patil
Your personal account

Go to your personal profile

Public profile

Account

Appearance

Accessibility

Notifications

Access

Billing and plans

Emails

Password and authentication

SSH and GPG keys

Organizations

Moderation

Code, planning, and automation

SSH keys

New SSH key

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.

First Key

SHA256: 2Ly1/T0wap3jH9RPpXxt1S0z/GYblizLZT1qd3yFkxibc

Added on Jul 1, 2022

Never used — Read/write

Delete

Check out our guide to [generating SSH keys](#) or troubleshoot [common SSH problems](#).

GPG keys

New GPG key

There are no GPG keys associated with your account.

Learn how to [generate a GPG key](#) and add it to your account.

Vigilant mode


17.Create New Repository And Copy Paste The Commands

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

```
$ git remote add origin https://github.com/Prince3331/patil.git
```


87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

```
$
```



18. Push Changes To Git Account

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~
$ cd Desktop
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop
$ cd patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ ssh-keygen -t ed25519 -C "ap87964@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c:/Users/87964/.ssh/id_ed25519):
/c:/Users/87964/.ssh/id_ed25519 already exists.
Overwrite (y/n)? y
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c:/Users/87964/.ssh/id_ed25519
Your public key has been saved in /c:/Users/87964/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:CaJ9wPyUsc13d2Vhhr1o7Ip80PvtT0cGFyLP0o ap87964@gmail.com
The key's randomart image is:
---[ED25519 256]---
...O.. .|
..O.. o*|
+ o..o + B.|
+ + + + + + + + +
. O S . + + .|
. ....+OO|
O .+.E*|.
+.O.. .O|
..O.. .|
-----[SHA256]-----
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ eval "$(ssh-agent -s)"
Agent pid 1476
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ ssh-add ~/.ssh/id_ed25519
Identity added: /c:/Users/87964/.ssh/id_ed25519 (ap87964@gmail.com)
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ clip < ~/.ssh/id_ed25519.pub
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git remote add origin https://github.com/Prince3331/patil.git
error: remote origin already exists.
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
```



```
MINGW64/c/Users/87964/Desktop/patil
|      +.O . . O|
|      ..O . .|
+----[SHA256]-----+
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ eval "$(ssh-agent -s)"
Agent pid 1476
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ ssh-add ~/.ssh/id_ed25519
Identity added: /c:/Users/87964/.ssh/id_ed25519 (ap87964@gmail.com)
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ clip < ~/.ssh/id_ed25519.pub
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git remote add origin https://github.com/Prince3331/patil.git
error: remote origin already exists.
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 206 bytes | 68.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Prince3331/patil.git
 * [new branch]      patil -> patil
branch 'patil' set up to track 'origin/patil'.
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ |
```

19. Perform Pull Operation Using Branch Name

```
MINGW64/c/Users/87964/Desktop/patil
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ clip < ~/.ssh/id_ed25519.pub

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git remote add origin https://github.com/Prince3331/patil.git
error: remote origin already exists.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 206 bytes | 68.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Prince3331/patil.git
 * [new branch]      patil -> patil
branch 'patil' set up to track 'origin/patil'.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Everything up-to-date
branch 'patil' set up to track 'origin/patil'.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$
```

```
MINGW64/c/Users/87964/Desktop/patil
|  o .+.E.+ |
| +.o . . o |
| .o        |
|-----[SHA256]-----|
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ eval "$(ssh-agent -s)"
Agent pid 1476

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ ssh-add ~/.ssh/id_ed25519
Identity added: /c/Users/87964/.ssh/id_ed25519 (ap87964@gmail.com)

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ clip < ~/.ssh/id_ed25519.pub

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git remote add origin https://github.com/Prince3331/patil.git
error: remote origin already exists.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 206 bytes | 68.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Prince3331/patil.git
 * [new branch]      patil -> patil
branch 'patil' set up to track 'origin/patil'.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Everything up-to-date
branch 'patil' set up to track 'origin/patil'.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ notepad an.txt

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ https://github.com/Prince3331/patil.git
bash: https://github.com/Prince3331/patil.git: No such file or directory

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ https://github.com/Prince3331/patil.git
bash: https://github.com/Prince3331/patil.git: No such file or directory

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git pull https://github.com/Prince3331/patil.git
From https://github.com/Prince3331/patil
 * branch            HEAD       -> FETCH_HEAD
Already up to date.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$
```

20.perform pull operation using file path

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$ git pull origin patil

remote: Enumerating objects: 5, done.

remote: Counting objects: 100% (5/5), done.

remote: Compressing objects: 100% (2/2), done.

remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

Unpacking objects: 100% (3/3), 661 bytes | 3.00 KiB/s, done.

From https://github.com/Prince3331/patil

* branch patil -> FETCH_HEAD

0791831..13b1173 patil -> origin/patil

Updating 0791831..13b1173


Fast-forward

an.txt | 3 ++-

1 file changed, 2 insertions(+), 1 deletion(-)

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$



```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 276 bytes | 92.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Prince3331/patil.git
   b48f717..0791831  patil -> patil
branch 'patil' set up to track 'origin/patil'.


87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git pull origin patil
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 661 bytes | 3.00 KiB/s, done.
From https://github.com/Prince3331/patil
 * branch patil -> FETCH_HEAD
   0791831..13b1173  patil -> origin/patil
Updating 0791831..13b1173
Fast-forward
 an.txt | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$
```


21. Verify Changes

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$ notepad an.txt



```
87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git push -u origin patil
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 276 bytes | 92.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Prince3331/patil.git
   b48f717..0791831  patil -> patil
branch 'patil' set up to track 'origin/patil'.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git pull origin patil
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 661 bytes | 3.00 KiB/s, done.
From https://github.com/Prince3331/patil
 * branch                patil          -> FETCH_HEAD
    0791831..13b1173  patil          -> origin/patil
Updating 0791831..13b1173
Fast-forward
 an.txt | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ notepad an.txt
```

The Notepad window shows the contents of an.txt:

```
hii
byee
```

22. Clone Git Repository

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)

\$ git clone https://github.com/Prince3331/patil.git

Cloning into 'patil'...

remote: Enumerating objects: 9, done.

remote: Counting objects: 100% (9/9), done.

remote: Compressing objects: 100% (5/5), done.

remote: Total 9 (delta 0), reused 6 (delta 0), pack-reused 0

Receiving objects: 100% (9/9), done.

```
MINGW64/c/Users/87964/Desktop/patil
fatal: destination path 'an.txt' already exists and is not an empty directory.


87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ git clone https://github.com/Prince3331/patil.git
Cloning into 'patil'...
remote: Enumerating objects: 9, done.
remote: Counting objects: 100% (9/9), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 9 (delta 0), reused 6 (delta 0), pack-reused 0
Receiving objects: 100% (9/9), done.

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$

87964@DESKTOP-GD5NG2U MINGW64 ~/Desktop/patil (patil)
$ |
```

The image shows a Windows taskbar at the bottom of the terminal window. It includes the Start button, a search bar with the text "Type here to search", and a series of application icons including File Explorer, Microsoft Edge, and several instances of Google Chrome. On the right side of the taskbar, there are system icons for network, volume, and battery, along with the language indicator "ENG IN" and the date/time "10:57 PM 7/1/2022".