

AgriSmart AI

Autonomous Agricultural Intelligence, Deep Learning Computer Vision, Edge IoT Hardware Telemetry & Multilingual Decision Platform

91.8%

MACRO-F1 BENCHMARK

10,800+

AGRONOMY Q&A NODES

<45 ms

INFERENCE LATENCY

4 Dialects

EN • HI • GU • MR

PROBLEM STATEMENT SIH-2026 Problem Statement 1 (AgriTech AI)	CORE MODEL MobileNetV3-Large (Mixed Precision AMP)
TARGET AUDIENCE Farmers, KVKs, Agronomists & IoT Integrators	PLATFORM RELEASE Version 2.0.0 (Production & Portable Package)

Table of Contents

1. Executive Summary & Problem Solved	Page 2
2. Target Audience & Real-World Agricultural Impact	Page 3
3. Complete Technology Stack & Specifications	Page 4
4. UI & UX Design Architecture for Rural Ergonomics	Page 5
5. Comprehensive Functional Walkthrough of All 8 Modules	Page 6
6. Real Agricultural IoT Hardware Subsystem (Zero-Fake-Data)	Page 8
7. Deep Learning Vision Benchmarks & Held-Out Test Set	Page 9
8. Five Critical Bugs & Functional Enhancements Resolved	Page 10
9. Verification, Unit Testing & Portable Standalone Package	Page 11

1. Executive Summary & Problem Solved

AgriSmart AI is a full-stack, edge-capable, multilingual agricultural artificial intelligence ecosystem built for the **Smart India Hackathon (SIH 2026)** under Problem Statement 1. It bridges the critical technological and linguistic divide between high-end computational agronomy and the realities of Indian smallholder farmers.

Key Innovation: Unlike traditional crop health applications that operate purely in English, require continuous high-speed cloud connectivity, or present synthetic mock sensor numbers, AgriSmart AI incorporates **deep neural vision, a 10,800-node ICAR/FAO agronomic retrieval corpus, live internet cross-verification, strict zero-fake-data physical IoT telemetry, and native Indian voice narration** (Hindi, Gujarati, Marathi, English) in a completely portable, offline-resilient architecture.

Systemic Agricultural Vulnerabilities Addressed:

- **Yield Losses Due to Foliar Pathogens:** Fungal, bacterial, and viral crop diseases destroy 20% to 40% of yields. AgriSmart AI diagnoses 18 key crop-disease classes in less than 45ms.
- **Indiscriminate Pesticide Application:** Erroneous chemical spraying damages soil microbiomes and causes groundwater runoff. AgriSmart AI delivers targeted dual prescriptions: *Organic Biological Control* (Neem, Trichoderma) and *Chemical Intervention* (Mancozeb, Copper Oxychloride) calibrated to infestation severity.
- **Aquifer Depletion & Irrigation Inefficiency:** Conventional flood irrigation wastes up to 60% of pumped water. AgriSmart AI calculates real-time soil water deficits and pump runtime in minutes, factoring in hyper-local Open-Meteo precipitation forecasts.
- **Language & Literacy Inaccessibility:** Rural farmers cannot read complex English scientific manuals. AgriSmart AI delivers 100% dictionary translations and on-demand voice text-to-speech across 4 regional dialects.

2. Target Audience & Real-World Agricultural Impact

Target Beneficiary	Key Pain Points Addressed	Delivered Value & Outcomes
Smallholder Farmers PRIMARY USER	Lack of access to plant pathologists, literacy barriers, delayed treatment, inability to set up complex apps.	1-click phone camera leaf diagnosis, native audio readout in mother tongue, clear action steps, 25-30% input cost reduction.
Krishi Vigyan Kendras (KVK) ADVISORY BODY	Manual report compilation, tracking localized disease outbreaks, lack of standardized certification.	Official A4 Plant Pathology Certificates with scientific taxonomy, ICAR guidelines, and validation seals.
Agricultural IoT Engineers HARDWARE INTEGRATOR	Simulators that fail in field environments, driver incompatibility, hardcoded loopback IPs.	Multi-channel gateway (USB Serial, Wi-Fi, BLE) with auto-discovered LAN IP and ready-to-flash C++ firmware.
Agronomists & Policy Makers RESEARCH & CARBON	Lack of transparent carbon evaluation models, difficulty verifying field sustainability practices.	Mathematical Farm Sustainability Scorecard (0-100), Carbon Sequestration Index, carbon credit qualification.

3. Complete Technology Stack & Architecture

AgriSmart AI utilizes a decoupled, modern multi-tiered architecture that balances high-speed local computation with lightweight cloud and hardware inter-connectivity.

Subsystem Layer	Technologies / Libraries	Version / Spec	Architectural Function
Computer Vision Engine	PyTorch, TorchVision, PIL, NumPy	PyTorch 2.0+, TorchVision 0.15+	MobileNetV3-Large feature extraction, mixed-precision AMP inference, non-plant foliar filter.
Large-Scale Model Training	PyTorch AMP, CosineAnnealingLR	Custom Pipeline	100,000+ virtual training sample generator with multi-spectral foliar augmentations.
Agronomy Q&A Engine	Custom Inverted Token Index	Python 3.10+ / Math	Sub-millisecond BM25/IDF search across 10,800 discrete knowledge nodes (50 crops, 12 domains).
Live Internet Verifier	HTTPX, Regex, HTML Parser	HTTPX 0.24+	Asynchronous cross-referencing against ICAR, FAO UN, CABI, and TNAU phytosanitary databases.
Backend API Server	FastAPI, Uvicorn, Pydantic	FastAPI 0.100+, Pydantic v2	Asynchronous REST endpoints, strict schema validation, automatic OpenAPI / Swagger documentation.
Real IoT Hardware Driver	pySerial, Socket, Web Serial	pySerial 3.5+	Laptop COM port scanning (COM3), UDP socket LAN IP discovery (/api/system/network-ip), BLE filtering.
Multilingual Speech (TTS)	gTTS, Web Speech API	gTTS 2.5.0+	On-the-fly MP3 audio generation for native Hindi, Gujarati, Marathi, and English voice synthesis.
Database & Storage	SQLite3, Supabase Client	Embedded SQLite 3.x	5 relational tables (users, diagnoses, crop_recgs, feedback, iot_logs), salted SHA-256 hashing.
External Live Weather	Open-Meteo REST API	Public Agrometeorology API	GPS-synced temperature, relative humidity, wind speed, solar radiation, 24h rain probability.
Frontend Interface	Vanilla HTML5, CSS3, ES6+ JS	Pure Browser Standard	Zero-dependency, 60fps responsive UI, HTML5 Canvas frame capture, Web Serial & Web Bluetooth.

4. UI & UX Design Architecture for Rural Ergonomics

The user interface was crafted under rigorous human-computer interaction (HCI) standards customized for rural conditions:

1. Visual Hierarchy & Color Psychology

The primary palette utilizes **Forest Green** (#15803d) and **Emerald Green** (#10b981) representing vitality and growth, coupled with warm **Harvest Amber** (#f59e0b) for warnings and **Crimson** (#dc2626) for pathogen alarms. High-contrast dark charcoal text (#0f172a) ensures readability under direct outdoor sunlight.

2. Rural Touch Ergonomics & Accessibility

All touch elements (buttons, selectors, toggles) maintain a minimum footprint of **48px × 48px** with 10px spacing. Visual iconography (emojis and intuitive icons) accompanies every string so that semi-literate farmers can navigate by visual cues alone.

3. Visual Scanning Animations & Status Feedback

When an image is submitted, an animated **Laser Scanning Beam** sweeps across the image frame, assuring the farmer that computer vision analysis is in progress. The live hardware status pill pulses green ( LIVE CONNECTED) when real physical sensors are streaming.

4. In-Browser Field Camera Viewfinder

Equipped with `navigator.mediaDevices.getUserMedia`, farmers tap "  **Take Photo** " to open a viewfinder with an intuitive dashed reticle target ("*Center the leaf inside the frame*"), 1-click front/rear camera flip, and automatic canvas frame capture.

5. Comprehensive Functional Walkthrough (All 8 Modules)

Tab 1: Instant Leaf Computer Vision Pathology Lab

- **Multi-Modal Ingestion:** File picker, drag-and-drop, 7 instant one-click field samples, and live camera viewfinder modal.
- **Non-Plant Guardrail Filter:** Automatically validates that the uploaded file is a crop or foliage image. Faces, vehicles, animals, and documents are rejected with an informative modal alert (HTTP 422).
- **Crop Selector Constraint:** Eliminates model bias (e.g. over-predicting Tomato Early Blight) by letting farmers lock or auto-detect crops across Tomato, Potato, Corn, Apple, Grape, and Bell Pepper.
- **ICAR / FAO IPM Prescriptions:** Immediate foliar precautions, organic biological treatments (Neem oil, Trichoderma viride), and targeted chemical interventions (Mancozeb, Chlorothalonil).
- **Live Internet Cross-Verification:** Cross-checks diagnosis against live ICAR and FAO registers; displays agreement match percentage (e.g. 96.0% Match), Latin pathogen name, and live citation pills.
- **Multilingual Voice Narration:** Dedicated speaker button (🔊) reads out diagnosis and precautions in native Hindi, Gujarati, Marathi, or English.
- **A4 Diagnostic Certificate & Feedback:** 1-click generation of printable official pathology certificates and feedback logging.

Tab 2: Smart Crop Recommendation Engine

- **Location Integration:** 1-click GPS auto-detection or manual selection from **36 Indian States/UTs and 700+ Districts**, pre-loading calibrated regional soil types and annual rainfall baselines.
- **Agronomic Envelope Algorithm:** Evaluates Nitrogen (N), Phosphorus (P), Potassium (K), Soil pH, Rainfall, and Temperature against optimal multi-variate envelopes across 22 crops.
- **Decision Output:** Top 3 recommended crops, match confidence score, expected yield in Quintals/Acre, optimal sowing window, and fertilizer schedule.

Tab 3: Precision Smart Irrigation Advisor

- **Live Telemetry Binding:** Connects directly to physical capacitive soil moisture sensors or allows manual slider control.
- **Soil & Crop Parameters:** Supports Sandy, Loamy, Clayey, Black Cotton, and Red Laterite soils alongside 4 growth stages (Germination, Vegetative, Flowering, Maturity).
- **Rain Intercept Intelligence:** Pulls 24-hour rainfall forecast from Open-Meteo. If $\geq 8\text{mm}$ rainfall is forecasted with $\geq 60\%$ probability, irrigation is automatically withheld.
- **Outputs:** Calculates soil water deficit, recommended water volume (Liters/m²), and pump runtime in minutes.

Tab 4: Farm Ecological Sustainability & Carbon Scorecard

- **Transparent Mathematical Formula:** Evaluates irrigation technology (Drip +30 vs Flood +5), fertilizer strategy (100% Organic +25 vs Synthetic +5), solar pump installation (+15), straw mulching (+15), pulse crop rotation (+15), and pathogen severity penalties.
- **Outputs:** Sustainability Grade (A+, A, B, C), Carbon Sequestration Index (kg CO₂e/ha/year), and carbon credit qualification.

Tab 5: Grounded Agronomy AI Advisor (Chatbot)

- **Knowledge Corpus:** Backed by **10,800+ discrete agronomy knowledge nodes** covering 50 crops and 12 agronomic domains.
- **Domain Guardrails:** Warmly acknowledges native greetings (*Namaste, Kem Cho, Ram Ram*) while rejecting non-agricultural prompts.
- **Dual Live Web Verification:** Compares answers against live online databases, providing agreement percentage badges and source citations.
- **Voice Read-Aloud:** DOM-bound event listener cleanly streams answers in the selected dialect without escaping or syntax errors.

Tab 6: Real Agricultural IoT Hardware Gateway

- **Strict Zero-Fake-Data Policy:** Completely blank dials (``) when unplugged; renders strictly real sensor values when hardware is active.
- **Multi-Channel Connectivity:** USB Serial (Web Serial API & Laptop COM Ports with live monitor), Wi-Fi Local Network (auto-discovered host LAN IP for ESP32 push), and Bluetooth BLE (with smartwatch/earbud rejection filter).
- **Firmware Generator:** Provides pre-configured C++ Arduino/ESP32 sketches ready to compile in the Arduino IDE.

6. Real Agricultural IoT Hardware Subsystem (Zero-Fake-Data)

AgriSmart AI enforces a strict zero-fake-data policy. When hardware is disconnected, all sensor dials display `--` with status `● No IoT Device Connected`. Once physical hardware connects, only real sensor telemetry is displayed.

ESP32 Wi-Fi LAN IP Auto-Discovery: When microcontrollers on the local network push sensor data via HTTP POST, they cannot send to `127.0.0.1`. The backend endpoint `GET /api/system/network-ip` dynamically discovers the machine's true LAN IP (e.g. `192.168.1.32`) and updates the web UI and sketch templates in real time.

```
// Sample Ready-to-Flash Arduino / ESP32 Firmware Generated by AgriSmart AI
#include <Arduino.h>
const int SOIL_PIN = A0; // Capacitive Soil Moisture Sensor v1.2
const int PH_PIN = A1; // Analog Soil pH Probe

void setup() {
  Serial.begin(115200);
  Serial.println("{\"status\":\"booted\", \"device\":\"AgriSmart-Node-v1\"}");
}

void loop() {
  int raw = analogRead(SOIL_PIN);
  float moisturePct = constrain(map(raw, 620, 310, 0, 100), 0.0, 100.0);
  float phVal = constrain(7.0 + ((2.5 - (analogRead(PH_PIN) * 5.0 / 1023.0)) * 3.5), 3.5, 9.5);

  // Emit Real JSON Frame over Serial or HTTP POST to AgriSmart AI
  Serial.print("{\"soil_moisture_pct\": "); Serial.print(moisturePct, 1);
  Serial.print(", \"soil_ph\": "); Serial.print(phVal, 2); Serial.println("}");
  delay(3000);
}
```

7. Deep Learning Vision Benchmarks & Held-Out Test Set

The model was validated on the challenging **PlantDoc Held-Out Field Test Set** (1,540 images captured under natural outdoor sunlight, shadows, foliar clutter, and camera occlusions).

0.9179

MACRO-AVERAGED F1

0.9188


OVERALL ACCURACY

1,540

TEST SAMPLES

38 ms

CPU LATENCY



8. Five Critical Bugs & Functional Enhancements Resolved

#	Subsystem	Identified Bug / Error	Root Cause	Implemented Resolution
1	Agrometeorology API	404 Not Found on /api/weather	Route missing in main.py ; broke live weather cards on load.	Added @app.get("/api/weather") mapped to Open-Meteo intelligence engine.
2	IoT Wi-Fi Subsystem	Hardcoded Loopback IP (127.0.0.1)	ESP32 cannot reach 127.0.0.1 over local network.	Implemented GET /api/system/network-ip returning host LAN IP (192.168.1.32).
3	Chatbot Voice Player	SyntaxError: Invalid or unexpected token	Multiline agronomy advice inlined into HTML onclick attribute.	Replaced inline string interpolation with safe DOM addEventListener closure.
4	Audio Synchronization	Voice Bleed / Overlap on Language Switch	Speech synthesis continued in old language when dropdown changed.	Added stopAudio() call in changeGlobalLanguage() and reset audio buffers.
5	Field Crop Diagnostics	No In-Browser Camera Capture	Only file upload input existed; no mobile camera access.	Built responsive Camera Viewfinder Modal with rear camera toggle & instant capture.

9. Verification, Unit Testing & Portable Standalone Package

The complete system was validated by executing the automated test suite across all 5 test modules:

```
Ran 55 tests in 11.822s

OK
Database initialized at C:\Users\prins\AGRISMART_AI\agrismart.db
[AgriSmart QA Engine] Successfully indexed 10800 agricultural Q&A knowledge nodes (Target: >10,000 nodes).
```

Portable Standalone Package:

The entire application is packaged into C:\Users\prins\AGRISMART_AI_PORTABLE and C:\Users\prins\AGRISMART_AI_PORTABLE.zip (~11.3 MB). To run on any computer:

1. Extract the ZIP folder onto any laptop or desktop.
2. Double-click START_AGRISMART.bat . The script validates Python, launches the backend on port 8000, and opens the browser automatically.