

Kick Poverty Microfinance

Website Documentation & Developer Guide

Client	Kick Poverty (Kick Po) Microfinance Company
Document Type	Website Documentation & Developer Reference
Version	1.0
Pages	6 HTML files, 1 CSS, 2 JS files
Approach	Mobile-first, 3 breakpoints, vanilla HTML/CSS/JS

Table of Contents

1. Project Overview
2. Design System & Aesthetic Direction
3. File Structure
4. CSS Architecture
5. JavaScript
6. Pages Reference
7. Mobile-First Breakpoint Strategy
8. Typography
9. Colour Palette
10. How to Edit & Extend

1. Project Overview

This documentation covers the complete website built for Kick Poverty (Kick Po) Microfinance Company, a Sierra Leone-based microfinance institution established in January 2024. The website presents the company professionally across six pages, using only semantic HTML5, vanilla CSS3, and vanilla JavaScript — no frameworks, no build tools, no dependencies.

Objectives

- Present the company cleanly and credibly to potential loan clients and investors.
- Communicate key information without overwhelming visitors with dense text.
- Work flawlessly on mobile phones (the primary device in Sierra Leone).
- Be fast-loading with zero external JS dependencies.
- Be easy to maintain and extend by any developer.

2. Design System & Aesthetic Direction

The design direction is "Grounded Optimism" — professional, trustworthy, and human. It avoids generic AI-generated aesthetics (no purple gradients, no Inter font, no cookie-cutter card layouts). Instead it uses editorial typography, a warm off-white base, and a purposeful green/navy palette that communicates growth, stability, and financial trust.

Design Principles

Editorial Typography	Playfair Display for display headings gives gravitas; DM Sans for body is clean and modern.
Purposeful Colour	Deep navy = authority and trust. Forest green = growth and money. Warm off-white = human warmth.
Mobile-First	All base styles target 320–639px. Tablet and desktop add progressive enhancements.
Minimal Animation	Scroll-triggered fade-up reveals and a few hover lifts. Nothing gratuitous.
Clean Spacing	A 4px-based spacing scale ensures vertical rhythm throughout.
No Gold	Per brief, gold is explicitly excluded. Green accent is used instead for all highlights.

3. File Structure

The site follows a flat-shallow structure. The homepage sits at the root. All inner pages live in /pages/. Styles and scripts are in /css/ and /js/.

```
kickpo/ ← Site root
■■■ index.html ← Homepage
■■■ css/
■ ■■■ style.css ← All styles (single file, ~500 lines)
■■■ js/
■ ■■■ main.js ← Nav, back-to-top, scroll reveal, year
■ ■■■ components.js ← Shared nav + footer HTML injection
■■■ pages/
■■■ about.html ← Company background & mission
■■■ services.html ← Loan products & process
■■■ team.html ← Staff directory
■■■ investors.html ← Investment tiers & terms
■■■ contact.html ← Contact details & address
```

Path Convention

Pages inside /pages/ reference assets with ../ prefix. The root index.html uses bare paths (css/style.css, js/main.js). Nav and footer links in components.js receive a base path argument to ensure correct relative URLs from both the root and subdirectory.

4. CSS Architecture

All styles live in a single file: css/style.css. The file is divided into 13 numbered sections, each with a large comment banner. No preprocessor or build step is required.

Section 1	CSS Properties	Custom	All design tokens — colours, fonts, spacing, shadows, radii, transitions.
Section 2	Reset & Base		Normalise browser defaults. Universal box-sizing. Smooth scroll on html.
Section 3	Typography Scale		h1–h6, p, .lead, .caption, .eyebrow. Display font for h1–h3, sans-serif for h4–h6.

Section 4	Layout Utilities		.container, .section, .split, .cards-grid, .stats-grid, .team-grid, .divider.
Section 5	Navigation		Fixed top bar. Hamburger + mobile menu. Scroll shadow via .scrolled. Active links.
Section 6	Hero Section		Full-viewport hero with gradient, dot-grid texture, animated headline, stat strip.
Section 7	Cards & Components		.card, .stat-card, .team-card, .info-box, .callout, .contact-item, .page-hero.
Section 8	Buttons & CTAs		.btn base + --primary, --secondary, --outline, --sm variants.
Section 9	Footer		Three-column grid. Brand, quick links, contact. Bottom copyright bar.
Section 10	Back-to-Top		Fixed bottom-right circle. Fade + lift transition. JS adds .visible class.
Section 11	Animations		@keyframes fadeUp, slideDown. .reveal and .reveal-stagger classes.
Section 12	Tablet (≥640px)		Inline nav links. Typography scale-up. 2-column grids.
Section 13	Desktop (≥1024px)		Full type scale. 3–4 column grids. Larger spacing.

5. JavaScript

main.js

A single self-executing IIFE. No global variables exposed. Runs after DOMContentLoaded.

initNav()

Toggles mobile menu. Adds open class. Closes on link click or outside click.

initNavScroll()

Adds .scrolled to nav after 10px scroll for drop-shadow.

initActiveNavLink()

Marks current page link .active by comparing href to window.location.pathname.

initBackToTop()

Shows .back-to-top button after 300px scroll. Click scrolls to top.

initScrollReveal()

IntersectionObserver adds .visible to .reveal and .reveal-stagger elements.

initFooterYear()

Writes current year into .js-year elements for copyright currency.

components.js

Exports two functions: injectNav(base) and injectFooter(base). Each page calls these after the DOM loads, passing a base path string ("" for root, "../" for pages/ subdirectory). This avoids duplicating nav/footer HTML across six files.

6. Pages Reference

index.html	Homepage	Hero, mission intro, three-pillar cards, stats strip, investor CTA callout.
pages/about.html	About Us	Company background, founding story, split layout with info boxes, mission callout.
pages/services.html	Services	Loan products, interest rate highlight, eligibility info boxes, 5-step process list.

pages/team.html	Our Team	Six team cards with initials-avatar, name, role, and brief description.
pages/investors.html	Investors	Why invest section, two investment tier cards (Standard / Shareholder), CTA.
pages/contact.html	Contact	Two contact person cards with phone + WhatsApp links, address section with map placeholder.

7. Mobile-First Breakpoint Strategy

All base CSS targets mobile screens (320px+). Media queries layer on enhancements as the viewport grows. This means the site is always usable even if CSS media queries fail, and mobile users receive only the CSS they need.

Breakpoint	Width	Key Changes
Mobile (base)	< 640px	Single column layout. Hamburger nav. Stacked split sections.
Tablet (sm)	≥ 640px	Inline nav links. 2-column card/team grids. Side-by-side splits.
Desktop (lg)	≥ 1024px	Larger type scale. 3–4 column grids. Wider containers. More spacing.

8. Typography

Font	Role	Weights	Source
Playfair Display	Display / Headings h1–h3	700 (Bold)	Google Fonts
DM Sans	Body / UI text, h4–h6	400, 500, 600	Google Fonts

9. Colour Palette

--color-primary	#0D2B45	Deep navy — primary brand, nav, footer
--color-primary-light	#1B4F72	Lighter navy — hover states, gradients
--color-accent	#2A7D4F	Forest green — CTAs, accents, icons
--color-accent-light	#38A169	Lighter green — hover states
--color-accent-pale	#E8F5E9	Very light green — card backgrounds
--color-bg	#F9F7F4	Warm off-white — page background

--color-surface	#FFFFFF F	Pure white — cards, panels
--color-text-primary	#1A1A1A A	Near-black — headings
--color-text-body	#3D3D3D D	Dark gray — body copy
--color-text-muted	#6B6B6B B	Muted gray — captions, meta

10. How to Edit & Extend

Change brand colours

Edit `:root` in `css/style.css`. Update `--color-primary` and `--color-accent`.

Change fonts

Update the Google Fonts link in each HTML , then update `--font-display` and `--font-body` in `:root`.

Add a new page

Create `pages/newpage.html`, copy the and placeholder divs from an existing page, call `injectNav("../")` and `injectFooter("../")` in the script block. Add the link to `components.js` nav.

Add images

Place images in `assets/images/`. Use standard `img` tags with alt text. Replace team-card avatar divs with `img` tags styled to fill the container.

Update contact info

Edit `components.js` — the footer contact column. Also update `pages/contact.html` directly.

Change interest rate or amounts

Search for hardcoded values in `index.html`, `services.html`, and `investors.html`. Update in place.

Deploy the site

Upload the entire `kickpo/` folder to any static host (Netlify, Vercel, GitHub Pages, shared hosting). No build step needed.

Documentation prepared for Kick Poverty Microfinance Company. Website built with semantic HTML5, CSS3 custom properties, and vanilla JavaScript.