

*****BASIC HTML *****

1. `<!DOCTYPE html>` :- Defines the document type
2. `<html></html>` :- Defines an HTML document
3. `<head></head>` :- Contains metadata / information for the document
4. `<title></title>` :- Defines a title for the document
5. `<body></body>` :- Defines the document's body
6. `<h1>` -> `<h6>` :- Defines HTML headings
7. `<p></p>` :- Defines a paragraph
8. `
` :- Insert a single line break
9. `<hr>` :- Defines a thematic change in the content
10. `<!-- -->` :- Defines a comment

*****FORMATING*****

11. `<abbr></abbr>` :- Defines an abbreviation or an acronym
12. `<address></address>` :- Defines contact information for the author/owner of a document/article
13. `` :- Defines Bold text
14. `<bdo></bdo>` :- Overrides the current text direction
15. `<blockquote></blockquote>` :- Defines a section that is quoted from another source

16. `<cite></cite>` :- Defines the title of a work
17. `<code></code>` :- Defines a piece of computer code
18. `` :- Defines text that has been deleted from a document
19. `<dfn></dfn>` :- Specifies a term that is going to be defined within the content
20. `` :- Defines emphasized text
21. `<i></i>` :- Defines a part of text in an alternate voice or mood
22. `<ins></ins>` :- Defines a text that has been inserted into a document
23. `<kbd></kbd>` :- Defines keyboard input
24. `<mark></mark>` :- Defines marked/highlighted text
25. `<meter></meter>` :- Defines a scalar measurement within a known range (a gauge)
26. `<pre></pre>` :- Defines preformatted text
27. `<progress></progress>` :- Represents the progress of a task
28. `<q></q>` :- Defines a short Quotation
29. `<bdi></bdi>` :- Isolates a part of text that might be formatted in a different direction other text outside it

30. `<rt></rt>` :- Defines an explanation/pronunciation of characters (for East Asian typography)

31. `<ruby></ruby>` :- Defines a ruby annotation (for East Asian typography)

32. `<s></s>` :- Defines text that is no longer correct

33. `<samp></samp>` :- Defines sample output from a computer program

34. `<small></small>` :- Defines smaller text

35. `` :- Defines important text

36. `` :- Defines subscripted text

37. `` :- Defines superscripted text

38. `<template></template>` :- Defines a container for content that should be hidden when the page loads

39. `<time></time>` :- Defines a specific time(or datetime)

40. `<u></u>` :- Defines some text that is unarticulated and styled defferently from normal text

41. `<var></var>` :- Defines a variable

42. `<wbr>` :- Defines a posible line-break

*****FORM*****

43. `<form></form>` :- Defines an HTML form for user input

44. `<input>` :- Defines an input control

45. `<textarea></textarea>` :- Defines a multiline input control (text area)

46. `<button></button>` :- Defines a clickable button

47. `<select></select>` :- Defines a drop-down list

48. `<optgroup></optgroup>` :- Defines a group of related options in a drop-down list

49. `<option></option>` :- Defines an option in a drop-down list

50. `<label></label>` :- Defines a label for an `<input>` element

51. `<fieldset></fieldset>` :- Groups related element in a form

52. `<legend></legend>` :- Defines a caption for a `<fieldset>` element

53. `<datalist></datalist>` :- Specifies a list of pre-defined options for input controls

54. `<output></output>` :- Defines the result of a calculation

*****FRAMES*****

55. `<iframe></iframe>` :- Defines an inline frame

*****IMAGES*****

56. `<map></map>` :- Defines a client-side image map

57. `<area>` :- Defines an area inside an image map

58. `<canvas></canvas>` :- Used to draw graphics, on the fly, via scripting (usually JavaScript)

59. `<figcaption></figcaption>` :- Defines a caption for a `<figure></figure>` element

60. `<figure></figure>` :- Specifies self-contained content

61. `<picture></picture>` :- Defines a container for multiple image resources

62. `<svg></svg>` :- Defines a container for SVG graphics

*****AUDIO/VIDEO*****

63. `<audio></audio>` :- Defines sound content

64. `<source>` :- Defines multiple media resources for media elements (`<video></video>`, `<audio></audio>`, `<picture></picture>`)

65. `<track>` :- Defines text tracks for media element (`<video></video>`, `<audio></audio>`)

66. `<video></video>` :- Defines a video or movie

*****LINK*****

67. `<a>` :- Defines a hyperlink

68. `<link>` :- Defines the relationship between a document and an external resources (most used to link to style sheets)

69. `<nav></nav>` :- Defines navigation links

*****LIST*****

70. `` :- Defines an unordered list

71. `` :- Defines a list item

72. `<dl></dl>` :- Defines a description list

73. `<dt></dt>` :- Defines a term/name in a description list

74. `<dd></dd>` :- Defines a description of a term/name in a description list

*****TABLE*****

75. `<table></table>` :- Defines a table

76. `<caption></caption>` :- Defines a table caption

77. `<th></th>` :- Defines a header cell in a table

78. `<tr></tr>` :- Defines a row in a table

79. `<td></td>` :- Defines a cell in a table

80. `<thead></thead>` :- Groups the header content in a table

81. `<tbody></tbody>` :- Groups the body content in a table

82. `<tfoot></tfoot>` :- Groups the footer contact in a table

83. `<col>` :- Specifies column properties for each column within a `<colgroup></colgroup>` element

84. `<colgroup></colgroup>` :- Defines a header for a document or section

*****STYLES AND SEMANTICS*****

85. `<style></style>` :- Defines style information for a document

86. `<div></div>` :- Defines a section in a document

87. `` :- Defines a section in document

88. `<header></header>` :- Defines a header for a document or section

89. `<main></main>` :- Specifies the main content of a document

90. `<section></section>` :- Defines a section in a document

91. `<article></article>` :- Defines an article

92. `<aside></aside>` :- Defines content aside from the page content

93. `<details></details>` :- Defines additional details that the user can view or hide

94. `<dialog></dialog>` :- Defines a dialog box or window

95. `<summary></summary>` :- Defines a visible heading for a `<details>` element

96. `<data></data>` :- Adds a machine-readable translation of a given context

*****META INFO*****

97. `<head></head>` :- Defines information about the document

98. `<meta>` :- Defines metadata about an HTML document

99. `<base>` :- Specifies the base URL/target for all relative URLs in a document

*****PROGRAMMING*****

100. `<script></script>` :- Defines a client-side script

101. `<noscript></noscript>` :- Defines an alternate content for users that do not support client-side script

102. `<embed>` :- Defines a container for an external(non- HTML) application

103. `<object></object>` :- Defines an embedded object

104. `<param>` :- Defines a parameter for an object

*****BASIC HTML *****

1. `<!DOCTYPE html>` :- Defines the document type
2. `<html></html>` :- Defines an HTML document
3. `<head></head>` :- Contains metadata / information for the document
4. `<title></title>` :- Defines a title for the document
5. `<body></body>` :- Defines the document's body
6. `<h1>` -> `<h6>` :- Defines HTML headings
7. `<p></p>` :- Defines a paragraph
8. `
` :- Insert a single line break
9. `<hr>` :- Defines a thematic change in the content
10. `<!-- -->` :- Defines a comment

*****FORMATING*****

11. `<abbr></abbr>` :- Defines an abbreviation or an acronym
12. `<address></address>` :- Defines contact information for the author/owner of a document/article
13. `` :- Defines Bold text
14. `<bdo></bdo>` :- Overrides the current text direction
15. `<blockquote></blockquote>` :- Defines a section that is quoted from another source

16. `<cite></cite>` :- Defines the title of a work
17. `<code></code>` :- Defines a piece of computer code
18. `` :- Defines text that has been deleted from a document
19. `<dfn></dfn>` :- Specifies a term that is going to be defined within the content
20. `` :- Defines emphasized text
21. `<i></i>` :- Defines a part of text in an alternate voice or mood
22. `<ins></ins>` :- Defines a text that has been inserted into a document
23. `<kbd></kbd>` :- Defines keyboard input
24. `<mark></mark>` :- Defines marked/highlighted text
25. `<meter></meter>` :- Defines a scalar measurement within a known range (a gauge)
26. `<pre></pre>` :- Defines preformatted text
27. `<progress></progress>` :- Represents the progress of a task
28. `<q></q>` :- Defines a short Quotation
29. `<bdi></bdi>` :- Isolates a part of text that might be formatted in a different direction other text outside it

30. `<rt></rt>` :- Defines an explanation/pronunciation of characters (for East Asian typography)

31. `<ruby></ruby>` :- Defines a ruby annotation (for East Asian typography)

32. `<s></s>` :- Defines text that is no longer correct

33. `<samp></samp>` :- Defines sample output from a computer program

34. `<small></small>` :- Defines smaller text

35. `` :- Defines important text

36. `` :- Defines subscripted text

37. `` :- Defines superscripted text

38. `<template></template>` :- Defines a container for content that should be hidden when the page loads

39. `<time></time>` :- Defines a specific time(or datetime)

40. `<u></u>` :- Defines some text that is unarticulated and styled defferently from normal text

41. `<var></var>` :- Defines a variable

42. `<wbr>` :- Defines a posible line-break

*****FORM*****

43. `<form></form>` :- Defines an HTML form for user input

44. `<input>` :- Defines an input control

45. `<textarea></textarea>` :- Defines a multiline input control (text area)

46. `<button></button>` :- Defines a clickable button

47. `<select></select>` :- Defines a drop-down list

48. `<optgroup></optgroup>` :- Defines a group of related options in a drop-down list

49. `<option></option>` :- Defines an option in a drop-down list

50. `<label></label>` :- Defines a label for an `<input>` element

51. `<fieldset></fieldset>` :- Groups related element in a form

52. `<legend></legend>` :- Defines a caption for a `<fieldset>` element

53. `<datalist></datalist>` :- Specifies a list of pre-defined options for input controls

54. `<output></output>` :- Defines the result of a calculation

*****FRAMES*****

55. `<iframe></iframe>` :- Defines an inline frame

*****IMAGES*****

56. `<map></map>` :- Defines a client-side image map

57. `<area>` :- Defines an area inside an image map

58. `<canvas></canvas>` :- Used to draw graphics, on the fly, via scripting (usually JavaScript)

59. `<figcaption></figcaption>` :- Defines a caption for a `<figure></figure>` element

60. `<figure></figure>` :- Specifies self-contained content

61. `<picture></picture>` :- Defines a container for multiple image resources

62. `<svg></svg>` :- Defines a container for SVG graphics

*****AUDIO/VIDEO*****

63. `<audio></audio>` :- Defines sound content

64. `<source>` :- Defines multiple media resources for media elements (`<video></video>`, `<audio></audio>`, `<picture></picture>`)

65. `<track>` :- Defines text tracks for media element (`<video></video>`, `<audio></audio>`)

66. `<video></video>` :- Defines a video or movie

*****LINK*****

67. `<a>` :- Defines a hyperlink

68. `<link>` :- Defines the relationship between a document and an external resources (most used to link to style sheets)

69. `<nav></nav>` :- Defines navigation links

*****LIST*****

70. `` :- Defines an unordered list

71. `` :- Defines a list item

72. `<dl></dl>` :- Defines a description list

73. `<dt></dt>` :- Defines a term/name in a description list

74. `<dd></dd>` :- Defines a description of a term/name in a description list

*****TABLE*****

75. `<table></table>` :- Defines a table

76. `<caption></caption>` :- Defines a table caption

77. `<th></th>` :- Defines a header cell in a table

78. `<tr></tr>` :- Defines a row in a table

79. `<td></td>` :- Defines a cell in a table

80. `<thead></thead>` :- Groups the header content in a table

81. `<tbody></tbody>` :- Groups the body content in a table

82. `<tfoot></tfoot>` :- Groups the footer contact in a table

83. `<col>` :- Specifies column properties for each column within a `<colgroup></colgroup>` element

84. `<colgroup></colgroup>` :- Defines a header for a document or section

*****STYLES AND SEMANTICS*****

85. `<style></style>` :- Defines style information for a document

86. `<div></div>` :- Defines a section in a document

87. `` :- Defines a section in document

88. `<header></header>` :- Defines a header for a document or section

89. `<main></main>` :- Specifies the main content of a document

90. `<section></section>` :- Defines a section in a document

91. `<article></article>` :- Defines an article

92. `<aside></aside>` :- Defines content aside from the page content

93. `<details></details>` :- Defines additional details that the user can view or hide

94. `<dialog></dialog>` :- Defines a dialog box or window

95. `<summary></summary>` :- Defines a visible heading for a `<details>` element

96. `<data></data>` :- Adds a machine-readable translation of a given context

*****META INFO*****

97. `<head></head>` :- Defines information about the document

98. `<meta>` :- Defines metadata about an HTML document

99. `<base>` :- Specifies the base URL/target for all relative URLs in a document

*****PROGRAMMING*****

100. `<script></script>` :- Defines a client-side script

101. `<noscript></noscript>` :- Defines an alternate content for users that do not support client-side script

102. `<embed>` :- Defines a container for an external(non- HTML) application

103. `<object></object>` :- Defines an embedded object

104. `<param>` :- Defines a parameter for an object