

ASSIGNMENT — 20 QUESTIONS

20
Total Marks

30 min
Time

MCQ
Type

5 — DOM & Events
Day

Instructions

Har question ke liye sabse sahi option choose karo. Sab questions 1 mark ke hain.

★ questions interview mein frequently pooche jaate hain.

Answer key last page pe hai. 90%+ = Excellent.

Q1. [Selectors] ★ `querySelector` aur `querySelectorAll` mein kya farq hai?

- (A) Koi farq nahi
- (B) `querySelector` first match deta hai, `querySelectorAll` sabhi (NodeList)
- (C) `querySelectorAll` faster hai
- (D) `querySelector` sirf id ke liye kaam karta hai

Q2. [Selectors] `document.querySelectorAll()` kya return karta hai?

- (A) Array
- (B) Live HTMLCollection
- (C) Static NodeList
- (D) Single Element

Q3. [Traversal] ★ `element.closest('.card')` kya karta hai?

- (A) Pehla child `.card` return karta hai
- (B) Nearest ancestor (ya khud) jo `.card` match kare
- (C) Sabse paas wala sibling
- (D) Page ka pehla `.card`

Q4. [Traversal] `parentElement` aur `parentNode` mein difference?

- (A) Same hain hamesha
- (B) `parentElement` sirf Element return karta hai, `parentNode` kuch bhi (including document)
- (C) `parentNode` deprecated hai
- (D) `parentElement` faster hai

Q5. [innerHTML vs textContent] ★ innerHTML use karna kab risky ho sakta hai?

- (A) Jab static HTML ho
- (B) Jab user-generated content ko directly insert karein — XSS risk
- (C) Kabhi risky nahi hota
- (D) Jab CSS classes use karein

Q6. [innerHTML vs textContent] textContent vs innerHTML — kaunsa safe hai user input ke liye?

- (A) innerHTML — HTML render karta hai
- (B) textContent — plain text treat karta hai, HTML execute nahi hota
- (C) Dono equally safe
- (D) innerText safe hai, dono unsafe

Q7. [DOM Manipulation] element.append(child1, child2) vs appendChild — farq?

- (A) Same hain bilkul
- (B) append() multiple nodes/strings le sakta hai ek call mein, appendChild() sirf ek node
- (C) appendChild faster hai
- (D) append() deprecated hai

Q8. [Bubbling] ★ Event bubbling mein event kis direction mein travel karta hai?

- (A) Root se target tak
- (B) Target se root tak (upward)
- (C) Sideways (siblings)
- (D) Random order

Q9. [Capturing] addEventListener('click', fn, true) mein 'true' ka matlab?

- (A) Listener once chalega
- (B) Capturing phase mein listener chalega
- (C) Async listener
- (D) Listener disabled hai

Q10. [Bubbling] ★ e.stopPropagation() kya karta hai?

- (A) Default action prevent karta hai
- (B) Event ko further bubble/capture hone se rokta hai
- (C) Element ko delete karta hai
- (D) Page reload prevent karta hai

Q11. [Event Methods] e.preventDefault() ka common use case kya hai?

- (A) Event ko bubble hone se rokna

- (B) Form submit ya link navigation ka default behavior rokna
- (C) Element ko hide karna
- (D) Listener remove karna

Q12. [Bubbling] Ye HTML: Click #a aur #b dono pe click listener hai (default bubbling). Button click pe order?

- (A) #a then #b
- (B) #b then #a
- (C) Sirf #b
- (D) Sirf #a

Q13. [Event Delegation] ★ Event delegation kis principle pe based hai?

- (A) Capturing phase
- (B) Event bubbling — parent pe listener, e.target se child identify karo
- (C) Multiple listeners per element
- (D) setTimeout

Q14. [Event Delegation] Event delegation ka MAIN advantage kya hai?

- (A) Code chota hota hai sirf
- (B) Dynamically added elements automatically kaam karte hain, performance better
- (C) Sirf visual improvement
- (D) Errors kam hote hain

Q15. [Event Delegation] e.target.matches('.btn') kya check karta hai?

- (A) Element ka ID
- (B) Kya clicked element CSS selector '.btn' se match karta hai
- (C) Element visible hai ya nahi
- (D) Element ka data attribute

Q16. [LocalStorage] ★ localStorage mein object store karne ka sahi tarika?

- (A) localStorage.setItem('key', obj)
- (B) localStorage.setItem('key', JSON.stringify(obj))
- (C) localStorage.set('key', obj)
- (D) localStorage.save(obj)

Q17. [LocalStorage] localStorage.getItem('nonexistent') kya return karta hai?

- (A) undefined
- (B) null
- (C) Empty string

(D) Error throws

Q18. [LocalStorage] ★ localStorage vs sessionStorage — main difference?

- (A) localStorage faster hai
- (B) localStorage persistent hai (tab close ke baad bhi), sessionStorage sirf session ke liye
- (C) sessionStorage zyada storage deta hai
- (D) Koi farq nahi

Q19. [LocalStorage] 'storage' event kab fire hota hai?

- (A) Jab current tab mein localStorage change ho
- (B) Jab DIFFERENT tab/window mein localStorage change ho
- (C) Page load pe har baar
- (D) Kabhi nahi fire hota

Q20. [LocalStorage] ★ JSON.parse(localStorage.getItem('data')) mein try/catch kyun zaroori hai?

- (A) Performance ke liye
- (B) Agar data corrupted/manually edited ho to crash na ho
- (C) Syntax requirement hai
- (D) JSON.parse async hai

Answer Key

Q1: (B)	Q2: (C)	Q3: (B)	Q4: (B)	Q5: (B)
Q6: (B)	Q7: (B)	Q8: (B)	Q9: (B)	Q10: (B)
Q11: (B)	Q12: (B)	Q13: (B)	Q14: (B)	Q15: (B)
Q16: (B)	Q17: (B)	Q18: (B)	Q19: (B)	Q20: (B)

Scoring Guide

20/20 (100%) — Outstanding! Week 2 (Async JS) ke liye fully ready.

15-19 (75-95%) — Good! Event bubbling/delegation ek baar aur revise karo.

10-14 (50-70%) — DOM theory notes dubara padhein, especially innerHTML/textContent.

Below 10 (<50%)— Mentor se mil lo — DOM fundamentals bahut important hain React ke liye.