LinkedIn Company Employees Scraper

Extract employees from any LinkedIn company page. Get names, positions, locations, skills, education, and even email addresses — **no LinkedIn account or cookies required**.

✨ Features

- 🔍 **Search & Filter** — Find employees by job title, location, seniority, industry, function, and more
- 👤 **Three Scraping Modes** — Short (basic info), Full (detailed profile), Full + Email
- 🏢 **Batch Processing** — Search across up to 10 companies at once, or up to 1,000 one-by-one
- 🔄 **Resume Support** — Automatically resumes from where it left off after interruptions
- ⚡ **No Login Required** — Uses LinkedIn's public Voyager API, no cookies or accounts needed
- 📧 **Email Discovery** — Pattern-based email generation with MX record validation

📥 Input

Field	Type	Description
`companies`	Array of strings	**Required.** LinkedIn company URLs or company names
`profileScraperMode`	String	`short` (default), `full`, or `full+email`
`maxItems`	Number	Maximum number of employee profiles to scrape (default: 100)
`searchQuery`	String	Free-text keyword search within the company
`jobTitles`	Array of strings	Filter by job titles (e.g., "Software Engineer")
`locations`	Array of strings	LinkedIn geo URN IDs for location filtering
`industryIds`	Array of strings	LinkedIn industry codes
`seniorityLevelIds`	Array of strings	Seniority level filter codes
`functionIds`	Array of strings	Job function filter codes
`yearsAtCurrentCompanyIds`	Array of strings	Years at current company filter
`yearsOfExperienceIds`	Array of strings	Total years of experience filter

Field	Type	Description
`companyHeadcount`	Array of strings	Company size filter
`startPage`	Number	Page number to start scraping from (default: 1)
`companyBatchMode`	String	`all-at-once` (max 10) or `one-by-one` (max 1,000)
`proxyConfiguration`	Object	Apify proxy configuration

Example Input

```
{
  "companies": [
    "https://www.linkedin.com/company/google/",
    "microsoft"
  ],
  "profileScraperMode": "full",
  "maxItems": 50,
  "searchQuery": "engineer",
  "jobTitles": ["Software Engineer", "Data Scientist"],
  "startPage": 1,
  "companyBatchMode": "all-at-once"
}
```

📤 Output

Short Mode

```
{
  "publicIdentifier": "johndoe",
  "linkedinUrl": "https://www.linkedin.com/in/johndoe",
  "firstName": "John",
  "lastName": "Doe",
  "headline": "Software Engineer at Google",
  "location": "San Francisco, California",
  "photo": "https://media.licdn.com/...",
  "timestamp": "2024-01-15T10:30:00.000Z"
}
```

Full Mode (includes everything from Short, plus)

```
{
  "about": "Experienced software engineer...",
  "openToWork": false,
  "hiring": false,
```

```
    "premium": true,
    "influencer": false,
    "connectionsCount": 500,
    "followerCount": 1200,
    "currentPosition": [{ "companyName": "Google" }],
    "topSkills": "Python • JavaScript • Machine Learning",
    "experience": [
      {
        "position": "Software Engineer",
        "companyName": "Google",
        "companyLinkedinUrl": "https://www.linkedin.com/company/google/",
        "duration": "3 years 2 months",
        "startDate": { "month": "Jan", "year": "2021", "text": "Jan 2021" },
        "endDate": { "text": "Present" }
      }
    ],
    "education": [
      {
        "schoolName": "Stanford University",
        "degree": "Master of Science",
        "fieldOfStudy": "Computer Science"
      }
    ],
    "skills": [{ "name": "Python" }, { "name": "JavaScript" }],
    "certifications": [],
    "languages": [{ "name": "English", "proficiency": "Native" }]
  }
```

Full + Email Mode (includes everything from Full, plus)

```
  {
    "email": "john.doe@google.com",
    "emailSource": "pattern-match",
    "emailCandidates": [
      "john@google.com",
      "john.doe@google.com",
      "johndoe@google.com",
      "jdoe@google.com"
    ]
  }
```

🔧 Profile Scraper Modes

Mode	What You Get	Speed
Short	Name, headline, location, photo	Fastest
Full	Everything above + experience, education, skills, about, certifications, etc.	Medium

Mode	What You Get	Speed
Full + Email	Everything above + email discovery	Slowest

🏢 Company Batch Modes

All at Once (default)

- Searches across all companies in a single query
- Maximum **10 companies** per run
- Best for comparing employees across companies

One by One

- Processes each company separately
- Maximum **1,000 companies** per run
- Best for large-scale data collection

🔍 Filtering

Seniority Level Codes

Code	Level
1	Unpaid
2	Training
3	Entry
4	Senior
5	Manager
6	Director
7	VP
8	CXO
9	Partner
10	Owner

Years of Experience Codes

Code	Range
1	Less than 1 year
2	1-2 years
3	3-5 years

Code	Range
4	6-10 years
5	More than 10 years

Years at Current Company Codes

Code	Range
1	Less than 1 year
2	1-2 years
3	3-5 years
4	6-10 years
5	More than 10 years

⚠ Limitations

- LinkedIn may rate-limit requests — the actor includes built-in delays and retry logic
- LinkedIn's Voyager API is unofficial and may change without notice
- Free-text search (`searchQuery`) works best with single keywords
- Maximum **2,500 results** per unique search query (LinkedIn API limitation)
- Email discovery uses pattern matching and is not guaranteed to be accurate

🛠 Technical Details

- Built with Apify SDK
- TypeScript with ESM modules
- Uses LinkedIn's Voyager API with guest session (no authentication)
- Automatic state persistence for resume after failures
- Proxy support via Apify proxy configuration
- Rate limit handling with exponential backoff

🤝 Support

If you encounter issues or have feature requests, please open an issue on the GitHub repository.

📄 License

This project is licensed under the ISC License.