SMART LIBRARIAN

Smart Librarian — Live Demo

Every slide answers: what do I do, what should I see, and what does it prove? Start with Setup, then Commercial, Supply, Market Access, Launch, and the extra checks. This is a guide to tests you will perform, not a claim that every test passed today.

WHAT TO DO	WHAT YOU GET	WHAT THIS PROVES
The exact clicks and commands	What you should see on screen	Why the step matters

Ask → Confirm → Approve → Render → Download → REUSE

Commercial · Supply · Market Access · Launch · Snowflake Cortex · Synthetic data only

45 slides = cover + 44 test steps. Arrow keys / Space navigate; the Contents button jumps to any section; Print gives one landscape page per slide.

SETUP

01 The whole demo in one picture

WHAT TO DO

Follow this path: ask a question -> check the form -> choose an owner -> create a plan -> get approval -> render -> download -> repeat.

WHAT YOU GET

A written request becomes a governed, frozen report. Repeating the same approved scope can return the existing plan: REUSE.

WHAT THIS PROVES

The demo joins natural-language intake, human decisions, source-backed reports, and reuse.

REMEMBER The business data and roles are synthetic. The LLM is real, but it does not calculate the report or approve anything.

SETUP

02 Install once on each tester's computer

WHAT TO DO

In PowerShell, clone the project and install it. If you already have this clone, use its folder and skip the first two commands.

```
git clone https://github.com/Princeadhi123/Since-AI-Hackathon.git
cd Since-AI-Hackathon
python -m venv .venv
.\.venv\Scripts\python.exe -m pip install -e ".[ui,llm,dev]"
```

WHAT YOU GET

Installation finishes without an error. Your project now has a .venv folder.

WHAT THIS PROVES

This computer has the software needed to run the demo; this is not yet an LLM test.

REMEMBER Python 3.11+ and internet are required. Do not edit the source workbook or frozen evidence files.

SETUP

03 Connect Snowflake before starting the app

WHAT TO DO

Obtain a valid, scoped Snowflake PAT privately. Your Snowflake user must allow this computer's public outgoing IP. Enter these commands in the PowerShell you will launch from.

```
$env:LLM_PROVIDER = 'snowflake'
$env:SNOWFLAKE_ACCOUNT_HOST = 'TNRTNCL-
SX96827.snowflakecomputing.com'
$env:LLM_MODEL = 'claude-sonnet-4-6'
$cortexToken = Read-Host 'Snowflake PAT' -AsSecureString
$env:SNOWFLAKE_PAT = [System.Net.NetworkCredential]::new('',
$cortexToken).Password
```

WHAT YOU GET

The token prompt hides what you paste. The commands finish without printing the token.

WHAT THIS PROVES

You supplied local configuration. A successful live request is still needed to prove access.

REMEMBER Same Wi-Fi is not a credential. Never share the PAT in Git, chat, screenshots, or slides. No model deployment is needed.

SETUP

04 Choose a clean test or use existing plans

WHAT TO DO

For every fresh approval check, run the commands below in that configured PowerShell. If 8025/8525 are busy, change BOTH ports, for example to 8026/8526.

```
$env:RUNTIME_DB_PATH = "var/team-
demo-$([guid]::NewGuid().ToString('N')).sqlite"
.\.venv\Scripts\python.exe run_demo.py --mode challenge --
api-port 8025 --ui-port 8525
```

WHAT YOU GET

API ready and UI ready, with the URLs to open. A new database under var/ preserves your existing plans.

WHAT THIS PROVES

A clean run lets you exercise pending -> approval -> render instead of immediately getting REUSE.

REMEMBER For existing-state REUSE, skip the fresh launch and use your verified running Snowflake instance. Keep the terminal open; do not use --background.

SETUP

05 Open the correct demo, not the old preview

WHAT TO DO

Open the UI URL printed by your launcher: normally http://127.0.0.1:8525. In a SECOND PowerShell, check the API below; change its port if you chose another pair.

```
Invoke-RestMethod 'http://127.0.0.1:8025/api/capabilities' |
  Select-Object provider, model, configured
```

WHAT YOU GET

snowflake / claude-sonnet-4-6 / True. In the UI, choose Builder pack reports and keep DEMO-CHALLENGE-REQUESTER in the sidebar.

WHAT THIS PROVES

You reached the intended backend and it has a credential. This read-only check does not prove authentication.

REMEMBER An old 8501/8000 instance may still use Aitta. Use the new printed URL, not an old preview. Do not expose this unauthenticated demo publicly.

SETUP

06 Read the status: what happens next?

WHAT TO DO

Use the status to choose your next click. llm = extraction succeeded; pending = waiting; approved = ready to render; rendered = frozen report available; REUSE = existing approved scope found.

WHAT YOU GET

Pending: choose an approver. Approved: click Render frozen report. Rendered: inspect and download. REUSE: check the returned plan ID and existing result.

WHAT THIS PROVES

Extraction, approval, rendering, and reuse are different steps, not one automatic AI action.

REMEMBER REUSE is not a failure. An approved-but-not-rendered reused plan still needs rendering; a rendered reused plan already has a frozen result.

SETUP

07 Know when a test really passed

WHAT TO DO

For each case, save the request, unedited form, status, plan ID, and a screenshot. Compare what you actually see with this guide before correcting anything.

WHAT YOU GET

last extraction: llm is a live result. offline_fallback_after_llm_unavailable means the live case is BLOCKED, not passed.

WHAT THIS PROVES

Your evidence distinguishes real model output from offline parsing, manual edits, and steps you did not run.

REMEMBER A checkbox alone proves nothing. Do not press Prefill to make a live extraction look correct. Use the blank team results CSV.

COMMERCIAL

08 C1: Ask the Commercial question

WHAT TO DO

Choose Source domain Commercial. Tick Send request text + catalog metadata to the LLM. Paste this into Describe the report, then click Extract intent.

```
Show monthly Nubeqa net sales and sales forecast in Germany
for January through March 2026.
```

WHAT YOU GET

last extraction: llm and a filled Guided confirmation form.

WHAT THIS PROVES

The real LLM proposed an interpretation of this sales request.

REMEMBER Record the form before edits. A fallback is not a live pass; do not click Prefill commercial example.

COMMERCIAL

09 C2: Check exactly what you asked for

WHAT TO DO

Compare the form with the scope below. Record mistakes before correcting them. Explicitly choose active owner OWN-001.

```
Product: P-NUB (Nubeqa)
Market: DE (Germany)
Fields: net_sales_m_eur_syn, forecast_m_eur_syn
Months: 2026-01-01, 2026-02-01, 2026-03-01
Grain: month
```

WHAT YOU GET

The complete form enables Create plan (requires approval).

WHAT THIS PROVES

You, not the LLM, decide the final scope and accountable owner.

REMEMBER The source fields are synthetic million-EUR sales/forecast fields. Choosing an owner is required, not proof of production certification.

COMMERCIAL

10 C3: Create, refuse the steward, then approve

WHAT TO DO

Click Create plan (requires approval). For a pending plan, use Approval (separate actor): try DEMO-CHALLENGE-STEWARD + Approve, then DEMO-CHALLENGE-APPROVER + Approve.

WHAT YOU GET

pending -> steward error 403, still pending -> approved. Save the plan ID and Audit trail.

WHAT THIS PROVES

The simulated steward cannot approve; a separate approver can authorize the confirmed plan.

REMEMBER Never change the sidebar requester during approval. If REUSE appears, follow C5; mark these fresh-only checks not exercised.

COMMERCIAL

11 C4: Turn the approved plan into a report

WHAT TO DO

Click Render frozen report. Inspect the chart/table, then download all five formats: HTML, CSV, ZIP bundle, Power Query kit (CSV+M), Power BI project (PBIP ZIP).

WHAT YOU GET

rendered; three monthly source rows for Nubeqa/Germany. January spot-check: net sales 19.66 and forecast 18.42, in synthetic million EUR.

WHAT THIS PROVES

The renderer uses frozen source rows for the approved scope; the LLM did not invent these figures.

REMEMBER These are synthetic, forecast-like values, not real Bayer results. Save Commercial files in their own folder and compare CSV to the preview.

COMMERCIAL

12 C5: Ask again and prove REUSE

WHAT TO DO

Record the rendered plan ID. Repeat C1 with live LLM; confirm EXACTLY the same C2 scope and owner OWN-001; click Create plan again.

WHAT YOU GET

REUSE, the same original plan ID and spec hash, and the original frozen result. No new approval is needed.

WHAT THIS PROVES

An already-approved identical specification can be reused instead of producing another report.

REMEMBER Compare CSV source rows, not ZIP bytes. Same wording alone is insufficient: scope, owner, and source fingerprint must match.

SUPPLY

13 S1: Ask the Supply question

WHAT TO DO

Choose Source domain Supply. Keep the global requester, tick the LLM checkbox, paste this request, and click Extract intent.

```
Show a current snapshot of Nubeqa in Germany: on-time in-full, inventory in weeks, and supply risk status.
```

WHAT YOU GET

last extraction: llm and a snapshot proposal.

WHAT THIS PROVES

The LLM interpreted a current supply question rather than a sales trend.

REMEMBER Save the unedited result. There should be no invented monthly history.

SUPPLY

14 S2: Check the Supply snapshot

WHAT TO DO

Confirm this form, then explicitly select owner OWN-001.

```
Product: P-NUB (Nubeqa)
Market: DE (Germany)
Fields: otif_pct_syn, inventory_weeks_syn, risk_status
Months: none
Grain: snapshot
```

WHAT YOU GET

Snapshot source: no period selection applies. Create plan becomes available with a complete scope and owner.

WHAT THIS PROVES

A snapshot stays a snapshot; you confirm the measures and categorical risk field.

REMEMBER Record extraction errors before changing the form. Empty months are correct here, not missing input.

SUPPLY

15 S3: Approve Supply with a separate actor

WHAT TO DO

Create the plan. On pending: try DEMO-CHALLENGE-STEWARD + Approve, then DEMO-CHALLENGE-APPROVER + Approve inside Approval (separate actor).

WHAT YOU GET

pending -> error 403 with status unchanged -> approved.

WHAT THIS PROVES

The same simulated approval gate applies to Supply, not just Commercial.

REMEMBER Keep the sidebar identity unchanged. If this is REUSE, go to S5; the skipped pending/refusal checks are not passes.

SUPPLY

16 S4: Inspect the frozen Supply result

WHAT TO DO

Click Render frozen report. Inspect numeric bars and the risk-status table. Download all five formats into a Supply folder.

WHAT YOU GET

rendered. For Nubeqa/Germany, source spot-checks include OTIF 87.9% and inventory 8.8 weeks; risk_status remains a category.

WHAT THIS PROVES

Different units and categorical values are preserved in a source-backed snapshot.

REMEMBER No monthly trend or summed percentage should appear. Compare downloaded CSV/HTML with this preview; Power BI steps are in G2-G3.

SUPPLY

17 S5: Reuse the Supply plan

WHAT TO DO

Save the rendered Supply plan ID. Repeat S1 with live LLM; confirm the SAME S2 fields, empty months, snapshot grain, and owner OWN-001; create again.

WHAT YOU GET

REUSE returns the original plan ID/hash and frozen snapshot, without another approval.

WHAT THIS PROVES

Snapshot reports can reuse an identical approved scope too.

REMEMBER Capture last extraction: llm again and compare the re-downloaded CSV. A changed owner or dated period is a different test.

MARKET ACCESS

18 M1: Ask the Market Access question

WHAT TO DO

Choose Source domain Market Access. With the LLM checkbox ticked, paste this request and click Extract intent.

```
Show the current market access snapshot for Nubeqa in
Germany: coverage percentage and reimbursement status.
```

WHAT YOU GET

last extraction: llm and a current-snapshot form.

WHAT THIS PROVES

The model can propose scope for access coverage and a reimbursement category.

REMEMBER This request does not ask for a month-by-month trend. Save the proposal before editing.

MARKET ACCESS

19 M2: Check the Market Access scope

WHAT TO DO

Compare the form with this scope; explicitly choose owner OWN-001.

```
Product: P-NUB (Nubeqa)
Market: DE (Germany)
Fields: coverage_pct_syn, reimbursement_status
Months: none
Grain: snapshot
```

WHAT YOU GET

No period selector applies; a complete form enables Create plan.

WHAT THIS PROVES

A numeric percentage and a category can be confirmed together without inventing dates.

REMEMBER Log mismatches first. A manually corrected form is not proof that the LLM got the original extraction right.

MARKET ACCESS

20 M3: Pass the Market Access approval gate

WHAT TO DO

Create the plan. If pending, try the steward's Approve action, then choose DEMO-CHALLENGE-APPROVER and Approve in the same decision block.

WHAT YOU GET

pending -> steward error 403 -> approved with the authorized simulated actor.

WHAT THIS PROVES

Market Access is subject to the same explicit owner and approval controls.

REMEMBER Do not switch the sidebar requester. REUSE follows M5, and does not exercise fresh approval.

MARKET ACCESS

21 M4: Render coverage and reimbursement

WHAT TO DO

Render frozen report. Check the coverage chart and reimbursement table. Download all five formats into a Market Access folder.

WHAT YOU GET

rendered. Source spot-check for Nubeqa/Germany: coverage_pct_syn 65.6%; reimbursement_status remains a category.

WHAT THIS PROVES

The frozen report preserves the selected source percentage and status, without inventing history.

REMEMBER Do not average percentages or turn reimbursement labels into numbers. Compare preview, CSV, and HTML.

MARKET ACCESS

22 M5: Reuse Market Access

WHAT TO DO

Save the rendered plan ID. Repeat M1 with live LLM; confirm the SAME M2 scope and owner OWN-001; create the plan again.

WHAT YOU GET

REUSE returns the original plan ID/hash and frozen result. No new pending approval is required.

WHAT THIS PROVES

Identical access-report specifications reuse the approved snapshot.

REMEMBER Save the new llm caption and compare CSV rows. Empty months are part of this exact snapshot scope.

LAUNCH

23 L1: Ask the Launch question

WHAT TO DO

Choose Source domain Launch. Tick the LLM checkbox, paste this request, and click Extract intent.

```
Show Nubeqa launch milestones in Japan in January 2026,
including milestone ID, milestone type, and status.
```

WHAT YOU GET

last extraction: llm and an event-based proposal for Japan.

WHAT THIS PROVES

The LLM can interpret the launch-event request, not only numeric reports.

REMEMBER Japan is JP, not Germany DE. Keep the unedited proposal as evidence.

LAUNCH

24 L2: Check Japan, January, and event fields

WHAT TO DO

Confirm this scope and explicitly choose owner OWN-001.

```
Product: P-NUB (Nubeqa)
Market: JP (Japan)
Fields: milestone_id, milestone_type, status
Month: 2026-01-01
Grain: event
```

WHAT YOU GET

The complete event scope enables Create plan.

WHAT THIS PROVES

The confirmed report asks for milestone identity/type/status, not sales or supply measures.

REMEMBER Log any extracted mismatch before correcting it. The selected month is required for Launch.

LAUNCH

25 L3: Approve the Launch plan

WHAT TO DO

Create the plan. For pending, try DEMO-CHALLENGE-STEWARD + Approve, then DEMO-CHALLENGE-APPROVER + Approve in the approval block.

WHAT YOU GET

pending -> error 403, still pending -> approved.

WHAT THIS PROVES

Event reports need the same separate simulated approval as the other domains.

REMEMBER Keep the requester in the sidebar. An existing REUSE result goes to L5; it is not a fresh approval pass.

LAUNCH

26 L4: Read the frozen Launch events

WHAT TO DO

Render frozen report. Inspect the event table and download all five formats into a Launch folder.

WHAT YOU GET

rendered; source event LM-0001 for Nubeqa/Japan has milestone_date 2026-01-05T00:00:00, with its source type and status.

WHAT THIS PROVES

The renderer preserves event rows and identifiers rather than inventing numeric totals.

REMEMBER A numeric chart is not required for these categorical fields. Compare preview/CSV/HTML; optional Power BI checks are G2-G3.

LAUNCH

27 L5: Reuse the Launch plan

WHAT TO DO

Save the rendered plan ID. Repeat L1 with live LLM; confirm the SAME L2 scope and owner OWN-001; create again.

WHAT YOU GET

REUSE returns the original plan ID/hash and frozen event result, without new approval.

WHAT THIS PROVES

The same reuse rule works for event reports as well as monthly and snapshot reports.

REMEMBER Capture last extraction: llm again. Japan, January, selected fields, owner, and source fingerprint must all match.

EXTRA CHECKS

28 G1: Open the files, not just the download buttons

WHAT TO DO

For EACH dataset, save and open HTML, CSV, ZIP bundle, Power Query kit (CSV+M), and Power BI project (PBIP ZIP). Keep four separate dataset folders.

WHAT YOU GET

HTML/CSV match the frozen preview. ZIPs contain their report/evidence or import/project files; filenames alone are not enough.

WHAT THIS PROVES

Usable files were actually exported from the frozen report.

REMEMBER The Power Query kit is for manual import; the PBIP ZIP is a complete project. Neither is a live connection to Snowflake business data.

EXTRA CHECKS

29 G2: Open a Power BI project correctly

WHAT TO DO

If Power BI Desktop is available, extract the FULL PBIP ZIP. Keep the .Report and .SemanticModel folders beside GovernedReport.pbip. Open that file and click Refresh.

WHAT YOU GET

Desktop loads the embedded frozen snapshot. Repeat for all four datasets and record your Desktop version or errors.

WHAT THIS PROVES

This exported project can open and load its packaged data in the tested Desktop version.

REMEMBER No Desktop? Mark this check NOT RUN. Refresh is required on first load; it does not fetch new source business data.

EXTRA CHECKS

30 G3: Check all three Power BI pages

WHAT TO DO

In each project, open Dashboard, Source Evidence, and Ownership & Evidence. Compare scope, values, units, owner, and source IDs with the app's HTML/CSV.

WHAT YOU GET

Monthly values for Commercial, snapshots for Supply/Market Access, events for Launch. All three pages retain source/evidence context.

WHAT THIS PROVES

The project carries report content and governance evidence, not just a chart.

REMEMBER Ambiguous contexts may produce BLANK, not sums/averages. This does not prove PBIX export, service publishing, or scheduled refresh; those are not implemented.

EXTRA CHECKS

31 G4: Leave the page and resume your work

WHAT TO DO

Record a rendered plan ID. Open Saved plans -> Refresh -> select that ID. Reopen its ?plan_id= URL in another tab with the same requester.

WHAT YOU GET

The same plan ID/hash and frozen result return, with downloads and Audit trail. Repeat for all four report plans.

WHAT THIS PROVES

The local plan store preserves approved work beyond the current browser screen.

REMEMBER To test restart persistence, reuse the SAME recorded RUNTIME_DB_PATH. A newly generated GUID selects a different database; it does not recover old plans.

EXTRA CHECKS

32 G5: Change scope and see why wording is not enough

WHAT TO DO

First reorder fields without changing the selection or owner and create again. Then try Commercial with ONLY net_sales_m_eur_syn, keeping Nubeqa/Germany/Jan-Mar/OWN-001.

WHAT YOU GET

Reordering the same selection reuses the original. The one-field request must not reuse the original two-field plan; it is pending or reuses its own previously approved plan.

WHAT THIS PROVES

REUSE matches the normalized specification, owner, and source fingerprint, not just the sentence.

REMEMBER Record both IDs. A candidate estate record is not proof that two executable dashboards are equivalent.

EXTRA CHECKS

33 G6: Optional advanced test - duplicate pending plans

WHAT TO DO

Before approving G5's new one-field scope, create it twice with the same owner. Record pending IDs A and B. Approve A; reload B from Saved plans and approve it.

WHAT YOU GET

The second approval returns REUSE of A; B is superseded. Inspect Audit trail and render the winning plan.

WHAT THIS PROVES

Duplicate pending requests can resolve to one approved plan at approval time.

REMEMBER This needs an unapproved scope or a fresh DB. If already approved, REUSE happens sooner. This is not a live multi-thread race test.

EXTRA CHECKS

34 G7: Reject a plan and check what is missing

WHAT TO DO

Use a NEW Commercial scope: Nubeqa/Germany, ONLY forecast_m_eur_syn, January 2026, owner OWN-001. Create pending; choose DEMO-CHALLENGE-APPROVER and click Reject.

WHAT YOU GET

rejected; Audit trail records rejection. That plan has no Render frozen report action or report downloads.

WHAT THIS PROVES

A rejected plan cannot be used to produce an approved report.

REMEMBER Do not reject an approved baseline. If this scope already reuses an approved plan, use a fresh DB for the rejection test.

EXTRA CHECKS

35 G8: Show that market scope is enforced

WHAT TO DO

Save your plan IDs. Switch the sidebar to DEMO-CHALLENGE-FI. Try creating the Commercial Germany scope, opening Estate decisions, and opening a Germany-only saved plan.

WHAT YOU GET

Out-of-scope actions are refused, not exposed as allowed work. Plan creation and estate access return error 403. Switching identity clears current form/plan state.

WHAT THIS PROVES

The demo checks simulated market scope at governed operations; extracting text is not authorization.

REMEMBER Stored plans are not deleted. Restore DEMO-CHALLENGE-REQUESTER and resume via Saved plans. These identities are not real login security.

EXTRA CHECKS

36 G9: Show that missing choices cannot be skipped

WHAT TO DO

Start an incomplete form. Leave product, market, fields, or owner missing; also omit months for Commercial/Launch. Then complete all required choices.

WHAT YOU GET

Create plan is disabled until the required scope and explicit active owner are selected. Supply/Market Access correctly have no month selection.

WHAT THIS PROVES

The form requires human confirmation instead of quietly inventing missing required inputs.

REMEMBER Record the LLM's original mistakes separately. A manually repaired form proves the correction path, not extraction accuracy.

EXTRA CHECKS

37 G10: Ask something the source cannot answer

WHAT TO DO

Try Commercial: Show Nubeqa profit in Germany in January 2026. Also try monthly Supply risk, a December 2025 Launch request, and the incomplete request Show Nubeqa in Germany.

WHAT YOU GET

Inspect actual unresolved/unsupported warnings and the proposed form. Record guessed fields or silent substitutions as extraction defects; do not count them as a pass.

WHAT THIS PROVES

This checks whether uncertainty and unsupported scope are surfaced, rather than hidden by an attractive answer.

REMEMBER Model wording can vary. Do not approve an invented scope. Exact deterministic invalid-scope refusals are covered separately in G15.

EXTRA CHECKS

38 G11: Demonstrate offline honestly

WHAT TO DO

Untick the LLM checkbox and extract the Commercial request. Separately, if a real provider failure occurs, capture its fallback warning.

WHAT YOU GET

Unticked: last extraction is offline. Provider failure: offline_fallback_after_llm_unavailable. An explicitly confirmed form can still continue through governance.

WHAT THIS PROVES

Offline parsing and the rest of the report workflow remain available without pretending to be successful LLM inference.

REMEMBER Mark live extraction BLOCKED during provider failure. Do not break a shared token/network to stage an outage; use G15's mocked test.

EXTRA CHECKS

39 G12: Propose a migration without executing it

WHAT TO DO

Restore the global requester. Open Estate decisions, search AST-0002, choose migrate and owner OWN-001, enter a rationale, then Create lifecycle proposal. Approve with the separate approver.

WHAT YOU GET

A pending proposal becomes Approved proposal; not executed. Saved plans retains its specification and Audit trail.

WHAT THIS PROVES

The estate workflow records an accountable decision proposal with approval evidence.

REMEMBER It does not migrate any Power BI/Tableau file. The source estate contains synthetic inventory metadata, not 360 openable dashboard files.

EXTRA CHECKS

40 G13: Understand the other estate actions

WHAT TO DO

Explore reuse, repair, consolidate, retire, and migrate. For consolidate, choose only a listed candidate target; review signals and dependencies before submitting.

WHAT YOU GET

The UI offers supported proposals, warns when candidates are absent, and may refuse unsupported platforms or protected dependencies.

WHAT THIS PROVES

Different lifecycle decisions are modeled with explicit evidence and guardrails.

REMEMBER ALL are proposals, not execution. Estate action reuse is not report-plan REUSE. Shared metadata does not prove two dashboards can replace each other.

EXTRA CHECKS

41 G14: Inspect where the request and evidence came from

WHAT TO DO

In Builder pack reports, expand Source business requests (original rows), select a sample, and Load request text. Explore source estate records and Ownership & deployment.

WHAT YOU GET

Original request text and possibly conflicting context labels; source IDs, native units, simulated roles, and production gaps remain visible.

WHAT THIS PROVES

You can inspect provenance instead of treating context labels or AI output as unquestionable truth.

REMEMBER Keep the four exact baseline requests for acceptance tests. A named owner is not certification; downloaded files have no access control.

EXTRA CHECKS

42 G15: Run the offline API guardrail checks

WHAT TO DO

In a second PowerShell at the project root, run these focused tests. They isolate invalid IDs, stale revisions, approval/render refusal, source drift, and export packaging.

```
$env:PYTHONPATH = 'src'
.\.venv\Scripts\python.exe -m unittest discover -s tests -p
"test_challenge.py"
.\.venv\Scripts\python.exe -m unittest discover -s tests -p
"test_pbip_dashboard.py"
.\.venv\Scripts\python.exe -m unittest discover -s tests -p
"test_launcher_config.py"
```

WHAT YOU GET

Each suite reports OK, or concrete failing test names to investigate.

WHAT THIS PROVES

The tested deterministic rules behave as asserted; mocked fallback tests exercise an outage without breaking credentials.

REMEMBER These tests do not prove live Snowflake access or real production security. Never edit the workbook/evidence to stage source drift.

EXTRA CHECKS

43 G16: If something goes wrong, find the right cause

WHAT TO DO

Check the printed UI/API ports and /api/capabilities first. If Snowflake is selected, check the visible error and private PAT/IP setup; use README troubleshooting.

WHAT YOU GET

Wrong old UI: open the verified Snowflake URL. Busy port: choose a free pair. Provider failure: BLOCKED. Unexpected REUSE: inspect scope/owner/DB, do not delete plans.

WHAT THIS PROVES

You can distinguish a launch/configuration issue, provider failure, and valid existing-state behavior.

REMEMBER Restart only your own launcher after configuration/code changes. Use port-matched logs under artifacts/logs/. Never publish token values or kill unknown processes.

EXTRA CHECKS

44 G17: Finish with evidence, not just a happy screen

WHAT TO DO

Complete the team results CSV for C1-C5, S1-S5, M1-M5, L1-L5, and G1-G17. Save screenshots, original/reused plan IDs, Audit trail, and five files per dataset.

WHAT YOU GET

Each case has PASS, FAIL, BLOCKED, NOT RUN, or NOT APPLICABLE with an explanation. Fresh approval and existing REUSE have separate evidence.

WHAT THIS PROVES

Another teammate can follow what you did, inspect the outputs, and understand exactly which claims are supported.

REMEMBER Four Snowflake extractions passed our finite live check; that is not today's full-workflow result. Stop with Ctrl+C; preserve the recorded DB and downloaded evidence.