

5.5 DATA DICTIONARY — ADMIN MODULE

FinanceOS: Administrative Oversight, Audit Logs & System Management Schemas

ADMIN SCOPE

1. Administrator

Collection: users (role: "admin")

System administrator entity containing administrative identifiers, access privileges, authority permissions, and authentication credentials.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB	ObjectId("65a12345bc67890123456789")
userId	String	Unique	Unique administrator staff identifier code	"ADM001"
name	String	—	Administrator name / title	"Admin"
email	String	Unique	Administrator login email address	"admin@financeos.com"
phone	String	—	Administrator contact telephone number	"+91 9988776655"
role	String	—	System role designation: "admin"	"admin"
permissions	Object	—	Allowed administrative privileges and module permissions	{ dashboard: true, aiAdvisor: true }
status	String	—	Administrator account standing: Active, Suspended	"Active"
otp	String	—	Administrative 2FA one-time verification password	"591024"
otpExpiresAt	Date	—	Admin OTP expiration timestamp	2026-09-06T15:00:00.000Z
createdAt	Date	—	Administrator account registration timestamp	2026-08-08
updatedAt	Date	—	Last administrator account update timestamp	2026-08-08

2. User Management & Access Control

Admin View: /api/admin/users

Entity representation used by administrators to monitor customer accounts, suspend or activate access, and audit status.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Target user document primary key	ObjectId("65b8f1d2e13a4c001f8d901a")
userId	String	Unique	Unique customer identifier code	"USR-2026-0042"
name	String	—	Customer full name	"Dip Jivrajani"
email	String	Unique	Customer registered email address	"dip@example.com"
role	String	—	Assigned system authorization: "user" "admin"	"user"
status	String	—	Admin controlled state: Active, Inactive, Suspended	"Active"
permissions.dashboard	Boolean	—	Permission flag for Dashboard access	true
permissions.monthlyFinance	Boolean	—	Permission flag for Monthly Finance module	true
permissions.savingGoals	Boolean	—	Permission flag for Saving Goals module	true
permissions.plansCommitments	Boolean	—	Permission flag for Plans & Commitments portfolio	true

Field Name	Data Type	Key	Description	Example
permissions.financialCalendar	Boolean	—	Permission flag for Financial Calendar module	true
permissions.reports	Boolean	—	Permission flag for Financial Reports module	true
permissions.aiAdvisor	Boolean	—	Permission flag for AI Advisor module	false
createdAt	Date	—	User account registration timestamp	2026-08-08
updatedAt	Date	—	Last account standing adjustment timestamp	2026-08-08

3. Activity (Security & Audit Trail)

Collection: activities

System security audit log capturing user authentication, login verifications, administrative modifications, and report downloads.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Activity event unique primary key identifier	ObjectId("66cd90123b4c567890123456")
userId	ObjectId	FK	Reference to User document who performed the activity	ObjectId("65b8f1d2e13a4c001f8d901a")
userName	String	—	Full legal name of the user who initiated the event	"Dip Jivrajani"
userEmail	String	—	Email address of the user who triggered the event	"dip@example.com"
type	Enum / String	—	Audit type: Registration, Sign In, Account, Report, Settings, Other	"Sign In"
description	String	—	Detailed security audit log description of action	"User signed in successfully via Email OTP"
createdAt	Date	—	Timestamp when the event was logged	2026-08-08
updatedAt	Date	—	Timestamp when the record was last modified	2026-08-08

4. Message (Announcements & Broadcasts)

Collection: messages

Administrative messaging engine used to broadcast notifications, urgent alerts, and personalized messages to users across In-App and Email.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Message document primary key	ObjectId("66bc89012a3b456789012345")
recipientUser	ObjectId	FK	Reference to target User document (null if bulk broadcast)	ObjectId("65b8f1d2e13a4c001f8d901a")
userId	String	—	Alphanumeric customer ID string for targeting filter	"USR-2026-0042"
recipient	String	—	Display label of recipient or audience segment	"FinanceOS User"
recipientEmail	String	—	Target email address for email delivery	"dip@example.com"
senderAdmin	String	—	Admin operator originating the broadcast	"Super Admin"
title	String	—	Subject headline of the announcement	"System Maintenance Notice"
message	String	—	Full markdown or text body of the announcement	"Scheduled maintenance on Sunday 02:00 AM"
category	Enum / String	—	Category: General, Investment, Reminder, Bank, Security	"General"

Field Name	Data Type	Key	Description	Example
priority	Enum / String	—	Urgency priority level: Normal, Important, Urgent	"Important"
type	Enum / String	—	Broadcast scope: Personal, Multiple, Bulk, Conditional	"Bulk"
channels	Array <String>	—	Delivery channels selected: ["In-App", "Email"]	["In-App"]
status	Enum / String	—	Delivery status: Scheduled, Sent, Failed, Cancelled	"Sent"
read	Boolean	—	Flag tracking whether the user viewed announcement	false
sentAt	Date	—	Timestamp when broadcast was dispatched	2026-08-08
createdAt	Date	—	Message creation timestamp	2026-08-08
updatedAt	Date	—	Message last modification timestamp	2026-08-08

5. Reminder Administration & Queue

Admin View: /api/admin/reminders

Administrative monitoring entity for inspecting global reminder dispatch queues, delivery failure diagnostics, and manual retry operations.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key of scheduled reminder alert	ObjectId("66ab78901f2a345678901234")
userId	ObjectId	FK	Target recipient User document reference	ObjectId("65b8f1d2e13a4c001f8d901a")
userCode	String	—	Target customer alphanumeric identifier	"USR-2026-0042"
userName	String	—	Target customer legal name	"Dip Jivrajani"
email	String	—	Recipient email address	"dip@example.com"
reminderType	String	—	Trigger type: Payment, Investment, Maturity, Goal, Insurance	"Payment"
category	String	—	System category: Liability, Investment, Insurance	"Liability"
itemName	String	—	Display title of underlying financial commitment	"HDFC Home Loan EMI"
scheduledDate	Date	—	Scheduled date when alert is fired	2026-09-02
channel	String	—	Delivery channel: In-App, Email, SMS	"In-App"
status	String	—	Queue standing: Scheduled, Sent, Failed, Completed	"Scheduled"
failureReason	String	—	Error diagnostic if automated transmission failed	null
retryCount	Number	—	Number of retry transmission attempts triggered	0
createdAt	Date	—	Reminder document creation timestamp	2026-08-08
updatedAt	Date	—	Last modification / delivery timestamp	2026-08-08

6. InvestmentMaturityAction (Audit Ledger)

Collection: investmentmaturityactions

System audit ledger tracking each asset disposal and capital allocation executed by investors upon portfolio maturity.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Maturity action transaction identifier	ObjectId("667e45678c9d012345678901")
user	ObjectId	FK	Reference to User executing the allocation	ObjectId("65b8f1d2e13a4c001f8d901a")
investment	ObjectId	FK	Reference to originating matured Investment document	ObjectId("666d34567b8c901234567890")
actionType	Enum / String	—	Action: BANK_SAVINGS, KEEP_CASH, NEW_INVESTMENT, PAY_LIABILITY	"BANK_SAVINGS"
maturityAmount	Number	—	Total matured capital proceeds available	120000
actionAmount	Number	—	Monetary portion deployed to this specific channel	80000
remainingAmount	Number	—	Unallocated residual balance remaining after action	40000
bankDetails	Object	—	Destination bank parameters (bankName, accountLast4)	{ bankName: "HDFC Bank" }
liabilityDetails	Object	—	Loan prepayment details (liabilityId, liabilityName)	{ liabilityName: "Car Loan" }
actionDate	Date	—	Date timestamp when the action was executed	2026-08-08
createdAt	Date	—	Record creation timestamp	2026-08-08
updatedAt	Date	—	Record modification timestamp	2026-08-08

7. Admin System Reports & Analytics

Admin View: /api/admin/reports/users

Aggregated system-wide analytical metrics compiling user counts, financial health statuses, active investments, and platform engagement.

Field Name	Data Type	Key	Description	Example
totalUsers	Number	Derived	Total registered user accounts on platform	128
activeUsers	Number	Derived	Users with standing status = "Active"	121
suspendedUsers	Number	Derived	Users with standing status = "Suspended"	3
totalInvestmentsTracked	Number	Derived	Cumulative portfolio assets tracked across all users	342
totalGoalsActive	Number	Derived	Cumulative active saving goals tracked	189
totalLiabilitiesServed	Number	Derived	Cumulative loans and liabilities currently managed	94
remindersPending	Number	Derived	Scheduled alerts pending dispatch in queue	47
remindersFailed	Number	Derived	Delivery failures requiring administrative attention	0