

FINANCEOS DATA DICTIONARY

MongoDB Database Schema Reference

Project: FinanceOS (Personal Finance & Wealth Management System)

Database: MongoDB / MongooseODM

Entities: 12 Core Models + Embedded Subschemas

1. User

Collection: users

Core user entity storing registered customer identities, authentication credentials, contact details, account access roles, status standing, and module permissions.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for the user document	ObjectId("65b8f1d2e13a4c001f8d901a")
userId	String	Unique	Unique system-generated alphanumeric customer identifier code	"USR-2026-0042"
name	String	—	Full legal name of the registered user	"Dipjit Saha"
email	String	Unique	Primary email address used for user authentication and notifications	"dipjit@example.com"
phone	String	—	Contact mobile phone number of the user	"+91 9876543210"
dateOfBirth	Date	—	Date of birth for lifecycle and financial risk profiling	1995-08-15
gender	String	—	Gender identity of the user	"Male"
city	String	—	Current residential city of the user	"Bangalore"
state	String	—	Residential state or province	"Karnataka"
role	Enum / String	—	System access authorization role ("user" "admin")	"user"
status	Enum / String	—	Account standing state ("Active" "Inactive" "Suspended")	"Active"
otp	String	—	Temporary one-time password for email login / verification	"482910"
otpExpiresAt	Date	—	Timestamp when the currently issued OTP expires	2026-09-06T14:45:00.000Z
permissions	Object	—	Embedded container object defining access flags for modules	{ dashboard: true, aiAdvisor: false }
permissions.dashboard	Boolean	—	Access permission flag for Dashboard analytics view	true
permissions.monthlyFinance	Boolean	—	Access permission flag for Monthly Finance budgeting	true
permissions.savingGoals	Boolean	—	Access permission flag for Saving Goals management	true
permissions.plansCommitments	Boolean	—	Access permission flag for Plans & Commitments asset tracker	true
permissions.financialCalendar	Boolean	—	Access permission flag for Financial Calendar scheduling	true

Field Name	Data Type	Key	Description	Example
<code>permissions.reports</code>	Boolean	—	Access permission flag for Financial Analytical Reports	true
<code>permissions.aiAdvisor</code>	Boolean	—	Access permission flag for Gemini AI Advisor recommendations	false
<code>createdAt</code>	Date	—	Timestamp when the user account document was created	2026-01-15T10:30:00.000Z
<code>updatedAt</code>	Date	—	Timestamp when the user account was last modified	2026-09-06T18:20:00.000Z

2. MonthlyFinance

Collection: `monthlyfinances`

Stores monthly financial budget snapshots per user, capturing planned income, living expenses, goal allocations, opening/closing cash balances, and recurring commitments.

Field Name	Data Type	Key	Description	Example
<code>_id</code>	ObjectId	PK	Primary key auto-generated by MongoDB for the monthly finance document	ObjectId("663a89bc2f1a900018a12345")
<code>user</code>	ObjectId	FK , Unique*	Reference to the User owning this record. *Compound unique index with year + month	ObjectId("65b8f1d2e13a4c001f8d901a")
<code>month</code>	Number	Index*	Calendar month of the financial cycle (1 = Jan to 12 = Dec)	3
<code>year</code>	Number	Index*	Calendar year of the financial cycle (range: 2000 to 2100)	2026
<code>income</code>	Number	—	Total primary earned/budgeted monthly income	85000
<code>expenses</code>	Number	—	Total monthly essential household and lifestyle living expenses	35000
<code>goalAllocations</code>	Number	—	Total savings allocated toward active saving goals during this month	10000
<code>cashBalance</code>	Number	—	Existing cash and savings reserve held at month start (opening balance)	50000
<code>openingBalance</code>	Number	—	Initial opening balance brought forward into this financial cycle	50000
<code>closingBalance</code>	Number	—	Closing cash balance projected or finalized at month end	75000
<code>commitments</code>	Number	—	Total recurring portfolio commitments (SIPs, insurance premiums, loan EMIs)	15000
<code>updateDate</code>	Date	—	Date timestamp when the monthly figures were updated	2026-03-01T00:00:00.000Z
<code>reminderEnabled</code>	Boolean	—	Flag indicating whether monthly budget update reminders are activated	true
<code>emailNotification</code>	Boolean	—	Flag enabling email delivery for monthly budget reminders	false
<code>createdAt</code>	Date	—	Timestamp when the monthly finance document was created	2026-03-01T09:00:00.000Z
<code>updatedAt</code>	Date	—	Timestamp when the monthly finance document was last updated	2026-03-05T14:30:00.000Z

Derived Fields (Mongoose Virtuals)

- monthlySavings** (Number): Net monthly operating surplus calculated as: $\text{income} - \text{expenses}$. Example: 50000.
- availableToAllocate** (Number): Net surplus available for fresh savings/commitments: $\text{openingBalance} + (\text{income} - \text{expenses}) - (\text{commitments} + \text{goalAllocations})$. Example: 35000.
- calculatedClosingBalance** (Number): Effective calculated end-of-period cash balance: $\text{openingBalance} + (\text{income} - \text{expenses}) - (\text{commitments} + \text{goalAllocations})$. Example: 75000.

3. AdditionalIncome

Collection: additionalincomes

Tracks one-time, freelance, or supplemental inflows outside primary salary, such as bonuses, rental income, dividends, and interest payouts.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for additional income entry	ObjectId("664b12345e6f789012345678")
user	ObjectId	FK, Index	Reference to the User document receiving this supplemental income	ObjectId("65b8f1d2e13a4c001f8d901a")
title	String	—	Descriptive title or source label of the income inflow	"Annual Performance Bonus"
category	Enum / String	—	Income classification: "Salary Bonus", "Freelancing", "Business Income", "Rental Income", "FD Interest", "Dividend", "Cashback", "Gift", "Other"	"Salary Bonus"
amount	Number	—	Monetary amount of supplemental funds received	25000
description	String	—	Optional remarks or details regarding the receipt	"Q4 annual corporate performance incentive"
month	Number	—	Financial accounting month (1 to 12)	3
year	Number	—	Financial accounting year (2000 to 2100)	2026
receivedDate	Date	—	Exact calendar date when the funds were credited	2026-03-15T00:00:00.000Z
createdAt	Date	—	Timestamp when the income entry was created	2026-03-15T12:00:00.000Z
updatedAt	Date	—	Timestamp when the income entry was last modified	2026-03-15T12:00:00.000Z

4. SavingGoal

Collection: savinggoals

Defines user targeted savings objectives (e.g. Emergency Fund, Vehicle, Education) with scheduled contributions, progress tracking, and embedded transaction records.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for saving goal	ObjectId("665c23456a7b890123456789")
user	ObjectId	FK, Index	Reference to the User document who created this saving goal	ObjectId("65b8f1d2e13a4c001f8d901a")
goalName	String	—	Name or description of the saving goal objective	"Emergency Fund"

Field Name	Data Type	Key	Description	Example
category	Enum / String	—	Category tag: "Emergency Fund", "Mobile", "Laptop", "Vehicle", "Home", "Education", "Travel", "Wedding", "Investment", "Other"	"Emergency Fund"
targetAmount	Number	—	Target monetary amount needed to fulfill the goal	300000
alreadySaved	Number	—	Initial baseline sum accumulated prior to tracking	50000
currentAmount	Number	—	Current total accumulated savings balance in this goal	120000
monthlyContribution	Number	—	Planned monthly recurring savings contribution	10000
contributionDay	Number	—	Day of month (1 to 31) when recurring contributions are due	5
contributionFrequency	Enum / String	—	Recurrence interval: "Monthly", "Quarterly", "Half-Yearly", "Yearly"	"Monthly"
startDate	Date	—	Commencement date when goal savings began	2026-01-01T00:00:00.000Z
targetDate	Date	—	Target deadline date for full goal funding	2026-12-31T00:00:00.000Z
status	Enum / String	—	Lifecycle status: "Active", "Paused", "Completed", "Closed", "Cancelled"	"Active"
notes	String	—	User remarks, notes, or strategy for this saving goal	"Targeting 6 months of essential household expenses"
fundLocation	Object	—	Physical depository metadata where the goal funds are held	{ type: "Bank", institution: "HDFC Bank" }
fundLocation.type	String	—	Account storage type (e.g. Savings Account, Liquid Fund)	"Savings Account"
fundLocation.institution	String	—	Name of the bank or institution holding the savings	"HDFC Bank"
fundLocation.label	String	—	Custom label for the depository account	"Primary Savings Account"
fundLocation.lastFour	String	—	Last 4 digits of the depository bank account number	"4092"
initialContributionDate	Date	—	Date when the opening contribution was logged	2026-01-01T00:00:00.000Z
initialContributionSource	String	—	Source fund used for initial deposit	"Existing Savings"
contributions	Array <Subdocument>	—	Historical embedded deposit records (see 4.1 contributionSchema)	[{ amount: 10000, date: ... }]
withdrawals	Array <Subdocument>	—	Historical embedded withdrawal records (see 4.2 withdrawalSchema)	[{ amount: 5000, date: ... }]
reminder.enabled	Boolean	—	Toggle for recurring goal deposit reminders	true
reminder.contributionDay	Number	—	Day of month when contribution reminder alert triggers	5
reminder.notifyBefore	Array <Number>	—	Advance offset days to notify user before due day	[3, 1]

Field Name	Data Type	Key	Description	Example
<code>reminder.channels.inApp</code>	Boolean	—	In-app channel delivery toggle for goal reminder	true
<code>reminder.channels.email</code>	Boolean	—	Email channel delivery toggle for goal reminder	true
<code>createdAt</code>	Date	—	Timestamp when the saving goal document was created	2026-01-01T10:00:00.000Z
<code>updatedAt</code>	Date	—	Timestamp when the saving goal was last updated	2026-03-05T11:20:00.000Z

4.1 Embedded Sub-Schema: Goal Contribution (SavingGoal.contributions)

Field Name	Data Type	Key	Description	Example
<code>_id</code>	ObjectId	PK	Primary key of the contribution subdocument	ObjectId("665c23456a7b89012345678a")
<code>amount</code>	Number	—	Monetary sum deposited into the saving goal	10000
<code>date</code>	Date	—	Date when the contribution deposit was executed	2026-03-05T10:00:00.000Z
<code>source</code>	String	—	Funding source (e.g. Monthly Savings, Bonus, Existing Savings)	"Monthly Savings"
<code>note</code>	String	—	Optional remarks or note accompanying the deposit	"March scheduled contribution"
<code>paymentDetails.paymentMethod</code>	String	—	Payment channel utilized (e.g. UPI, Net Banking, Cash)	"UPI"
<code>paymentDetails.upiApp</code>	String	—	UPI application used for the deposit transfer	"Google Pay"
<code>paymentDetails.upiId</code>	String	—	Masked UPI virtual payment address used	"user@okhdfcbank"
<code>paymentDetails.bankName</code>	String	—	Originating bank institution name	"HDFC Bank"
<code>paymentDetails.lastFour</code>	String	—	Last 4 digits of the originating payment account	"4092"
<code>fundLocation.type</code>	String	—	Destination asset holding account type	"Savings Account"
<code>fundLocation.institution</code>	String	—	Destination institution holding the deposit	"HDFC Bank"
<code>fundLocation.label</code>	String	—	User label for the destination account	"Emergency Fund Account"
<code>fundLocation.lastFour</code>	String	—	Last 4 digits of destination bank account	"4092"
<code>createdAt</code>	Date	—	Timestamp when contribution was recorded	2026-03-05T10:00:00.000Z
<code>updatedAt</code>	Date	—	Timestamp when contribution record was last modified	2026-03-05T10:00:00.000Z

4.2 Embedded Sub-Schema: Goal Withdrawal (SavingGoal.withdrawals)

Field Name	Data Type	Key	Description	Example
<code>_id</code>	ObjectId	PK	Primary key of the withdrawal subdocument	ObjectId("665c23456a7b89012345678b")
<code>amount</code>	Number	—	Monetary sum withdrawn from the accumulated goal fund	5000
<code>date</code>	Date	—	Calendar date when the withdrawal occurred	2026-03-12T15:30:00.000Z

Field Name	Data Type	Key	Description	Example
purpose	String	—	Declared purpose or justification for taking the withdrawal	"Emergency plumbing repairs"
note	String	—	Additional narrative or notes regarding the withdrawal	"Plumbing repair invoice settled"
createdAt	Date	—	Timestamp when withdrawal was logged	2026-03-12T15:30:00.000Z
updatedAt	Date	—	Timestamp when withdrawal was last updated	2026-03-12T15:30:00.000Z

Derived Fields (Mongoose Virtuals)

- **totalContributed** (Number): Cumulative sum of all deposits in contributions array. Example: 120000.
- **totalWithdrawn** (Number): Cumulative sum of all funds removed in withdrawals array. Example: 5000.
- **availableGoalFund** (Number): Net usable reserves in the goal: $\text{Math.max}(0, \text{totalContributed} - \text{totalWithdrawn})$. Example: 115000.
- **remainingAmount** (Number): Remaining balance needed to hit target: $\text{Math.max}(0, \text{targetAmount} - \text{totalContributed})$. Example: 180000.
- **progressPercentage** (Number): Goal completion percentage (0 - 100): $\text{Math.round}((\text{totalContributed} / \text{targetAmount}) * 100)$. Example: 40.
- **transactions** (Array): Unified chronological timeline combining contributions and withdrawals for frontend display.

5. Investment

Collection: investments

Comprehensive investment portfolio entity managing Systematic Investment Plans (SIP), Mutual Funds, Fixed Deposits (FD), Recurring Deposits (RD), Gold, and Stocks, including maturity tracking, interest payout schedules, and rollover renewal chains.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for the investment document	ObjectId("666d34567b8c901234567890")
user	ObjectId	FK , Index	Reference to the User document who holds this investment asset	ObjectId("65b8f1d2e13a4c001f8d901a")
name	String	—	Name or identifier label of the investment holding	"Nippon India Large Cap Fund"
type	Enum / String	—	Asset type: "SIP", "Mutual Fund", "Fixed Deposit", "Recurring Deposit", "Gold", "Stocks", "Other"	"SIP"
amount	Number	—	Investment monetary installment or base principal	5000
contributionType	Enum / String	—	Recurrence model: "Recurring" "One Time"	"Recurring"
frequency	String	—	Contribution interval frequency (e.g. "Monthly", "Quarterly")	"Monthly"
dueDay	Number	—	Day of month (1 to 31) when recurring contributions are due	10
monthlyContribution	Number	—	Monthly recurring installment equivalent amount	5000
paymentSource	Enum / String	—	Funding payment mechanism: "Bank Account", "UPI", "Cash", "Other"	"Bank Account"
paymentSourceDetails	Object	—	Embedded bank/UPI details: bankName, accountLast4, upid, otherDetails	{ bankName: "SBI", accountLast4: "5678" }
autoPay	Object	—	Autopay/e-mandate settings: enabled, status, paymentMethod, bankName, accountLast4, upiApp, upid	{ enabled: true, status: "Active" }

Field Name	Data Type	Key	Description	Example
amc	String	—	Asset Management Company name (for Mutual Funds / SIP)	"Nippon India Mutual Fund"
schemeName	String	—	Mutual fund scheme title or variant name	"Large Cap Fund - Growth"
folioNumber	String	—	Investment folio or account registration number	"FOL-98765432"
units	Number	—	Total accumulated mutual fund units owned	142.85
nav	Number	—	Latest published Net Asset Value (NAV) per unit	78.40
goldType	Enum / String	—	Gold classification: "Physical Gold", "Digital Gold", "Gold ETF", "Sovereign Gold Bond", ""	"Digital Gold"
weight	Number	—	Weight of gold holdings in grams	15.5
purity	String	—	Purity rating of gold holding (e.g. "24K", "22K")	"24K - 99.9%"
companyName	String	—	Company legal name for equity stock holdings	"Tata Consultancy Services"
symbol	String	—	Exchange ticker symbol for direct equities	"TCS"
broker	String	—	Depository broker platform (e.g. Zerodha, Groww)	"Zerodha"
quantity	Number	—	Number of shares or contract units held	25
purchasePrice	Number	—	Weighted average acquisition purchase price per unit	3850
currentPrice	Number	—	Current market trading price per unit	4120
purchaseDate	Date	—	Initial acquisition or purchase execution date	2025-06-15T00:00:00.000Z
category	String	—	Asset portfolio sub-category or sector	"Large Cap Equity"
description	String	—	General narrative notes or description of the holding	"Long term capital growth"
institution	String	—	Bank or financial depository holding FD/RD/Gold	"HDFC Bank Ltd"
sipContributions	Array <Subdocument>	—	SIP recurring installment ledger (see 5.1 sipContributionSchema)	[{ amount: 5000, status: "Paid" }]
transactions	Array <Subdocument>	—	Trade transactions history ledger (see 5.2 investmentTransactionSchema)	[{ type: "Buy", amount: 15000 }]
startDate	Date	—	Effective commencement date of the investment	2025-01-10T00:00:00.000Z
nextContributionDate	Date	—	Scheduled date for the next recurring installment	2026-04-10T00:00:00.000Z
maturityDate	Date	—	Contractual maturity or lock-in expiration date	2028-01-10T00:00:00.000Z
status	String	—	Operational status ("Active", "Matured", "Closed", "Renewed")	"Active"
currentValue	Number	—	Latest total evaluated market valuation of the asset	75000
totalContributions	Number	—	Cumulative principal funds deposited to date	60000

Field Name	Data Type	Key	Description	Example
actualMaturityValue	Number	—	Total final payout proceeds realized upon maturity	0
maturityGain	Number	—	Net profit / capital gains realized upon maturity	0
maturityRecordedAt	Date	—	Timestamp when maturity completion was logged	null
maturityAllocatedAmount	Number	—	Portion of matured proceeds allocated to other destinations	0
maturityRemainingAmount	Number	—	Unallocated portion of matured proceeds remaining	0
maturityAllocationStatus	Enum / String	—	Proceeds allocation status: "Pending Allocation", "Partially Allocated", "Fully Allocated"	"Pending Allocation"
maturityAllocations	ObjectId[]	FK	Array of references to InvestmentMaturityAction audit documents	[ObjectId("667e45678c9d012345678901")]
afterMaturityAction	Enum / String	—	Chosen after-maturity disposition: "MANUAL_DECIDE", "RENEW_FULL", "RENEW_PARTIAL", "BANK_SAVINGS", "KEEP_CASH", "NEW_INVESTMENT", "PAY_LIABILITY", "PURCHASE", "OTHER"	"MANUAL_DECIDE"
afterMaturityDetails	Mixed	—	Dynamic details payload associated with after-maturity action	{ bankName: "SBI", targetAccount: "5678" }
principalAmount	Number	—	Fixed Deposit or Recurring Deposit initial principal deposit	100000
interestRate	Number	—	Annual percentage interest rate (p.a.)	7.25
interestMethod	Enum / String	—	Interest structure: "Payout" "Cumulative"	"Cumulative"
interestPayoutFrequency	String	—	Interest payout interval (e.g. Monthly, Quarterly, On Maturity)	"On Maturity"
compoundingFrequency	String	—	Interest compounding frequency interval (e.g. Quarterly)	"Quarterly"
estimatedInterest	Number	—	Total projected cumulative interest over the tenure	15420
estimatedAnnualInterest	Number	—	Projected annual interest yield amount	7250
estimatedInterestPerPayout	Number	—	Projected periodic payout per interest cycle	1812
estimatedMaturityAmount	Number	—	Projected total payout receivable upon maturity	115420
totalInterestReceived	Number	—	Total cumulative interest earnings credited to date	3625
interestTransactions	Array <Subdocument>	—	Periodic interest disbursement logs (see 5.3 interestTransactionSchema)	[{ amount: 1812, month: 3, year: 2026 }]
renewedFromId	ObjectId	FK	Reference to predecessor Investment from which this rolled over	null
renewedToId	ObjectId	FK	Reference to successor Investment created upon rollover renewal	null

Field Name	Data Type	Key	Description	Example
renewalCount	Number	—	Number of times this investment has been rolled over / renewed	0
renewedAt	Date	—	Timestamp when the renewal rollover occurred	null
maturedAt	Date	—	Timestamp when the investment crossed maturity date	null
closedAt	Date	—	Timestamp when the investment was fully liquidated or closed	null
reminder	Object	—	Recurring installment reminder parameters: enabled, contributionDay, notifyBefore, channels (inApp, email, sms)	{ enabled: true, contributionDay: 10 }
maturityReminder	Object	—	Maturity alerts parameters: enabled, notifyBeforeMonths, notifyBeforeDays, onMaturityDate, channels (inApp, email, sms)	{ enabled: true, onMaturityDate: true }
customDetails	Mixed	—	Flexible metadata payload for type-specific attributes	{ exchange: "NSE", isin: "INE002A01018" }
createdAt	Date	—	Timestamp when the investment document was created	2025-01-10T10:00:00.000Z
updatedAt	Date	—	Timestamp when the investment was last updated	2026-03-01T15:45:00.000Z

5.1 Embedded Sub-Schema: SIP Installment Ledger (Investment.sipContributions)

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key of the SIP installment subdocument	ObjectId("666d34567b8c90123456789a")
amount	Number	—	Monetary installment amount due or paid	5000
dueDate	Date	—	Scheduled calendar due date for this SIP installment	2026-03-10T00:00:00.000Z
paidDate	Date	—	Actual clearance date when installment was paid	2026-03-10T08:30:00.000Z
status	Enum / String	—	Installment servicing status: "Paid", "Not Paid", "Skipped"	"Paid"
note	String	—	Optional remarks or auto-debit transaction reference	"Auto-debited via SBI mandate"

5.2 Embedded Sub-Schema: Trade Transactions (Investment.transactions)

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key of the trade transaction subdocument	ObjectId("666d34567b8c90123456789b")
type	Enum / String	—	Action type: "Buy", "Sell", "Redeem", "Additional Investment", "Dividend"	"Buy"
amount	Number	—	Gross monetary amount transacted	15000
quantity	Number	—	Number of shares, units, or grams transacted	3.85
price	Number	—	Execution unit price or NAV per share/gram	3896
date	Date	—	Transaction execution date	2026-02-14T09:15:00.000Z

Field Name	Data Type	Key	Description	Example
destination	String	—	Destination account where proceeds were routed upon redemption	"HDFC Bank Savings"
note	String	—	Order execution notes or broker reference ID	"Market order executed on NSE"
createdAt	Date	—	Subdocument creation timestamp	2026-02-14T09:15:00.000Z
updatedAt	Date	—	Subdocument modification timestamp	2026-02-14T09:15:00.000Z

5.3 Embedded Sub-Schema: Interest Payouts (Investment.interestTransactions)

Field Name	Data Type	Key	Description	Example
amount	Number	—	Monetary interest disbursement amount credited	1812
date	Date	—	Date when interest payout was cleared	2026-03-31T00:00:00.000Z
referenceId	String	—	Bank transaction reference or UTR transaction ID	"UTR-202603310029"
note	String	—	Periodic payout narrative	"Q4 cumulative interest credit"
month	Number	—	Accounting calendar month (1 to 12)	3
year	Number	—	Accounting calendar year	2026

6. InvestmentMaturityAction

Collection: **investmentmaturityactions**

Audit ledger tracking each post-maturity allocation action executed on matured proceeds (e.g. transferring to savings, liquid cash, debt prepayment, or rolling over into a new investment).

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for the maturity action	ObjectId("667e45678c9d012345678901")
user	ObjectId	FK , Index	Reference to the User document executing this allocation	ObjectId("65b8f1d2e13a4c001f8d901a")
investment	ObjectId	FK , Index	Reference to the originating matured Investment document	ObjectId("666d34567b8c901234567890")
actionType	Enum / String	—	Allocation action: "BANK_SAVINGS", "KEEP_CASH", "PURCHASE", "NEW_INVESTMENT", "PAY_LIABILITY", "OTHER", "RENEW_FULL", "RENEW_PARTIAL"	"BANK_SAVINGS"
maturityAmount	Number	—	Total matured proceeds available prior to this action	120000
actionAmount	Number	—	Monetary portion deployed in this specific allocation action	80000
remainingAmount	Number	—	Residual unallocated balance remaining after this action	40000
bankDetails	Object	—	Target bank parameters for BANK_SAVINGS (bankName, accountLast4)	{ bankName: "HDFC Bank", accountLast4: "4092" }
purchaseDetails	Object	—	Item purchase metadata for PURCHASE (itemName, category)	{ itemName: "Home Renovation", category: "Housing" }

Field Name	Data Type	Key	Description	Example
investmentDetails	Object	—	New asset parameters for NEW_INVESTMENT (investmentType, investmentName, newInvestmentId ref: Investment)	{ investmentType: "Fixed Deposit" }
liabilityDetails	Object	—	Debt prepayment parameters for PAY_LIABILITY (liabilityId ref: Liability, liabilityName, paymentId)	{ liabilityName: "Car Loan" }
cashDetails	Object	—	Liquid cash income link for KEEP_CASH (additionalIncomeId ref: AdditionalIncome)	{ additionalIncomeId: ObjectId("...") }
otherDetails	Object	—	Supplemental parameters for OTHER (description, category)	{ description: "Family vacation fund" }
note	String	—	Narrative explanation or remarks regarding the allocation	"Transferred 80k to savings, remaining 40k kept for liability"
actionDate	Date	—	Date timestamp when the allocation action was executed	2026-03-01T10:00:00.000Z
createdAt	Date	—	Document creation timestamp	2026-03-01T10:00:00.000Z
updatedAt	Date	—	Document update timestamp	2026-03-01T10:00:00.000Z

7. Insurance

Collection: **insurances**

Manages insurance risk policies across Life, Health, Vehicle, and Home, capturing sum insured, recurring premiums, renewal cycles, policy riders, and embedded payment histories.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for insurance policy	ObjectId("668f56789d0e123456789012")
user	ObjectId	FK , Index	Reference to the User document owning the policy	ObjectId("65b8f1d2e13a4c001f8d901a")
type	Enum / String	—	Policy category: "Life Insurance", "Health Insurance", "Vehicle Insurance", "Home Insurance", "Other Insurance"	"Health Insurance"
name	String	—	Commercial product name of the insurance policy	"HDFC ERGO Optima Secure"
policyNumber	String	—	Official policy identification number issued by the insurer	"POL-HD-2024-8831"
provider	String	—	Underwriting insurance company name	"HDFC ERGO General Insurance"
coverageAmount	Number	—	Total sum insured / maximum risk coverage limit	1000000
premiumAmount	Number	—	Recurring premium installment amount payable	18500
premiumFrequency	Enum / String	—	Cadence: "Monthly", "Quarterly", "Half-Yearly", "Yearly", "One Time"	"Yearly"
premiumDueDay	Number	—	Day of month (1 to 31) when premium payment is due	20
startDate	Date	—	Policy coverage effective start date	2024-04-20T00:00:00.000Z
endDate	Date	—	Policy expiry date or end of coverage period	2027-04-19T00:00:00.000Z
renewalDate	Date	—	Next scheduled premium renewal due date	2026-04-20T00:00:00.000Z

Field Name	Data Type	Key	Description	Example
maturityDate	Date	—	Maturity date for endowment / life insurance policies	null
status	Enum / String	—	Policy status: "Active", "Expired", "Matured", "Closed", "Cancelled", "Lapsed"	"Active"
notes	String	—	Additional policy remarks or coverage riders	"Zero room rent capping, 2X restore benefit"
paymentSource	Object	—	Default payment channel details (method, bankName, last4Digits, upiApp, upiid)	{ method: "Bank Account", last4Digits: "4092" }
nominee	String	—	Designated beneficiary nominee for life insurance policies	"Sunita Saha (Spouse)"
maturityDetails	Object	—	Endowment maturity specs: hasMaturity, sumAssured, expectedMaturityAmount, actualMaturityAmount, actualMaturityDate, difference, receivedDestination, payoutAction, payoutActionReferenceId, note	{ hasMaturity: false }
healthDetails	Object	—	Health insurance coverage specs: insuredMembers, coverageCategory, hospitalCoverage (government, private, network, cashless, reimbursement, details), waitingPeriod	{ insuredMembers: ["Self", "Spouse"] }
vehicleDetails	Object	—	Vehicle policy specs: vehicleType, registrationNumber, make, model, variant, purchaseDate, idv, coverageType, addons	{ vehicleType: "Car", make: "Hyundai", idv: 1200000 }
homeDetails	Object	—	Property policy specs: propertyType, propertyAddress, insuredPropertyValue, coveredItems, electronicsItems	{ propertyType: "Apartment" }
renewedFromId	ObjectId	FK	Reference to preceding policy document renewed from	null
renewedToId	ObjectId	FK	Reference to new policy document renewed into	null
metadata	Mixed	—	Flexible metadata payload for arbitrary provider attributes	{ tpaName: "MediAssist" }
payments	Array <Subdocument>	—	Historical premium payment ledger (see 7.1 premiumPaymentSchema)	[{ amount: 18500, status: "Paid" }]
reminder	Object	—	Notification settings: enabled, premiumReminders, expiryReminders, maturityReminders	{ enabled: true }
createdAt	Date	—	Document creation timestamp	2024-04-20T10:00:00.000Z
updatedAt	Date	—	Document last modification timestamp	2026-03-01T11:00:00.000Z

7.1 Embedded Sub-Schema: Premium Payments (Insurance.payments)

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key of the premium payment subdocument	ObjectId("668f56789d0e12345678901a")
amount	Number	—	Monetary premium installment amount paid	18500
dueDate	Date	—	Scheduled deadline for the premium payment	2025-04-20T00:00:00.000Z

Field Name	Data Type	Key	Description	Example
paidDate	Date	—	Actual date when premium payment was cleared	2025-04-18T14:20:00.000Z
date	Date	—	Transaction recorded date	2025-04-18T14:20:00.000Z
status	Enum / String	—	Payment status: "Paid", "Not Paid", "Skipped"	"Paid"
paymentSource	Object	—	Payment instrument used (method, bankName, last4Digits, upiApp, upild)	{ method: "Bank Account", last4Digits: "4092" }
note	String	—	Payment transaction notes or reference number	"Paid via NetBanking ref #TXN99214"
createdAt	Date	—	Subdocument creation timestamp	2025-04-18T14:20:00.000Z
updatedAt	Date	—	Subdocument modification timestamp	2025-04-18T14:20:00.000Z

8. Liability

Collection: **liabilities**

Tracks debt obligations including Home Loans, Personal Loans, Vehicle Loans, Education Loans, and Credit Cards, with EMI schedules, interest breakdowns, and embedded payment histories.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for liability record	ObjectId("669a67890e1f234567890123")
user	ObjectId	FK , Index	Reference to the User document responsible for this debt	ObjectId("65b8f1d2e13a4c001f8d901a")
type	Enum / String	—	Debt classification: "Personal Loan", "Home Loan", "Vehicle Loan", "Car Loan", "Education Loan", "Credit Card", "Gold Loan", "Business Loan", "Other Liability", "Other"	"Home Loan"
name	String	—	Descriptive title or loan account moniker	"SBI Home Loan - Bangalore Apartment"
lender	String	—	Creditor bank or financial lending institution	"State Bank of India"
referenceNumber	String	—	Loan account reference or agreement identification number	"HL-SBI-2023-7741"
principalAmount	Number	—	Original sanctioned loan amount borrowed	4500000
remainingAmount	Number	—	Current outstanding principal balance remaining	3820000
monthlyEMI	Number	—	Scheduled Equated Monthly Installment (EMI) amount	42500
interestRate	Number	—	Annual percentage interest rate (p.a.)	8.65
interestType	String	—	Interest structure (e.g. "Fixed", "Reducing")	"Reducing"
startDate	Date	—	Loan disbursement and origination date	2023-05-10T00:00:00.000Z
tenure	Number	—	Sanctioned loan duration tenure in months	240
endDate	Date	—	Scheduled final EMI completion date	2043-05-10T00:00:00.000Z
nextDueDate	Date	—	Calendar date for the upcoming EMI due date	2026-04-05T00:00:00.000Z
paymentFrequency	String	—	Repayment cadence interval (e.g. "Monthly")	"Monthly"
dueDay	Number	—	Day of month (1 to 31) when EMI debits are processed	5

Field Name	Data Type	Key	Description	Example
paymentSource	Object	—	Configured auto-debit repayment source (method, bankName, last4Digits, upiApp, upid)	{ method: "Bank Account", last4Digits: "5678" }
status	Enum / String	—	Servicing standing: "Active", "Paused", "Overdue", "Completed", "Closed"	"Active"
payments	Array <Subdocument>	—	Historical EMI repayment and prepayment ledger (see 8.1 paymentSchema)	[{ amount: 42500, type: "EMI" }]
notes	String	—	User remarks, terms, or conditions regarding this liability	"Auto-debit through salary account"
homeDetails	Object	—	Property specs for Home Loans: propertyType, propertyAddress, downPayment	{ propertyType: "Apartment", downPayment: 1200000 }
vehicleDetails	Object	—	Automobile specs for Vehicle Loans: vehicleType, make, model, variant, registrationNumber	{ make: "Hyundai", model: "Creta" }
educationDetails	Object	—	Education specs: courseName, educationalInstitution, moratoriumPeriod, repaymentStartDate	{ moratoriumPeriod: 24 }
creditCardDetails	Object	—	Credit card debt specs: creditLimit, minimumDue, totalDue, statementDate	{ creditLimit: 200000, totalDue: 34000 }
goldDetails	Object	—	Collateral specs for Gold Loans: goldDescription, pledgedGoldWeight	{ pledgedGoldWeight: 45 }
businessDetails	Object	—	Commercial enterprise specs for Business Loans: businessName	{ businessName: "Apex Tech Solutions" }
otherDetails	Object	—	Auxiliary metadata for other debts: category, description	{ category: "Personal" }
closureDetails	Object	—	Foreclosure closure metadata: closureDate, amountPaid, outstandingAtClosure, penaltyCharges, note	{ amountPaid: 0 }
reminder	Object	—	EMI due date alert settings: enabled, daysBefore, channels (inApp, email, sms)	{ enabled: true, daysBefore: 3 }
createdAt	Date	—	Document creation timestamp	2023-05-10T11:00:00.000Z
updatedAt	Date	—	Document modification timestamp	2026-03-05T09:15:00.000Z

8.1 Embedded Sub-Schema: Debt Repayments (Liability.payments)

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key of the debt repayment subdocument	ObjectId("669a67890e1f23456789012a")
amount	Number	—	Monetary installment amount paid toward the debt	42500
dueDate	Date	—	Scheduled deadline for the EMI payment	2026-03-05T00:00:00.000Z
paidDate	Date	—	Actual clearance date when EMI transaction was cleared	2026-03-05T06:00:00.000Z
date	Date	—	Transaction recorded timestamp	2026-03-05T06:00:00.000Z
status	Enum / String	—	Payment status: "Paid", "Not Paid", "Partially Paid", "Overdue"	"Paid"

Field Name	Data Type	Key	Description	Example
type	Enum / String	—	Repayment nature: "EMI", "Prepayment", "Closure"	"EMI"
principalComponent	Number	—	Portion of installment amortized toward principal reduction	15200
interestComponent	Number	—	Portion of installment covering accrued loan interest charges	27300
paymentSource	Object	—	Payment method utilized (method, bankName, last4Digits, upiApp, upiId)	{ method: "Bank Account", last4Digits: "5678" }
note	String	—	Payment transaction reference number or note	"March EMI auto-debited"
createdAt	Date	—	Subdocument creation timestamp	2026-03-05T06:00:00.000Z
updatedAt	Date	—	Subdocument modification timestamp	2026-03-05T06:00:00.000Z

9. Reminder

Collection: reminders

Schedules and dispatches automated financial calendar alerts across In-App, Email, and SMS for upcoming payments, SIPs, insurance premiums, goal milestones, and maturities.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for reminder alert	ObjectId("66ab78901f2a345678901234")
userId	ObjectId	FK , Index	Reference to the User document owning the reminder alert	ObjectId("65b8f1d2e13a4c001f8d901a")
userCode	String	—	Alphanumeric customer ID string for notification audit logging	"USR-2026-0042"
userName	String	—	Full legal name of the target user recipient	"Dipjit Saha"
email	String	—	Recipient email address for dispatching email reminder copies	"dipjit@example.com"
phone	String	—	Recipient telephone number for SMS reminder dispatches	"+91 9876543210"
reminderType	Enum / String	Index	Alert trigger type: "Payment", "Investment", "Maturity", "Goal", "Insurance", "General"	"Payment"
category	Enum / String	—	Domain category: "Liability", "Investment", "Insurance", "Saving Goal", "General"	"Liability"
itemName	String	—	Display title of underlying financial asset or liability	"SBI Home Loan EMI"
dueDate	Date	—	Actual calendar due date of the financial obligation	2026-03-05T00:00:00.000Z
rule	String	—	Dispatch timing offset rule (e.g. "3 days before", "On due date")	"3 days before"
scheduledDate	Date	Index	Target calendar date when the alert is queued for dispatch	2026-03-02T00:00:00.000Z
scheduledTime	String	—	Time of day (HH:mm format) when notification is sent	"09:00"
sourceType	Enum / String	Index	Linked model: "Investment", "Insurance", "Liability", "SavingGoal", "General", "MonthlyFinance"	"Liability"

Field Name	Data Type	Key	Description	Example
sourceId	Mixed	Index	Foreign ObjectId or identifier linking to the underlying asset	ObjectId("669a67890e1f234567890123")
referenceId	String	—	External agreement tracking or reference identifier	"HL-SBI-2023-7741"
amount	Number	—	Obligation monetary amount due	42500
enabled	Boolean	Index	Active status toggle for this reminder alert	true
frequency	Enum / String	—	Recurrence: "Once", "Daily", "Weekly", "Monthly", "Quarterly", "Yearly"	"Monthly"
notifyBefore	Array <Number>	—	Array of advance notification offset days	[3]
channel	String	Index	Primary delivery channel moniker (e.g. "In-App", "Email")	"In-App"
channels.inApp	Boolean	—	Toggle for in-app notification bell dispatch	true
channels.email	Boolean	—	Toggle for email dispatch	true
channels.sms	Boolean	—	Toggle for SMS dispatch	false
status	Enum / String	Index	Delivery lifecycle state: "Scheduled", "Sent", "Failed", "Completed", "Disabled", "Active"	"Scheduled"
read	Boolean	Index	Flag tracking whether the user viewed or acknowledged the alert	false
readAt	Date	—	Timestamp when the alert was marked as read	null
sentAt	Date	—	Timestamp when the notification was officially dispatched	null
failureReason	String	—	Diagnostic error message if transmission failed	null
message	String	—	Formatted notification message body	"Your SBI Home Loan EMI of Rs. 42,500 is due on 05 Mar 2026"
retryCount	Number	—	Number of retry transmission attempts following error	0
createdAt	Date	—	Document creation timestamp	2026-03-01T08:00:00.000Z
updatedAt	Date	—	Document last modification timestamp	2026-03-01T08:00:00.000Z

10. Message

Collection: **messages**

System broadcast and direct administrative messaging entity supporting personal, bulk, and conditional user communications across In-App, Email, and SMS channels.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for the message document	ObjectId("66bc89012a3b456789012345")
recipientUser	ObjectId	FK , Index	Reference to target User document (null for broadcast / bulk)	ObjectId("65b8f1d2e13a4c001f8d901a")
userId	String	Index	Alphanumeric recipient customer ID or targeting filter	"USR-2026-0042"
recipient	String	—	Display name of recipient or audience label	"Dipjit Saha"

Field Name	Data Type	Key	Description	Example
recipientEmail	String	Index	Target recipient email address for email dispatches	"dipjit@example.com"
senderAdmin	String	—	Administrator name or system identity originating the broadcast	"Super Admin"
title	String	—	Headline subject title of the communication	"Tax Saving Season: Maximize 80C Deductions"
message	String	—	Full body text or markdown content of the message	"Review your PPF and ELSS contributions before March 31"
templateTitle	String	—	Standard reusable template title identifier	"tax_saving_fy26"
templateMessage	String	—	Template boilerplate narrative text	"Reminder regarding end-of-year tax planning"
category	Enum / String	—	Topic: "General", "Investment", "SIP", "FD", "RD", "Mutual Fund", "Gold", "Stocks", "Insurance", "Liability", "Saving Goal", "Bank / Payment", "UPI", "Reminder", "Other"	"Investment"
priority	Enum / String	—	Urgency priority level: "Normal", "Important", "Urgent"	"Important"
type	Enum / String	—	Broadcast scope: "Personal", "Multiple", "Bulk", "Conditional"	"Personal"
condition	String	—	Filtering query rule if message scope is conditional	null
channels	Array <String>	—	Target transmission channels (e.g. ["In-App", "Email"])	["In-App", "Email"]
deliveryStatus	Map <String>	—	Key-value delivery outcome map per channel	{ "In-App": "Delivered" }
status	Enum / String	Index	Message lifecycle state: "Scheduled", "Sent", "Failed", "Partially Delivered", "Cancelled"	"Sent"
createdBy	String	—	Admin operator or system scheduler creator moniker	"Super Admin"
scheduledDate	String	—	Scheduled dispatch calendar date (YYYY-MM-DD)	null
scheduledTime	String	—	Scheduled dispatch time of day (HH:mm)	null
sentAt	Date	—	Timestamp when the communication was transmitted	2026-03-02T10:30:00.000Z
cancelledAt	Date	—	Timestamp when scheduled message was cancelled	null
read	Boolean	Index	Flag tracking whether recipient read the message in app	false
readAt	Date	—	Timestamp when recipient marked the message as read	null
metadata	Object	—	Auxiliary metadata or deep-link UI redirection routes	{ actionUrl: "/plans-commitments" }
createdAt	Date	—	Document creation timestamp	2026-03-02T10:30:00.000Z
updatedAt	Date	—	Document modification timestamp	2026-03-02T10:30:00.000Z

11. Activity

Collection: **activities**

System security and user activity audit trail, capturing authentication events, report downloads, profile settings adjustments, and operational logs.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for the activity audit entry	ObjectId("66cd90123b4c567890123456")
userId	ObjectId	FK	Reference to the User document who performed the activity	ObjectId("65b8f1d2e13a4c001f8d901a")
userName	String	—	Full legal name of the user associated with this activity entry	"Dipjit Saha"
userEmail	String	—	Email address of the user who triggered the event	"dipjit@example.com"
type	Enum / String	—	Activity event classification: "Registration", "Sign In", "Account", "Report", "Settings", "Other"	"Sign In"
description	String	—	Detailed narrative describing the specific security or business action taken	"User signed in successfully via Email OTP"
createdAt	Date	—	Timestamp when the audit event occurred and was logged	2026-03-06T18:30:00.000Z
updatedAt	Date	—	Timestamp when the audit record was last updated	2026-03-06T18:30:00.000Z

12. AISuggestion

Collection: aisuggestions

Stores historical Gemini AI advisory recommendations, capturing holistic financial health diagnostics, verified numeric facts, prioritized action steps, and macroeconomic benchmark snapshots.

Field Name	Data Type	Key	Description	Example
_id	ObjectId	PK	Primary key auto-generated by MongoDB for the AI suggestion document	ObjectId("66de01234c5d678901234567")
user	ObjectId	FK , Index*	Reference to the User receiving the AI advice (*Compound index with createdAt desc)	ObjectId("65b8f1d2e13a4c001f8d901a")
title	String	—	Executive headline summarizing the core financial advisory guidance	"Optimize Debt Servicing & Boost Emergency Reserves"
summary	String	—	Executive synthesis of user financial health, ratios, and priorities	"Current savings rate is 32%. Reallocating surplus saves Rs. 14,000 annually"
category	String	—	Advisory thematic focus domain (e.g. "Financial Strategy")	"Financial Strategy"
overallHealth	String	—	Holistic financial health score rating (e.g. "Good", "Excellent", "Moderate")	"Good"
recommendations	Array <Subdocument >	—	Granular structured recommendations generated by AI (see 12.1 recommendationItemSchema)	[{ category: "Debt Reduction", decision: "DEBT_FIRST" }]
detailedAdvice	String	—	Comprehensive extended strategic advisory narrative	"Given that your home loan interest is 8.65%..."
keyObservations	Array <String>	—	Bulleted salient financial patterns and findings identified by AI	["Emergency fund covers 2.8 months of expenses"]

Field Name	Data Type	Key	Description	Example
actionSteps	Array <Subdocument>	—	Sequenced procedural implementation roadmap (see 12.2 actionStepSchema)	[{ step: 1, title: "Prepay high-interest debt" }]
financialPosition	Object	—	Point-in-time snapshot: availableToAllocate, netWorth, totalAssets, totalLiabilities	{ netWorth: 1850000, totalAssets: 5670000 }
financialSnapshot	Object	—	Normalized financial metrics at generation time: income, expenses, monthlySavings, savingsRate, totalCommitments, activeSIPsCount, emergencyFundMonths	{ income: 85000, savingsRate: 58.8 }
externalContext	Object	—	External real-time macroeconomic context: goldPricePerGram24K, goldPricePerGram22K, rbiRepoRate, benchmarkFDRate, inflationRate, equityHistoricalCAGR, marketTrend, source, fetchedAt	{ rbiRepoRate: "6.50%", goldPricePerGram24K: 7450 }
promptContextType	Enum / String	—	Originating workflow: "plans_commitments", "dashboard_advisor", "maturity_action", "general"	"plans_commitments"
selectedMonth	String	—	Financial cycle analyzed (e.g. "2026-03")	"2026-03"
targetItemName	String	—	Specific asset or liability name if advice is focused on a single item	"SBI Home Loan"
modelUsed	String	—	Gemini AI model engine utilized during inference	"gemini-2.5-flash"
status	Enum / String	—	Advisory standing: "active" "archived"	"active"
createdAt	Date	Index*	Generation timestamp (*Compound index with user for latest queries)	2026-03-06T19:00:00.000Z
updatedAt	Date	—	Document last modification timestamp	2026-03-06T19:00:00.000Z

12.1 Embedded Sub-Schema: Recommendation Item (AISuggestion.recommendations)

Field Name	Data Type	Key	Description	Example
category	String	—	Thematic category tag (e.g. "Debt Reduction", "Investments")	"Debt Reduction"
priority	Enum / String	—	Urgency priority level: "High", "Medium", "Low"	"High"
decision	Enum / String	—	Directive: "INVEST", "CONSIDER", "WAIT", "AVOID_FOR_NOW", "SAVE_FIRST", "DEBT_FIRST", "DIVERSIFY", "REVIEW_EXISTING", "HOLD_LIQUIDITY", "INCREASE_EXISTING", "REDUCE_CONCENTRATION"	"DEBT_FIRST"
title	String	—	Concise recommendation title headline	"Accelerate Home Loan Prepayment"
message	String	—	Short motivational summary statement of impact	"Prepaying Rs. 10,000 monthly saves 4.2 years of EMI tenure"
reason	String	—	Empirical financial rationale supporting the recommendation	"Risk-free guaranteed return of 8.65% equivalent to debt interest saved"

Field Name	Data Type	Key	Description	Example
suggestedAction	String	—	Concrete actionable step for user execution	"Schedule recurring monthly principal prepayment of Rs. 10,000"
suggestedAmount	Number	—	Recommended monetary capital allocation amount	10000
currency	String	—	Currency ISO denomination code	"INR"
relatedModule	String	—	Targeted FinanceOS functional module	"Plans & Commitments"
numericFacts	Array <Object>	—	Structured verified numeric data points (label, value, unit, source, asOf, status)	[{ label: "Current EMI", value: 42500, unit: "INR" }]
sources	Array <Object>	—	Source citations and market data links (title, url, sourceType)	[{ title: "SBI Lending Rates", url: "https://sbi.co.in" }]

12.2 Embedded Sub-Schema: Action Implementation Roadmap (AISuggestion.actionSteps)

Field Name	Data Type	Key	Description	Example
step	Number	—	Sequential implementation sequence index (1, 2, 3...)	1
title	String	—	Concise title of the action step	"Review liquid reserves before allocating surplus"
description	String	—	Detailed step-by-step instructions to fulfill this step	"Ensure at least 3 months of emergency expenses remain in savings"
priority	Enum / String	—	Step execution priority: "high", "medium", "low"	"high"
suggestedAmount	Number	—	Recommended monetary budget allocation for this step	0