

PROJECT SYNOPSIS & TECHNICAL SPECIFICATION

AI-Powered National Maritime Domain Awareness (NMDA) & Threat Detection System

Project Domain / Title:	AI Maritime Domain Awareness (NMDA) Tactical Command System
Submitted To:	Department of Computer Science & Engineering / Project Evaluation Panel
Submitted By:	Prince Gupta & Piyush Sharma

1. EXECUTIVE SUMMARY

Maritime security across territorial waters and Exclusive Economic Zones (EEZs) demands continuous, 24/7 situational surveillance against multifaceted threats, including illegal, unreported, and unregulated (IUU) fishing, smuggling corridors, unauthorized vessel rendezvous, and state-sponsored espionage. Traditional maritime surveillance heavily relies on operators manually monitoring automatic identification systems (AIS) and radar echoes, resulting in cognitive fatigue and delayed response times.

The National Maritime Domain Awareness (NMDA) System provides an autonomous, real-time AI-powered command-and-control platform. Integrating high-throughput asynchronous backend streaming, deep learning sequence anomaly detection, spatial clustering, and an interactive GIS tactical interface, NMDA ingests high-density vessel telemetry, filters kinematic noise, predicts anomalous trajectory behaviors, identifies dark vessels, and produces prioritized threat ratings instantaneously.



CORE VALUE PROPOSITION

NMDA automates the full surveillance lifecycle—from multi-vessel telemetry ingestion and Kalman kinematic smoothing to LSTM Autoencoder anomaly scoring and sub-second WebSocket tactical broadcasting.

2. CORE PROJECT OBJECTIVES

The primary objectives established for the NMDA system architecture include:

- Autonomous Surveillance:** Automate 24/7 continuous surveillance of commercial, military, and unidentified maritime assets across designated coastal sectors.
- Ultra-Low Latency Alerting:** Drastically decrease the latency between anomalous vessel behavior and command-center alerting from minutes/hours to under 500 milliseconds.
- High-Precision Threat Detection:** Utilize deep learning (LSTM Autoencoders) and spatial algorithms (DBSCAN) to identify speed anomalies, erratic course shifts, and illegal rendezvous with 95%+ precision.
- 'Dark Vessel' Interception:** Instantly detect and flag vessels that disable AIS transponders or spoof identifiers in sensitive defensive perimeters.

- **Cognitive Load Reduction:** Replace legacy manual plotters with an interactive Leaflet/WebGL GIS tactical map offering real-time vessel trails, heatmaps, and one-click drilldowns.
- **Security & Scalability:** Ensure enterprise-grade asynchronous processing, role-based tactical access, and containerized zero-downtime deployment.

3. MODIFICATION & IMPROVEMENT OVER EXISTING IMPLEMENTATION

The transition from legacy surveillance mechanisms to the AI-driven NMDA platform represents a paradigm shift in speed, accuracy, and operational capacity:

Surveillance Parameter	Legacy / Present System	Proposed NMDA AI System
Telemetry Tracking	Manual tracking & static screen cross-referencing	Automated streaming WebSocket feeds with live kinematic interpolation
Anomaly Identification	Post-incident human inspection; prone to oversight	Real-time LSTM Autoencoder trajectory reconstruction loss evaluation
Dark Vessel Detection	Delayed manual correlation between radar and AIS	Instant algorithmic trigger upon AIS blackout or transponder gap
Multi-Vessel Clustering	Difficult to detect coordinated suspicious gatherings	DBSCAN spatial density clustering pinpointing illicit ship-to-ship transfers
Tactical User Interface	Cluttered, non-responsive legacy desktop systems	Modern React 18 + Leaflet dark-mode tactical dashboard with live metrics

4. MACHINE LEARNING & ALGORITHMIC FOUNDATIONS

NMDA integrates three synergistic computational intelligence pipelines to ensure rigorous mathematical evaluation of every maritime track:

4.1. Extended Kalman Filtering (Kinematic Smoothing & Noise Reduction)

Raw AIS transmissions frequently suffer from multipath GPS jitter, atmospheric distortion, and intermittent signal drops. An Extended Kalman Filter (EKF) models the physical state vectors (Position x/y, Speed Over Ground SOG, Course Over Ground COG, Rate of Turn ROT) to eliminate sensor noise and maintain smooth, physically plausible vessel trajectories.

4.2. LSTM Autoencoder for Sequence Anomaly Reconstruction

Long Short-Term Memory (LSTM) Autoencoders are trained on millions of historical legitimate navigation paths within major shipping channels. The encoder compresses a rolling window of sequential kinematic observations into a latent representation, and the decoder attempts reconstruction. When a vessel executes

an evasive zigzag maneuver, unexpected deceleration, or prohibited detour, the Mean Squared Error (MSE) reconstruction loss spikes significantly beyond threshold θ , triggering an immediate anomaly score.

4.3. DBSCAN Spatial Density Clustering (Illegal Rendezvous & Loitering)

Density-Based Spatial Clustering of Applications with Noise (DBSCAN) operates over real-time coordinate projections. Unlike centroid algorithms (e.g., K-Means), DBSCAN automatically detects arbitrary clusters of stationary or slow-moving vessels in open waters (indicating illegal mid-sea transshipments, contraband transfers, or unauthorized refueling) without requiring a predetermined cluster count.

4.4. Composite Dynamic Risk Scoring Matrix

Each active vessel is assigned a real-time risk score $R(t)$ between 0 and 100 calculated as a weighted linear combination of multiple risk factors:

- **$W1 * S_{kinematic}$** : Kinematic reconstruction anomaly score from the LSTM Autoencoder.
- **$W2 * S_{proximity}$** : Distance penalty relative to naval exclusion zones, oil rigs, and territorial baselines.
- **$W3 * S_{dark_signal}$** : Penalty for sudden transponder blackout duration or spoofed MMSI registration.
- **$W4 * S_{cluster}$** : Proximity to anomalous DBSCAN loitering clusters in international waters.

5. SYSTEM ARCHITECTURE & DATA FLOW

The system is built upon a high-performance decoupled client-server micro-architecture:

- **Backend (FastAPI & Uvicorn)**: High-throughput async web engine built on Python 3.11+, delivering sub-millisecond REST endpoints, background inference tasks, and bidirectional WebSocket pipes.
- **Live Bridge Service**: Real-time data pipeline that ingests simulated and live AIS NMEA sentences, formats GeoJSON entities, updates risk scores, and pushes delta updates to clients.
- **Tactical Frontend (React + Vite)**: High-performance React 18 Single Page Application built with Vite, featuring custom Dark Naval UI, Leaflet tile layers, dynamic vessel markers, and real-time SVG charting with Recharts.
- **State Persistence Layer**: Memory-mapped JSON data structures and lightweight Redis-ready cache for instant retrieval of historic track trails and threat logs.

6. SCOPE OF THE PROJECT & USER ROLES

The NMDA platform provides role-tailored workspaces to optimize operational productivity:

6.1. Tactical Operator Role

- Interactive real-time visualization of all maritime tracks with color-coded risk markers (Green: Normal, Yellow: Suspicious, Red: High Threat).
- One-click inspection of vessel speed, course, draught, destination, and kinematic history.
- Instant audio-visual alert dispatch on detected trajectory anomalies and spatial boundary violations.
- Filtering capabilities by vessel class (Cargo, Tanker, Military, Fishing, Unidentified).

6.2. Command Administrator / Intelligence Cell

- Dynamic simulation management: ability to inject stress-test scenarios, ghost vessels, and hostile trajectories.
- Configurable threat sensitivity thresholds (adjusting weights for proximity vs trajectory deviation).
- Comprehensive exportable audit logs and threat intelligence reports for inter-agency coordination.
- System health, CPU/GPU utilization, and active WebSocket subscriber diagnostics.

7. STRATEGIC & OPERATIONAL SIGNIFICANCE

Deploying the NMDA system provides decisive operational advantages:

- **National Security & Defence:** Enhances coastal protection, EEZ surveillance, and rapid response coordination.
- **Cognitive Efficiency:** Drastically mitigates human operator fatigue during prolonged night shifts.
- **Combating Maritime Crime:** Identifies illegal fishing fleets violating seasonal bans and sovereign boundaries.
- **Search & Rescue (SAR) Readiness:** Fast anomaly detection facilitates rapid deployment during vessel distress or collision hazards.
- **Indigenous Technological Capability:** Replaces exorbitant multi-million dollar foreign proprietary suites with a modern, customizable, indigenous solution.

8. HARDWARE & SOFTWARE SPECIFICATIONS

Operating System	Linux (Ubuntu 22.04 LTS / Debian), macOS, Windows 11
Backend Framework	Python 3.11+, FastAPI, Uvicorn, Pydantic v2
Machine Learning	TensorFlow 2.15+, Scikit-Learn, NumPy, SciPy
Frontend Technology	React 18, Vite, Leaflet.js, Lucide Icons, Recharts
Containerization	Docker, Docker Compose for zero-dependency portability
Minimum Hardware Requirement	Quad-Core CPU, 8 GB RAM, 20 GB SSD (Cloud or On-Premise)

9. CONCLUSION & FUTURE ENHANCEMENTS

The Indian Navy Maritime Domain Awareness (NMDA) system provides a state-of-the-art technological breakthrough in automated maritime security. By uniting machine learning anomaly models with ultra-responsive streaming visualization, NMDA empowers defense operators to detect, evaluate, and neutralize maritime threats with unparalleled efficiency.

Future roadmap milestones include:

- **Satellite Imagery Fusion:** Integrating Synthetic Aperture Radar (SAR) imagery to cross-validate visual vessel coordinates during cloud cover and night operations.
- **Automated UAV Interception:** Direct telemetry relay to dispatch autonomous patrol drones to verified threat coordinates.
- **Federated Sensor Networks:** Multi-sensor fusion with coastal radar stations, Sonar buoys, and HF-DF radio intercept networks.

10. REFERENCES & CITATIONS

- International Maritime Organization (IMO) - International Convention for the Safety of Life at Sea (SOLAS) Chapter V: Navigation Safety.
- FastAPI High Performance Web Framework Documentation: <https://fastapi.tiangolo.com>
- React & Vite Modern Frontend Tooling Standards: <https://react.dev> | <https://vitejs.dev>
- TensorFlow Deep Learning & Sequence Modeling: <https://tensorflow.org>
- Scikit-Learn Machine Learning in Python: <https://scikit-learn.org>