
DBMS

SUBQUERES:-

Q1. Find employees whose salary is greater than Amit's salary

```
SELECT name, salary
FROM employee
WHERE salary > (
  SELECT salary
  FROM employee
  WHERE name = 'Amit'
);
```

Output:




Q2. Find the employee who has the highest salary

```
SELECT name, salary
FROM employee
WHERE salary = (
```

```
   SELECT MAX(salary)
   FROM employee
);
```

Output:




Q3. Salary greater than average salary

```
SELECT name, salary
FROM employee
WHERE salary > (
   SELECT AVG(salary)
   FROM employee
);
CREATE TABLE department (
   dept_id INT PRIMARY KEY,
   dept_name VARCHAR(30)
);
INSERT INTO department VALUES
(1, 'IT'),
```

```
(2, 'HR'),
(3, 'Sales');
ALTER TABLE employee
ADD dept_id INT;
```


Output:



Q4. Subquery with IN

```
SELECT name, salary
FROM employee
WHERE dept_id IN (
  SELECT dept_id
  FROM department
  WHERE dept_name IN ('IT', 'Sales')
);
```

Output:



Q5. Subquery with NOT IN

```
SELECT name, salary
FROM employee
```

```
WHERE dept_id NOT IN (
   SELECT dept_id
   FROM department
   WHERE dept_name = 'IT'
);
```

Output:

