Bulk Airtime API — Partner Integration Guide

Overview

This guide covers the bulk airtime API for partners authenticating via **API key**. The flow is streamlined: upload a CSV, then immediately confirm to start processing.

Authentication: All requests require your API key passed as a Bearer token in the `Authorization` header.

Plain Text
Authorization: Bearer YOUR_API_KEY

Features

- CSV file upload with validation
- Duplicate upload detection (same day)
- Message template with per-recipient placeholders
- Campaign pause/resume/cancel controls
- Real-time progress tracking
- Automatic refund for cancelled campaigns
- SMS cost: NGN 5 per SMS

Integration Flow

Plain Text
1. Upload CSV → 2. Confirm → 3. Poll Status

Endpoints

1. Upload Bulk Airtime File

`POST /api/bulk/airtime/upload`

Content-Type: `multipart/form-data`

Form Fields:

Field	Required	Description
`file`	Yes	CSV file (max 10MB, max 10,000 rows)
`message_template`	No	SMS template with placeholders
`sender_id`	No	Registered sender ID for SMS

CSV Format:

Plain Text
SN,Name,Phone Number,Amount,Network
1,John Doe,08012345678,1000,mtn
2,Jane Smith,07098765432,500,airtel
3,Bob Johnson,09087654321,2000,glo

CSV Column Rules:

Column	Required	Notes
`SN`	Yes	Serial number, duplicates allowed
`Name`	Yes	Recipient name
`Phone Number`	Yes	Valid Nigerian number, must be unique per upload
`Amount`	Yes	Airtime in Naira (e.g. `1000`, `1,000`, `1000.00`)
`Network`	Yes	`mtn`, `airtel`, `glo`, or `9mobile` (case-insensitive)

Message Template Placeholders:

Placeholder	Value
`{{name}}`	Recipient's name

`{{phone}}`	Recipient's phone number
`{{amount}}`	Airtime amount in Naira
`{{sn}}`	Serial number

Example:

Plain Text
Hello {{name}}, you have received NGN {{amount}} airtime. Thank you!

Success Response `200`:

Plain Text

```
{
 "message": "File uploaded successfully. Please review and confirm.",
 "campaign_id": "3685136341377224704",
 "summary": {
  "total_rows": 150,
  "total_amount": 75000.00,
  "total_amount_kobo": 7500000,
  "total_sms_cost": 750.00,
  "total_cost": 75750.00,
  "message_template": "Hello {{name}}, you received NGN {{amount}}"
 },
 "preview": [
  {
   "row_number": 1,
   "sn": "1",
   "name": "John Doe",
   "phone": "08012345678",
   "amount": 1000.00,
   "network": "mtn"
  }
 ],
 "next_step": "Request OTP to confirm and start processing"
}
```


Note: The `next_step` field in the response mentions OTP — as an API partner you can ignore this. Proceed directly to the confirm endpoint.

Duplicate Warning Response `200`:

If the same file was already uploaded today, the response includes an additional warning but the campaign is still created normally. You can proceed to confirm.

Plain Text
```
{
 "warning": "Similar file was uploaded today",
 "duplicate_info": {
   "file_name": "bulk_airtime_2026_03_15.csv",
   "uploaded_at": "2026-03-15T10:30:00Z",
   "total_rows": 150
 }
}
```

Error Responses:

Status	Reason
`400`	Invalid file format, failed validation (see body for details)
`401`	Missing or invalid API key
`500`	Server error

---

2. Confirm and Start Campaign

`POST /api/bulk/airtime/campaigns/:campaign_id/confirm`

No request body required. API key clients skip OTP verification entirely.

Path Parameters:

- `campaign_id`: The campaign ID returned from upload

Success Response `200`:**

Plain Text
```
{
 "message": "Campaign started successfully",
 "campaign_id": "3685136341377224704",
 "status": "processing"
}
```

Error Responses:

Status	Reason
`404`	Campaign not found
`403`	Campaign belongs to a different account
`400`	Campaign is not in `pending_confirmation` state
`402`	Insufficient wallet balance

Insufficient Balance Response `402`:**

Plain Text
```
{
 "error": "Insufficient balance",
 "required": 75750.00,
 "current_balance": 50000.00
}
```

---

3. Get Campaign Status

`GET /api/bulk/airtime/campaigns/:campaign_id`

Query Parameters:

- `page` (default: `1`)
- `limit` (default: `10`, max: `100`)

Success Response `200`:**

Plain Text
```
{
 "campaign": {
   "id": 1,
   "campaign_id": "36851363413772247O4",
   "file_name": "bulk_airtime.csv",
   "total_rows": 150,
   "total_amount": 7500000,
   "total_sms_cost": 75000,
   "status": "processing",
   "processed_count": 45,
   "success_count": 42,
```

```
  "failed_count": 3,
  "amount_debited": 7575000,
  "balance_before": 10000000,
  "started_at": "2026-03-15T10:35:00Z",
  "created_at": "2026-03-15T10:30:00Z"
 },
 "summary": {
  "total_items": 150,
  "processed_count": 45,
  "success_count": 42,
  "failed_count": 3,
  "pending_count": 105
 },
 "items": [...],
 "pagination": {
  "total": 150,
  "page": 1,
  "limit": 10,
  "total_pages": 15
 }
}
```


Campaign Statuses:

Status	Meaning
`pending_confirmation`	Uploaded, awaiting confirm call
`processing`	Actively processing items
`paused`	Temporarily paused
`completed`	All items processed
`cancelled`	Cancelled by caller

Item Statuses:

Status	Meaning
`pending`	Not yet processed

`processing`	Currently being processed
`success`	Airtime sent (and SMS if applicable)
`failed`	Processing failed
`skipped`	Skipped due to campaign cancellation

---

4. List Campaigns

`GET /api/bulk/airtime/campaigns`

Query Parameters:

- `page` (default: `1`)
- `limit` (default: `20`, max: `100`)

Success Response `200`:**

Plain Text


```
{
 "data": [
  {
   "campaign_id": "3685136341377224704",
   "file_name": "bulk_airtime.csv",
   "total_rows": 150,
   "total_amount": 7500000,
   "status": "completed",
   "processed_count": 150,
   "success_count": 145,
   "failed_count": 5,
   "created_at": "2026-03-15T10:30:00Z",
   "completed_at": "2026-03-15T11:45:00Z"
  }
 ],
 "pagination": {
  "total": 25,
  "page": 1,
  "limit": 20,
  "total_pages": 2
 }
```

}

---

5. Pause Campaign

`POST /api/bulk/airtime/campaigns/:campaign_id/pause`

Only works when campaign status is `processing`.

Success Response `200`:**

Plain Text
{
 "message": "Campaign paused successfully",
 "status": "paused"
}

---

6. Resume Campaign

`POST /api/bulk/airtime/campaigns/:campaign_id/resume`

Only works when campaign status is `paused`. Processing resumes from the next pending item.

Success Response `200`:**

Plain Text
{
 "message": "Campaign resumed successfully",
 "status": "processing"
}

---

7. Cancel Campaign

`POST /api/bulk/airtime/campaigns/:campaign_id/cancel`

Cancels a campaign that is in `pending_confirmation`, `processing`, or `paused` state. Unprocessed items are automatically refunded to your wallet.

Success Response `200`:**

Plain Text
{
 "message": "Campaign cancelled successfully",

```
 "status": "cancelled"
}
```

---

8. Get Campaign SMS Details

`GET /api/bulk/airtime/campaigns/:campaign_id/sms`

Query Parameters:

- `page` (default: `1`)
- `limit` (default: `20`, max: `100`)
- `status` (optional): filter by item status — `success`, `failed`, `pending`
- `has_message` (optional): `true` or `false`

Success Response `200`:**

Plain Text

```
{
 "campaign_id": "3685136341377224704",
 "campaign_info": {
   "file_name": "bulk_airtime.csv",
   "total_rows": 150,
   "message_template": "Hello {{name}}, you received NGN {{amount}}",
   "sender_id": "MYBRAND",
   "status": "completed"
 },
 "sms_statistics": {
   "total_with_message": 120,
   "total_sms_sent": 118,
   "total_sms_failed": 2,
   "total_sms_cost": 60000,
   "total_sms_cost_naira": 600.00
 },
 "sms_details": [...],
 "pagination": {
   "total": 120,
   "page": 1,
   "limit": 20,
   "total_pages": 6
 }
}
```

Error Handling

Validation errors from upload:

Plain Text
{ "error": "Invalid phone number at row 5: 080123" }
{ "error": "Duplicate phone number at row 10: 08012345678" }
{ "error": "Invalid network at row 3: etisalat. Must be one of: mtn, airtel, glo, 9mobile" }
{ "error": "Invalid amount at row 7: abc" }

Limits:

- File size: max **10MB**
- Rows: max **10,000** per upload
- Processing rate: ~500ms per item (i.e. ~2 items/sec)

Notes

- Amounts in API responses are in **kobo** (`total_amount`, `amount_debited`, etc.). Divide by 100 for Naira.
- SMS is sent **only if airtime succeeds** for that recipient.
- Cancelling a campaign refunds **unprocessed items only** — already-sent airtime is not reversed.
- Duplicate detection is based on file MD5 hash, scoped to the same calendar day. A warning is returned but does not block the campaign. You may then choose to proceed with confirmation or not.