

CHAPTER ONE

INTRODUCTION

1.1 Background of Study

Mental health is a critical aspect of human well-being that affects how individual think, feel, and act. Mental health challenges such as stress, anxiety, and depression are increasingly affecting individuals in society. Many people experience emotional distress but are unable to access immediate support due to high costs, limited availability of professionals, fear of stigma, or lack of privacy. As a result, emotional problems are often left unmanaged.

This project focuses on developing a technological solution to help address the problem. The study proposes the design and implementation of a Mental Health Support Chatbot that provides real-time emotional assistance through text-based interaction.

Mental well- being encompasses more than the mere absence of mental illness, it represents a holistic state in which an individual not only recognizes and harnesses their own strengths and ability but also navigates life's challenges with resilience and adaptability. Coping with 'normal' stresses such as work pressures, relationship demands, or unexpected setbacks it becomes an opportunity for growth rather than a source of debilitating distress.

The chatbot will use Natural Language Processing (NLP) to understands user input, and generates appropriate supportive responses. The system will be accessible across multiple platforms and will provide private, immediate, and user-friendly interaction.

The project does not aim to replace professional therapists or medical services but to provide first level emotional support for individuals experiencing mild distress.

1.2 Statement of Problem

Many individuals do not have access to immediate and affordable emotional supports when experiencing stress, anxiety, or sadness. To fill the gap, the proposed chatbot aims to offer a meaningful complement to problems being faced. They include:

- i. Lack of immediate emotional support
- ii. Limited access to mental health professionals
- iii. Fear of stigma when seeking help
- iv. Limited availability of cross platforms digital solutions.

Therefore, there is a need to develop a system that can provide real-time, private, and emotional support using intelligent technologyp.

1.3 Aim and Objectives of the Study

Aim:

To design and implement a chatbot system that leverages natural language processing.

To provide emotional wellness support and basic mental health assistance.

Objectives:

The objectives of this project are to:

- i. Developed Chatbot capable of engaging users in real-time text-based conversation.
- ii. Developed cloud-based system that support multiple user multiple users simultaneously.
- iii. Integrate a sentiment analysis technique for detecting and understanding user emotions.
- iv. Build a cross-platform application accessible on Android, iOS, web, and desktop using Flutter.
- v. Ensure user privacy by limiting storage of personal information.

1.4 Significance of the Study

The development and deployment of an NLP driven mental health support chatbot carry profound implications across healthcare delivery, technology innovation, and public well-being. It is significant because:

- i. It enhances access to care.
- ii. It demonstrates the application of AI and NLP in solving real-life problems.
- iii. It offers a cost-effective complementary support system.
- iv. It encourages individuals to express emotions in a private environment.
- v. It promotes mental health literacy.

1.5 Scopes and Limitation of the Study

Scope of the Study

This study explores the design and implementation of a text-based Chatbot that provides emotional wellness support. The system will use NLP to analyze user input and generates supportive response to stimulate human-like, empathetic conversation, offering users a safe space to express their emotions. By integrating NLP techniques such as sentiment analysis and intent detection, the chatbot will be able to interpret user input and generate response that are both contextually relevant and emotionally sensitive. Importantly, the chatbot will serve as a first- line support tool, helping user manage mild emotional distress and encouraging those

with more serious concern to seek professional assistance.

Limitations of the Study

- i. The system may not accurately interpret complex emotional expressions.
- ii. It will not provide medical diagnosis or therapy.
- iii. It supports only English text-based communication.
- iv. The study will not address long term behavioral tracking or deep learning-based personalization due to the time and resource constraints.
- v. To protect user privacy, no personal data beyond each chat session is stored, which prevents the chatbot from building long-term conversational history or learning individual user preference over time.

1.6 Definition of Terms

- i. **Mental Health Support Chabot:** A software application that uses Artificial Intelligence and Natural Language Processing techniques to stimulate human-like conversation, providing user with emotional support and coping strategies in real time.
- ii. **Natural Language Processing (NLP):** A sub field of artificial intelligence focused on enabling machines to understand, Interprets, and generate human language through computational methods such as sentiment analysis and intent detection.
- iii. **Sentiment Analysis:** An NLP technique that classifies the emotional tone a text (e.g, positive, neutral, negative) to understand user's feelings and tailor responses accordingly.
- iv. **Artificial Intelligence (AI):** The branch of computer science that focuses on creating systems that capable of performing tasks that normally require human intelligence such as learning, reasoning, problem-solving, and language understanding.
- v. **Hotlines:** Telephones or text-based services staffed by trained responders (often volunteers or professionals) that provides immediate emotional support, crisis intervention, and referrals for individuals in distress.
- vi. **Woebot:** An AI-powered Chabot built on principle of cognitive behavioral therapy (CBT), designed to engage users in brief, daily conversation aimed at reducing symptoms of depression and anxiety.
- vii. **Wysa:** An empathetic Chabot that combines AI driven dialogue with evidence with evidence-based techniques and offers optional human coaching for more personalized support.

- viii. **SpaCy:** An open-source Python library for advanced Natural Language Processing, providing tools for tokenization, part of speech tagging, dependency parsing, and named entity recognition.
- ix. **Transformers:** A framework (popularized by the Hugging Face library) implementing state of the art neural network architectures such as BERT and GPT that excel at understanding and generating human language through context aware embedding.
- x. **Psychoeducational:** Relating to the combination of psychological and educational methods used to inform and teach individuals about their mental health, emotional regulation strategies, and coping skills in order to enhance self-awareness and well-being.
- xi. **Flutter:** Flutter is an open-source UI software development framework created by Google that allows developers to build natively compiled applications for mobile (Android & IOS), web, and desktop platforms from a single codebase.
- xii. **Codebase:** Codebase refers to the complete collection of source code used to build a particular software application or system. It includes all the files, scripts, configuration settings, libraries, and resources written by developers to create the program.

CHAPTER TWO

LITERATURE REVIEW

2.1 Review of Relevant Concept

This chapter reviews relevant literature related to mental health support systems, artificial intelligence (AI), natural language processing (NLP), emotion recognition, and Chabot technology. It examines existing digital mental health solutions and identifies gaps that this study aims to address.

2.1.2. Mental Health and the Need for Digital Support

Mental health is a critical component of overall well-being and influences how individuals think, feel, and behave (World Health Organization [WHO], 2022). Globally, cases of anxiety, depression, and emotional distress continue to rise. Despite this increase, access to mental health services remains limited due to high treatment costs, a shortage of professionals, and social stigma (Patel et al., 2018).

Digital solutions have emerged as alternative support systems. Online platforms and mobile applications now provide emotional assistance through automated systems. These tools improve accessibility, especially for individuals who may feel uncomfortable seeking face-to-face therapy. However, digital systems are intended to complement professional services rather than replace them.

2.1.3. Artificial Intelligence in Mental Health Care

“Artificial intelligence” refers to computer systems designed to perform tasks that normally require human intelligence (Russell & Norvig, 2021). In mental health care, AI technologies are used to analyze user input, detect emotional patterns, and generate supportive responses.

Research has shown that AI-powered conversational agents can reduce symptoms of anxiety and depression by providing structured therapeutic conversations (Fitzpatrick et al., 2017). These systems operate continuously and provide immediate responses, which is beneficial for individuals experiencing emotional distress.

However, AI systems still face limitations in emotional depth and contextual understanding. Continuous improvement in emotional modeling is therefore necessary.

2.1.4. Natural Language Processing (NLP)

Natural Language Processing (NLP) is a field that combines computer science, linguistics, and artificial intelligence to enable computers to understand, interpret, and generate human language (Fanni, Salvatore Claudio, et al., 2023). It converts written or spoken language into structured data that machines can analyze and respond to.

2.1.5. Applications of NLP

- i. **Chabot's:** Chatbots are one of the most common applications of NLP, allowing AI systems to understand and respond to user messages in real time through text or voice interactions (Oye & Parker, 2024; Yi, 2024).
- ii. **Email Filtering:** NLP is used to convert email messages into numerical vectors so that machine learning systems can identify and filter spam or unwanted messages (Jain, 2024).
- iii. **Language Translation:** Language translation systems use NLP to analyze the grammar and context of a language and automatically translate it into another language (Al Anakrih & MahmoudGudra, 2024).
- iv. **Sentiment Analysis:** Sentiment analysis is an NLP technique used to determine the emotional tone of text in order to understand opinions, attitudes, and emotions expressed by users (Gunasekaran, 2023).
- v. **Smart Assistants:** Smart assistants such as voice-controlled systems rely on NLP to understand spoken commands and respond appropriately (Master of Code, 2024; Zemith, 2024).
- vi. **Emotional Intelligence in AI (Brief):** Emotional intelligence in AI refers to the ability of artificial systems to recognize, interpret, and respond to human emotions in ways that improve human–computer interaction (Narimisaie et al., 2024). This capability enables AI systems to detect emotional signals and provide more empathetic responses, which is particularly useful in applications such as mental health support systems.
- vii. **Large Language Models (LLMs) (Brief):** Large Language Models are deep learning systems trained on massive datasets of text that enable machines to understand and generate natural language (IBM, 2025). These models rely on transformer architectures to perform tasks such as translation, summarization, reasoning, and question answering (Stoffel et al., 2024).
- viii. **Gemini AI Model (Brief):** The Gemini AI model is a family of multimodal large language models developed by Google DeepMind that can process different types of

information such as text, images, audio, and code (Google, 2023). It is designed to perform complex reasoning tasks and support advanced conversational systems.

- ix. **Privacy / context constraints:** Using private or sensitive personal artifacts with such models may raise concerns, because of data handling, retention, and use consent issues. Being corpus-aware helps, but must be carefully designed (TechTarget, 2024).
- x. **Latency & compute cost:** More powerful versions (Ultra, large context windows) require more computational resources; may be slower or costly when running real-time inference, especially on low-spec or offline devices (TechTarget, 2024).
- xi. **Hallucinations & factual errors:** Like many LLMs, Gemini is not immune to producing plausible-sounding but incorrect information. Strong reasoners + guardrails are needed (TechTarget, 2024).
- xii. **Regulation, bias, ethical concerns:** Multimodal models may amplify biases present in the training data (image, video, code). There are also ethical issues around fairness, representation, and how outputs are used (IBM, 2024).
- xiii. **Firebase Firestore (Brief):** Firebase Firestore is a cloud-based NoSQL database developed by Google that stores data in collections and documents rather than traditional tables (Google Cloud, n.d.). It supports real-time synchronization, scalability, and offline functionality, making it suitable for modern mobile and web applications (Jim, 2025).
- xiv. **Upscaling AI Understanding of Human Emotions (Brief):** Upscaling AI understanding of human emotions involves training AI models using emotionally labeled datasets so they can detect emotional states such as stress, sadness, or anxiety (Ni, 2024). This approach improves the ability of conversational systems to respond empathetically and provide more accurate emotional support (Zhang et al., 2023).
- xv. **Flutter Framework (Brief):** Flutter is an open-source user interface development framework created by Google that allows developers to build applications for multiple platforms using a single codebase (Google Developers, 2023). It uses the Dart programming language and provides tools that support rapid application development (LeanCode, 2025).
- xvi. **Cross-Platform Accessibility Using Flutter (Brief):** Cross-platform accessibility using Flutter allows applications to run on multiple platforms such as Android, iOS, web, and desktop devices from a single codebase (ResearchGate, 2024). This approach improves accessibility and ensures that users can access applications regardless of the device they use (Torous et al., 2025; Badr et al., 2024).

2.2 Standard Structure and Processes of the System

The standard structure of the proposed mental health support chatbot system is designed to provide users with real-time emotional assistance through an intelligent conversational interface. The system integrates modern technologies such as artificial intelligence (AI), natural language processing (NLP), cloud databases, and cross-platform development frameworks to ensure effective communication between users and the system. Artificial Intelligence enables computers and machines to simulate human learning, reasoning, and decision-making processes, allowing intelligent systems to interact with users and provide meaningful responses (IBM, 2024). This capability makes AI suitable for applications such as conversational agents and mental health support systems.

The structure of the system begins with the user interface, where users interact with the Chabot through a mobile or web application developed using the Flutter framework. Flutter is an open-source user interface software development kit created by Google that enables developers to build high-performance applications for multiple platforms such as Android, iOS, web, and desktop from a single codebase (Google Developers, 2023). This cross-platform capability ensures that users can access the Chabot regardless of the type of device they are using, thereby improving accessibility and user experience (Research Gate, 2024).

Once the user sends a message through the application interface, the system processes the input using Natural Language Processing (NLP) techniques. NLP is a field of artificial intelligence that focuses on enabling computers to understand, interpret, and generate human language by transforming text or speech into structured data that machines can analyze (Fanni, Salvatore Claudio, et al., 2023). Within the system, NLP techniques such as sentiment analysis and intent detection are applied to determine the emotional tone and purpose of the user's message. Sentiment analysis, in particular, helps identify whether the user's message expresses emotions such as sadness, anxiety, stress, or frustration, enabling the system to respond appropriately (Gunasekaran, 2023).

After the user's input has been analyzed, the system employs a large language model (LLM) to generate a suitable response. Large language models are deep learning systems trained on large volumes of text data, enabling them to understand context and produce natural language responses (IBM, 2025). In this proposed system, the Gemini AI model is utilized to process contextual information and generate responses that are empathetic and relevant to the emotional condition of the user. Gemini is a multimodal artificial intelligence model developed by Google DeepMind that can process different types of information such as text, images, audio, and code, thereby enabling more advanced reasoning and conversational capabilities

(Google, 2023).

To ensure efficient storage and management of user interactions, the system incorporates Firebase Firestore, a cloud-based NoSQL database developed by Google. Firestore stores data in collections and documents rather than traditional tables and supports real-time data synchronization across devices (Google Cloud, n.d.). This capability allows the Chabot system to store conversation histories and user data securely while ensuring that the system remains scalable and capable of supporting multiple users simultaneously (Jim, 2025).

In addition, the system includes an emotion recognition component that enhances the Chabot ability to detect and interpret user emotions. Emotional intelligence in artificial intelligence refers to the ability of AI systems to recognize, interpret, and respond to human emotions in ways that improve human–computer interaction (Narimisaie et al., 2024). By training the system with emotionally labeled datasets, the Chabot becomes capable of identifying subtle emotional cues in user messages and responding with empathy and support. Such emotionally aware systems are particularly valuable in mental health applications where understanding the emotional state of the user is essential for providing appropriate guidance (Ni, 2024).

Overall, the system follows a structured process that ensures efficient interaction between the user and the Chabot. The user initiates communication through the application interface, the system processes the message using NLP techniques, the AI model analyzes the context and emotional tone, and a suitable response is generated. The interaction data is then stored in the Firestore database for future reference and system improvement. This structured architecture ensures reliability, scalability, and accessibility, enabling the Chabot to provide consistent and responsive emotional support to users.

2.3 Reviews of Related Works

Inkster, Sarda, & Subramanian (2018): Conducted a mixed-methods real-world evaluation of Wysa, an empathy-driven AI conversational agent. They found that among users with self-reported depressive symptoms, those who engaged more with the app showed significantly greater depression score reductions, with moderate effect sizes. Qualitative feedback indicated users found the app helpful and encouraging.

Sharma, Miner, Atkins, & Althoff (2020): Developed a computational framework for characterizing empathy in text-based mental health support, analyzing large data sets of online support conversations. While this work advances understanding of how empathy can be recognized and modeled, it is not exactly a survey of psychotherapy chatbots, nor does it

introduce “Mental Ease” as a tool.

Zhong et al. (2024): Conducted a systematic review and meta-analysis on AI-based Chabot for alleviating depressive and anxiety symptoms in short-course treatments. Analyzed 18 RCTs with 3477 participants, finding modest improvements in depression ($g = -0.26$) and anxiety ($g = -0.19$) after 8 weeks but no sustained effects at three-month follow-up. Emphasized limitations in diversity, Chabot design variations, and the need for generalizable, robust evaluations to inform ethical deployment in clinical psychology.

Li & Zhang et al. (2023): Performed a systematic review and meta-analysis of AI-based conversational agents for mental health and well-being. Synthesized 13 studies on distress and 8 on well-being, showing significant reductions in psychological distress ($g = 0.7$), especially with generative CAs ($g = 1.244$) and for clinical populations. Well-being effects were non-significant; user experiences highlighted positive therapeutic relationships but noted impersonal interactions and communication breakdowns as challenges.

Li et al. (2025): Carried out a systematic review and meta-analysis of Chabot-delivered interventions for young people's mental health. Reviewed 29 studies (13 RCTs), demonstrating reduced distress ($g = -0.28$) but no significant well-being gains ($g = 0.13$). Effectiveness varied by sample type, platform, and AI vs. rule-based designs; interventions were feasible and acceptable, though technical issues like input misunderstandings persisted.

Han & Zhao (2025): Provided a bibliometric analysis of Chabot in mental health, mapping a 46.19% annual research growth rate, with peaks in 2019 and 2021 amid COVID-19. Identified hotspots in usability, AI technologies (e.g., ChatGPT, machine learning), and interventions for depression/anxiety; U.S.-led output, with calls for global standards to address biases, privacy, and ethical risks in deployment.

Limpanopparat et al. (2024): Executed a systematic review on user engagement, attitudes, and effectiveness of mental health chatbots. Synthesized post-2010 literature, finding high engagement linked to positive outcomes (e.g., depression reduction), positive user attitudes toward usability/acceptability, but demographic and tech differences influenced performance. Advocated for standardized measures and cautious implementation for diverse groups.

Baek et al. (2025): Conducted a scoping review of AI Chabot for health professionals' psychological health. Analyzed 10 studies using NLP and CBT techniques via mobile/web platforms, showing usability via feedback and improvements in anxiety, depression, and burnout in most cases. Highlighted potential as accessible support tools but noted one case of increased depressive symptoms, urging standardized protocols.

Mayor (2025): Performed a coping review of reviews on Chabot for mental health. Summarized 12 reviews, focusing on symptom reduction (e.g., depression, anxiety), detection, and user perceptions; studies often U.S./U.K.-based with small samples. Found medium effects for depression, positive usability, but limited RCTs and empathy deficits; anticipated shifts to AI-driven, anthropomorphic designs.

Casu et al. (2024): Undertook a scoping review of AI chatbot effectiveness, feasibility, and applications in mental health. Covered 15 studies on COVID-19 support, depression/anxiety interventions (e.g., XiaoE reduced symptoms moderately), substance use (e.g., Dejal@bot improved abstinence), and usability. Noted benefits in well-being/behavior change but challenges in engagement/integration; recommended large-scale trials and ethical considerations.

Singh et al. (2023): Conducted a systematic review and meta-analysis of chatbots' effects on lifestyle behaviors, including sleep relevant to mental health. Analyzed 19 trials with 3567 participants, finding improvements in sleep duration (+45 min/night) and quality (SMD=0.50), especially in multicomponent interventions. Effects were consistent across populations, informing scalable tools for proactive mental health maintenance.

Balcombe (2023): Explored AI chatbots in digital mental health via narrative review. Highlighted potential for accessible CBT (e.g., Woebot/Wysa for anxiety/depression), addressing stigma/shortages, but flagged ethics, privacy, bias, and over-reliance risks. Proposed human-AI integration for empathy and ethics, with calls for regulation and qualitative studies to enhance trust/user experience.

Khawaja & Bélisle-Pipon (2023): Examined ethical roles of AI mental health chatbots. Discussed 24/7 access benefits but challenges like harmful advice, bias, and therapeutic misconception (overestimating capabilities). Analyzed risks in marketing, digital alliances, and autonomy; recommended honest design, clinician oversight, and policies for safe, supplementary use in crisis prevention.

Haque & Rubya (2023): Provided an overview of chatbot-based mobile mental health apps via app descriptions and 6,245 user reviews. Found personalized interactions fostered comfort/judgment-free sharing, but improper responses led to disengagement; 24/7 access risked over-attachment/isolation. Emphasized crisis detection limits and recommendations for customization and trust-building in ethical designs.

Boucher, et al. (2021): Reviewed artificially intelligent chatbots in digital mental health interventions. Analyzed post-2020 growth amid access/stigma issues, with apps using

NLP/CBT for depression/anxiety. Noting scalability potential but ethical/legal uncertainties, advocated responsible algorithms, bias mitigation, and integration to complement human care in underserved populations.

CHAPTER THREE

METHODOLOGY AND SYSTEM ANALYSIS

3.1. Methodology Adopted

The development of the mental health support Chabot adopts the Object-Oriented Analysis and Design Methodology (OOADM). OOADM is a technical approach used in the analysis and design of software systems through the object-oriented paradigm, incorporating concepts such as abstraction, encapsulation, and visual modeling (Akpera & Aboiyar, 2024). This methodology is applied throughout the entire development life cycle as it enhances product quality and facilitates effective communication among stakeholders, as noted in the study by Akpera and Aboiyar (2024).

OOADM was chosen because it emphasizes modularity, encapsulation, scalability, and reusability, essential characteristics for building mobile applications like a Chabot system (Ehirim&Okeke,2025). The design approach models real-world entities such as *user queries*, *emotional states*, and *responses* as objects with specific attributes and behaviors.

3.2. System Analysis

Object-Oriented Analysis and Design Methodology (OOADM)

Object-Oriented Analysis and Design Methodology (OOADM) is a structured approach to analyzing and designing an application, system, or business process using object-oriented programming principles and visual modeling techniques. It helps guide stakeholder communication and ensures high product quality throughout the software development process (Emmanuel *et al.*, 2025).

OOADM consists of two major phases:

- i. **Object-Oriented Analysis (OOA):** This phase focuses on identifying software requirements and developing software specifications in terms of the *object model*, which defines the interacting objects within the system.
- ii. **Object-Oriented Design (OOD):** This involves implementing the conceptual model created during analysis. It includes defining classes, constraints, and interfaces, resulting in a solution model that describes how the system will be built using concrete technologies (Akpera & Aboiyar, 2024).

Designing and implementing the proposed system presents unique challenges in reliability, privacy, and scalability. Unlike traditional software systems, this Chabot must

interact with users in real time, interpret emotional cues, and provide empathetic responses while ensuring data security. OOADM offers a robust framework to address these challenges by structuring the system around discrete objects that encapsulate both data and behavior.

In OOADM, the researcher employs various graphical models such as Data Flow Diagrams (DFDs), Use Case Diagrams, Collaboration Diagrams, Class Diagrams, State Chart Diagrams, and Activity Diagrams to represent the system and its internal relationships (Emmanuel *et al.*, 2025).

Overall, OOADM provides a structured and flexible approach for designing complex systems like AI-driven mental health Chabot. By organizing the system into interacting objects, it ensures modularity, scalability, and adaptability qualities that support long-term sustainability and effectiveness in sensitive domains such as healthcare.

Here are some reasons why OOADM is best suited for this system:

- i. **Encapsulation for Robustness:** One of OOADM's defining principles is encapsulation, which ensures that each system component hides its internal logic while exposing only necessary interfaces. In a mental health Chabot, this means that modules such as the Emotion Recognizer, Response Generator, and Error Handler can function independently without disrupting the overall system. For example, if the emotion recognizer misclassifies an input, the error can be isolated without compromising the dialogue manager. This design supports fault tolerance and improves system reliability, a crucial requirement in mental health contexts.
- ii. **Modularity and Reusability:** OOADM emphasizes modularity and reusability, allowing system components to be deployed, updated, or reused across environments. According to Aratchige et al. (2024), the OOADM provides a structured representation of system entities and their relationships, which serves as a blueprint for modular design. The same emotion detection module, for instance, can be integrated into iOS, Android, etc. This modular approach also facilitates incremental testing, ensuring that components are validated in isolation before integration. In AI-enabled systems where models require frequent retraining, reusability simplifies updates and minimizes disruptions.
- iii. **OOADM's modularity** also aligns with the use of the Flutter framework, which supports cross-platform deployment on mobile, web, and desktop. By abstracting Chabot modules as objects, developers can integrate them seamlessly into Flutter interfaces, ensuring accessibility for diverse user groups. This reduces exclusion and broadens the Chabot's impact, especially in resource-constrained environments where access to mental health

professionals is limited.

- iv. **Inheritance and Polymorphism for Flexibility:** Through inheritance and polymorphism, OOADM supports extensibility and adaptability, which are key attributes in AI-driven systems. As highlighted by Aratchige et al. (2024), the OMT framework promotes these principles to ensure that derived components can inherit behaviors from base structures while maintaining flexibility through polymorphic interactions. Different conversational strategies such as immediate empathetic responses, guided meditation prompts, or therapist referral protocols can inherit from a shared superclass, ensuring consistency in core functions like session logging. Similarly, AI models such as rule-based engines, unsupervised detectors, or reinforcement learners can implement a common decision interface. This “plug-and-play” adaptability ensures that the Chabot remains flexible in responding to evolving therapeutic practices or updated emotional datasets.

3.3. Analysis of the Existing System

Current mental health support systems primarily rely on traditional therapy sessions, mental health hotlines, and online forums. While these approaches have been helpful, they face several limitations. Therapists and counselors are often not available around the clock, which makes it difficult for individuals in urgent need of emotional support to access help immediately. Professional mental health services are also costly, creating a barrier for individuals who cannot afford regular therapy. Additionally, the stigma associated with seeking mental health support discourages many people from reaching out for help, as they fear judgment from society. Online forums and general mental health resources, though accessible, often lack personalized and empathetic responses that address the unique emotional states of each user. These challenges highlight the need for an automated, always-available, and emotionally intelligent system that can provide personalized support without the constraints of human limitations.

Data Flow of the Existing System




Fig. 3.1: Data Flow Diagram of the existing system

3.4. Weakness of the Existing System

- i. Limited understanding: The chatbot may fail to fully understand complex emotions, slang, or cultural expressions.
- ii. No human empathy: It cannot provide the same emotional care and comfort a human counselor can.
- iii. Risk of misinterpretation: Wrong responses may make users feel worse instead of better.
- iv. Dependence on training data: If the data used to train is biased or incomplete, the chatbot's responses will also be limited.
- v. Lack of crisis handling: It may not effectively handle emergency situations like suicidal thoughts.

3.4.1. Use case diagram

A use case diagram is a visual representation of how a system interacts with its users (actors) to achieve specific goals. It is part of the Unified Modeling Language (UML) and is primarily used in the analysis and design phase of software development. A use case diagram focuses on what the system does (its functionality) rather than how it is implemented.




Fig. 3.2 Use case diagram of the existing System

3.5. Analysis of the Proposed System

The proposed system, Mental Health Support Chabot, is an intelligent, NLP-powered Chabot developed using Flutter and Dart for cross-platform compatibility and the Gemini API for advanced natural language understanding and response generation. It is designed to offer emotional wellness assistance by analyzing user input, detecting emotional cues, and providing supportive, empathetic responses. Beyond emotional recognition, the Chabot suggests coping strategies and relaxation techniques and, where necessary, recommends professional help to users in critical emotional states.

This system is designed to operate in real-time, leveraging the capabilities of the Gemini API for sentiment analysis and contextual understanding, ensuring accurate and meaningful responses. It functions as a non-judgmental and confidential virtual assistant, encouraging users to openly express their feelings while offering personalized guidance based on their emotional state. With its 24/7 availability, the chatbot ensures continuous support, delivering mental health tips, self-care exercises, and motivational advice at any time. Additionally, it connects users with external mental health resources and professionals when deeper intervention is needed, making it a versatile tool for emotional wellness management.

Data Flow of the proposed System




Fig. 3.3 Data Flow of the proposed System

Use case diagram of the proposed system




Fig. 3.4 Use case diagram of the proposed system

3.5.1. Activity Diagram

An activity diagram is a visual representation of the work flow of activities in a system or process, showing the sequence of actions and decision points. It is used to model the dynamic behavior and control flow of a process. The activity diagram of the new system is shown in Figure 3.5 below.




Fig. 3.5 Activity Diagram of the Proposed System

3.6. Advantages of the proposed system

- i. **Cross-Platform Compatibility:** Developed with Flutter, it runs seamlessly on both Android and iOS devices, ensuring a consistent user experience.
- ii. **Advanced NLP Capabilities:** The integration of the Gemini API enables context-aware and intelligent responses, leveraging advanced sentiment analysis and natural language understanding.
- iii. **24/7 Availability:** The Chabot operates round the clock, providing users with immediate emotional support whenever needed.
- iv. **Confidential and Non-Judgmental:** Users can freely express their feelings in a private environment without fear of stigma or judgment.
- v. **Scalable and Multi-User Support:** The system can handle multiple user interactions simultaneously, which is not possible with traditional human counseling sessions.
- vi. **Real-Time Emotional Analysis:** It analyzes user emotions instantly and provides personalized mental health tips, coping strategies, and relaxation techniques based on the detected mood.

3.7. High Level Model of the Proposed System

The mental health support Chabot using NLP for emotional wellness is designed to provide quick and accessible emotional assistance to users. At the top level, the system begins with the user, who interacts through a simple chat interface available on the web or mobile.

Messages are sent to the NLP engine, which handles text preprocessing, recognizes the user's intent, and detects emotions from the conversation. Based on this understanding, the engine generates appropriate responses.

To give meaningful support, the system relies on a knowledge base containing mental health resources, predefined responses, and self-help materials. This ensures the Chabot can provide useful advice and coping strategies.

In critical cases, where the Chabot identifies severe distress or emergencies, the system can escalate the conversation to support services, such as connecting the user with a human therapist or providing helpline information.




Fig. 3.7 High-Level Diagram of the Proposed System

p