

Thank you for confirming the file to update first and providing its current state. You've shared the current version of `SemesterMapperComponents.jsx`, which contains the `SubjectCard`, `StrandGroupRow`, `LeftSidebar`, `RightSidebar`, and `StrandEditor` components. I'll implement the changes related to the Indicator column functionality in this file, focusing on:

- Updating `StrandGroupRow` to render indicator subcells with "Add Indicator" buttons and lists of indicators.
- Updating `StrandEditor` to include an indicator editor section.
- Updating `RightSidebar` to display the indicator editor title.
- Ensuring live preview support in `MainContent`.

I'll incorporate your requirements and answers to the clarifying questions, ensuring the changes align with the existing functionality and styling. Since you've requested to update one file first and wait for approval, I'll provide the updated `SemesterMapperComponents.jsx` below. After your approval, I'll update `SemesterMapper.jsx`.

Changes to `SemesterMapperComponents.jsx`

1. Update `StrandGroupRow`:

- Modify the Indicator column to render a subcell for each content standard within a substrand.
- Add an "Add Indicator" button in each subcell.
- Display indicators as separate `div`s with edit and delete buttons.
- Ensure only rows with content standards show indicator subcells.

2. Update StrandEditor:

- Add a new section for adding/editing indicators with:
 - An optional code input pre-filled with the content standard's code.
 - A textarea for the indicator description.
 - A session dropdown showing sessions from the associated substrand, excluding those assigned to other indicators.
- Include Save, Delete (with confirmation), and Cancel buttons.

3. Update RightSidebar:

- Add a title for the indicator editor (e.g., "Add Indicator for CS1.2").

4. Update MainContent:

- Add support for live preview of indicators when `isAddingIndicator` or `isEditingIndicator` is active.

5. Data Structure:

- Store indicators within each content standard in the `group.substrands[].contentStandards[].indicators` array (e.g., `{ code: "I1", text: "...", sessions: [...] }`).
- Repurpose the existing `group.indicator` field to be ignored since indicators are now tied to content standards.

6. Styling:

- Use `bg-blue-500 hover:bg-blue-700 text-white` for the "Add Indicator" button to match content standards.
- Use `border-blue-700` for indicator subcells, consistent with substrands.
- Style edit/delete buttons like those for substrands (`text-blue-300 hover:text-blue-400`).

7. Edge Cases:

- Show “No sessions available” in the indicator session dropdown if no sessions are available.
- Ensure deleting a content standard removes its indicators (handled in `SemesterMapper.jsx` later).

Clarifications Incorporated

- **Indicator Sessions:** Multiple sessions can be selected, and the dropdown only shows unassigned sessions from the substrand.
- **Live Preview:** Indicators appear in the grid as soon as the user types or selects sessions, showing `code: text`.
- **Delete Confirmation:** Deleting an indicator will include a confirmation dialog.
- **No API Yet:** Indicator save/delete will update the `plans` state locally, awaiting future API integration.

Updated Code

Below is the updated `SemesterMapperComponents.jsx` wrapped in an `<xaiArtifact>` tag. I've reused the `artifact_id` from the original file context, assuming it's something like `semester-mapper-components`. If you have a specific `artifact_id`, please provide it for accuracy.

