Status	Finished
Started	Monday, 2 November 2026, 7:34 PM
Completed	Monday, 2 November 2026, 7:40 PM
Duration	5 mins 49 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The encoding format of the file ✓
b. The size of the file
c. The mode of the file
d. The buffer size

The correct answer is: The encoding format of the file

Question **2**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
b. r+ is for read and write, w+ is for append only
c. r+ is for binary read and write, w+ is for text read and write
d. r+ is for read and append, w+ is for read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readline()
b. readchar()
c. read(size) ✓
d. readlines()

The correct answer is: read(size)

Question **4**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open("c:\\scores.txt", "w") ✓

b. outfile = open(file = "c:\\scores.txt", "w")

c. outfile = open("c:\scores.txt", "w")

d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **5**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created

b. An empty file object is returned

c. An error is raised ✓

d. The operation is ignored

The correct answer is: An error is raised

Question **6**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓

False

The correct answer is 'True'.

Question **7**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a.
- Move file pointer five characters behind from the current position.

b.
- Move file pointer five characters ahead from the current position. ✓

c. Move file pointer five characters ahead from the beginning

d.
- Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **8**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The file's read/write position
b. The buffer size for the file operations ✓
c. The access mode of the file
d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **9**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of integers

b. a list of lines ✓

c. a list of single characters

d. str

The correct answer is:
a list of lines

Question **10**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open_file()

b. open() ✓

c. file()

d. openfile()

The correct answer is: open()

Question **11**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It does nothing

b. It raises an error

c. It appends data to the file

d. It clears the old data and starts fresh ✓

The correct answer is: It clears the old data and starts fresh

Question **12**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens a file in binary mode

b. Creates a new file for writing ✓

c. Opens an existing file in read mode

d. Appends to an existing file

The correct answer is: Creates a new file for writing

Question **13**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+

b. ab+

c. rw+ ✓

d. r

The correct answer is: rw+

Question **14**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file

b. Moves the file cursor to the beginning

c. Deletes the file content

d. Flushes the internal buffer to the file ✓

The correct answer is: Flushes the internal buffer to the file

Question **15**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

- a. file.closed ✓
- b. file.closed()
- c. file.is_closed()
- d. file.isclosed()

The correct answer is: file.closed